CREATING PERFECT HARMONY

# AYO ORIGIN

flair

# THE AYO 8<sub>MM</sub> ORIGIN COLLECTION



Create a modern minimalist look with the stylish elegantly designed AYO Origin 8mm Wetroom Screen.

These stylish 8mm glass panels incorporate the aluminium frame bonded directly to the edge of the glass and are supplied with a stainless steel stabilising bar providing you with the assurance of quality and the reliability customers have come to trust from Flair.

With toughened safety glass, hidden wall, stabilising fixings and hydrophobic coating the AYO Origin wetroom is the ideal choice for your busy bathroom routine.

A protective U-Channel is supplied as standard, allowing a rotating panel to be retrofitted at a later stage.



































# WETROOM PANEL

### SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMEN MIN	NT SIZE MAX	CODE
AYO 8mm Wetroom Silver - 300mm*	275mm	290mm	AYO8WR30SC
AYO 8mm Wetroom Silver - 400mm*	375mm	390mm	AYO8WR40SC
AYO 8mm Wetroom Silver - 450mm*	425mm	440mm	AYO8WR45SC
AYO 8mm Wetroom Silver - 500mm*	475mm	490mm	AYO8WR50SC
AYO 8mm Wetroom Silver - 600mm*	575mm	590mm	AYO8WR60SC
AYO 8mm Wetroom Silver - 700mm	675mm	690mm	AYO8WR70SC
AYO 8mm Wetroom Silver - 760mm	735mm	750mm	AYO8WR76SC
AYO 8mm Wetroom Silver - 800mm	775mm	790mm	AYO8WR80SC
AYO 8mm Wetroom Silver - 900mm	875mm	890mm	AYO8WR90SC
AYO 8mm Wetroom Silver - 1000mm	975mm	990mm	AYO8WR100SC
AYO 8mm Wetroom Silver - 1100mm	1075mm	1090mm	AYO8WR110SC
AYO 8mm Wetroom Silver - 1200mm	1175mm	1190mm	AYO8WR120SC
AYO 8mm Wetroom Silver - 1400mm	1375mm	1390mm	AYO8WR140SC
AYO 8mm Wetroom Silver - I 500mm	1475mm	1490mm	AYO8WR150SC
AYO 8mm Wetroom Silver - 1600mm	1575mm	1590mm	AYO8WR160SC

<sup>1200</sup>mm Straight stabilising bar included with products over 700mm. 350mm angled stabilising bar supplied with 300mm & 400mm products. \*650mm angled stabilising bar supplied with these products.









ANGLED STABILISING BAR






# WETROOM ROTATING PANEL

# SIZE OPTIONS

PRODUCT DESCRIPTION	CODE
AYO 8mm Rotating Panel - 300mm	AYO8RP30SC
AYO 8mm Rotating Panel - 450mm	AYO8RP45SC
AYO 8mm Rotating Panel - 500mm	AYO8RP50SC










# WETROOM **END PANEL**

### SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMEN MIN	NT SIZE MAX	CODE
AYO 8mm Wetroom Silver - 500mm*	475mm	490mm	AYO8WR50SC
AYO 8mm Wetroom Silver - 600mm*	575mm	590mm	AYO8WR60SC
AYO 8mm Wetroom Silver - 700mm	675mm	690mm	AYO8WR70SC
AYO 8mm Wetroom Silver - 760mm	735mm	750mm	AYO8WR76SC
AYO 8mm Wetroom Silver - 800mm	775mm	790mm	AYO8WR80SC
AYO 8mm Wetroom Silver - 900mm	875mm	890mm	AYO8WR90SC
AYO 8mm Wetroom Silver - 1000mm	975mm	990mm	AYO8WR100SC
AYO 8mm Wetroom Silver - 1100mm	1075mm	1090mm	AYO8WRI 10SC
AYO 8mm Wetroom Silver - 1200mm	1175mm	1190mm	AYO8WR120SC
AYO 8mm Wetroom Silver - 1400mm	1375mm	1390mm	AYO8WR140SC

Recommended minimum access - 600mm.

Products over 700mm must be fitted with a T Piece, 350mm angled stabilising bar supplied with 300mm & 400mm Products - Please see page 14 for codes and pricing. \*650mm angled stabilising bar supplied with these products.









# WETROOM FLOOR TO CEILING STABILISING BAR

### SIZE OPTIONS

PRODUCT DESCRIPTION CODE

AYO Floor to Ceiling Stabilising Bar 2600mm AYOFCSBS











# AYO ORIGIN CONFIGURATIONS




- 8mm Wetroom panel glass with bonded adjustment profile
- Straight stabilising bar
- End PolishedSilver Profile (Optional)
- Aluminium floor protector strip or clear horizontal seal included

1




- 8mm Wetroom panel glass with bonded adjustment profile x2
- Straight stabilising bar x2
- T-Piece
- Aluminium floor protector strip or clear horizontal seal included x2

2




- 8mm Wetroom panel glass with bonded adjustment profile x2
- Straight stabilising bar x2
- T-Piece
- Rotating panel
- Aluminium floor protector strip or clear horizontal seal included x2

3




- 8mm Wetroom panel glass with adjustment profile
- Angular stabilising bar
- Aluminium floor protector strip or clear horizontal seal included x2

4



- 8mm Wetroom panel glass with bonded adjustment profile
- Top of Glass to
   Ceiling Stabilising Bar
- Aluminium floor protector strip or clear horizontal seal included



- 8mm Wetroom panel glass with bonded adjustment profile
- Floor to ceiling stabilising bar
- Aluminium floor protector strip or clear horizontal seal included

6

(2


# AYO ORIGIN ACCESSORIES

## STABILISING BARS

Straight Stabilising Bar
PRODUCT DESCRIPTION
AYO I 200mm Straight Stabilising Bar
AYO I 400mm Straight Stabilising Bar
Angled Stabilising Bar
PRODUCT DESCRIPTION
AYO 650mm Angled Stabilising Bar
AYO Angled Stabilising Bar - Short for 300mm $\&400 \text{mm}$ Wetrooms
Other Stabilising Bars
PRODUCT DESCRIPTION
AYO Top of Glass to Ceiling Stabilising Bar - Height 600mm
AYO Floor to Ceiling Stabilising Bar - Height 2600mm
AYO L Shape Stabilising Bar - Length 1410mm / Height 220mm
AYO Rotating Panel Stabilising Bar - Length 1200mm

### ACCESSORIES

PRODUCT DESCRIPTION	CODE
AYO Stainless Steel T-Piece	AYOTPS
AYO Glass Joining Bracket	AYOGJBS
AYO H-Joining Profile - 2000mm	AYOHJPS
AYO End Polished Silver Profile - 2000mm Length	AYOEPS















# DESIGNED FOR LIFE



SINCE 1952

flair

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer our customers innovative designs that bring a new sense of enrichment to their bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



# QUALITY GUARANTEED

# At Flair we have an unwavering commitment to product quality.

All AYO Wetroom Solutions are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150.

Flair products are performance tested to EN14428. AYO rotating panels have been subject to lifetime shower door cycle testing consisting of 20,000 functional cycles.

AYO Wetroom Solutions are also tested for their durability, stability, and water retention properties to ensure that they meet the highest possible industry standards. Please note - Due to the weight of this product it requires a two man lift.

#### AYO 20 year Guarantee

AYO Wetroom Solutions are covered by a 20 year guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. "Note: Non glass and detachable parts such as seals and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every AYO door.

### Aftersales & Spare Parts service

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

### Cleaning

ClearVue glass coating is a standard feature in all AYO Wetroom panels. This easy to clean glass coating is applied to the glass surface and ensures the soap deposits and lime scale are easily cleaned off the glass.

Glass: Use a soft cloth and mild detergent. Rinse off thoroughly\*

**Metallic Surface**: Use a soft cloth and warm soapy water\*

**Painted Surface**: Use a soft cloth and mild detergent, rinse off thoroughly\*

\*Do not use "Spray & Leave" cleaning products on the metal surface as these will cause damage to your wetroom glass. These include acidic based cleaning products, bleaches, solvents or abrasive pads. These will damage the anodising layer on the aluminium profiles.

\*In the hard water areas, regular cleaning of your Flair glass will help prevent the buildup of limescale. Stubborn deposits of limescale can be removed with the use of a mild limescale remover.

\*Only use detergents, cleaners and limescale removers with a pH of 5-8

\*The constant use of detergents will degrade the finish of the product over time if not thoroughly rinsed off.

#### INSTALLATION

Full installation instructions are provided with each AYO product to ensure correct installation. AYO Wetroom Solutions are adjustable between the dimensions stated. All dimensions are approximate.

#### **CONDITIONS OF SALE**

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue.

Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR
CONTINUING POLICY OF
PRODUCT IMPROVEMENT,
WE RESERVE THE RIGHT TO
AMEND SPECIFICATIONS,
COLOURS AND PRICES
WITHOUT PRIOR NOTICE.

\*Errors and Omissions Exempt.



# DESIGNED FOR LIFE

Flair Showers Ltd. Rocks Road Kingscourt Co Cavan Ireland

T +353 42 966 8000 E sales@flairshowers.com

Connect with us













FLAIRSHOWERS.COM .