
CREATING
PERFECT
HARMONY

ETTO

flair

SINCE
1952



CREATING
PERFECT
HARMONY



PRODUCT DESIGN AWARD WINNER

Flair are proud to have received the Good Design Award accolade in recognition of the ETO shower door collection.

The Good Design Award is a seal of global design excellence and a testimony to our passion for product quality and innovation.



Flair is Proudly Supported by
The European Regional Development Fund

THE ETO[®] COLLECTION

At Flair we understand that our customers have an ever demanding daily routine. Be it first thing in the morning or as you finish the day, a shower has the power to lift your spirits, calm the mind and invigorate.

Designed to fit perfectly into your bathroom routine, the robust design of the ETO collection is coupled with clever functional innovations that will ensure long lasting high performance. The uniquely crafted handle is beautifully precise and features a cleverly integrated towel hook. Smooth sleek handle curvature creates a truly ergonomic and tactile experience for the user. The minimalist profiles and countersunk interior hinges complement the ETO handle design, creating an elegantly contemporary aesthetic.

The stylish yet functional simplicity throughout the ETO range embodies **Design with Purpose**, a concept which lies at the heart of the ETO collection.

As you explore the ETO catalogue, we hope you are captivated by every detail.



VISIONARY INNOVATIONS

MAGNETIC INFOLD
LINKAGE SYSTEM



UNIQUELY CRAFTED
ETO HANDLE
WITH INTEGRATED
ROBE HOOK

SOFTLY CURVED
ETO HINGE DESIGN



















COUNTER SUNK
INTERIOR HINGES



ULTRA SLIM PROFILE
AND COVER CAP DESIGN

FUNCTIONAL DETAILS

 <p>2000mm HEIGHT</p>	<p>2 METRES HIGH</p>	 <p>ULTRA CLEAR SEALS</p>	<p>VISUALLY ATTRACTIVE ULTRA CLEAR DOOR SEALS</p>
 <p>8mm TOUGHENED SAFETY GLASS</p>	<p>8MM TOUGHENED SAFETY GLASS THICKNESS, CERTIFIED TO EN12150</p>	 <p>SEAMLESS INTERIOR COVER STRIPS</p>	<p>SEAMLESS INTERIOR COVER STRIPS CONCEAL ALL FIXATION POINTS INTERNALLY</p>
 <p>20mm PROFILE ADJUSTMENT</p>	<p>20MM ADJUSTMENT ON EACH WALL PROFILE</p>	 <p>ULTRA SLIM COVER CAPS</p>	<p>ULTRA SLIM COVER CAP DESIGN FOR A SLEEK AND MODERN DOOR AESTHETIC</p>
 <p>CRAFTED HANDLE DESIGN</p>	<p>PRECISELY CRAFTED SOLID CHROME PLATED ETO HANDLES THAT FEATURE AN INTEGRATED ROBE HOOK DESIGN</p>	 <p>PRESS FIT SEAL DESIGN</p>	<p>INNOVATIVE PRESS FIT SEAL DESIGN FOR EASE OF INSTALLATION</p>
 <p>CLEARVUE GLASS COATING</p>	<p>CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE</p>	 <p>PRE-ASSEMBLED PROFILE FRAME</p>	<p>PRE-ASSEMBLED DOOR FRAME ON INFOLD & HINGE DOOR - FOR EASE OF INSTALLATION</p>
 <p>MAGNETIC CUSHION CLOSE DOOR SYSTEM</p>	<p>A MAGNETIZED PISTON DOOR CLOSE MECHANISM GIVES ETO SLIDING DOORS A CONTROLLED AND GENTLE CLOSE ACTION</p>	 <p>SUITABLE FOR SIDE PANEL INSTALLATION</p>	<p>SUITABLE FOR INSTALLATION WITH SIDE PANELS</p>
 <p>COUNTERSUNK INTERIOR HINGES</p>	<p>COUNTERSUNK INTERIOR HINGES ON ALL HINGE DOORS WITH A FLUSH TO GLASS FINISH FOR EASE OF CLEANING</p>	 <p>SHOWER TRAY OR WETROOM APPLICATION</p>	<p>SUITABLE FOR INSTALLATION ON SHOWER TRAY OR WETROOM FLOOR</p>
 <p>QUICK RELEASE DOUBLE WHEEL ROLLERS</p>	<p>SUPERIOR DOUBLE WHEEL ROLLERS WITH A STAINLESS STEEL WHEEL BEARING AND WHEEL BRACKET COMPOSITION - QUICK RELEASE DESIGN</p>	 <p>REVERSIBLE</p>	<p>ALL ETO DOOR STYLES ARE FULLY REVERSIBLE FOR LEFT OR RIGHT HAND INSTALLATION</p>
 <p>LIFETIME GUARANTEE</p>	<p>LIFETIME GUARANTEE</p>		



DESIGN WITH PURPOSE`





MAGNETIC INFOLD LINKAGE SYSTEM
The ETO Infold door features a pioneering magnetic linkage system which ensures the smoothest of motion as the door functions. The solid metal linkage arm is bonded directly to the glass and provides for an ultra minimalist infold door aesthetic. This innovative design removes the need for magnetic seals, giving a beautifully seamless glass edge on the door.

MAGNETIC CUSHION CLOSE DOOR SYSTEM
A concealed piston door close system gives ETO sliding doors a controlled and gentle close action. Double rollers with stainless steel ball bearings and a stainless steel wheel bracket design deliver an effortless sliding experience as the door glides along the magnetised rail.



PATENT PENDING CLICK FIT ASSEMBLY SYSTEM
With our installers in mind, Flair have designed ETO with a patent pending "Click Fit" Assembly System. This revolutionary assembly mechanism is screw free and ensures each door can be installed easily and securely. The tapered dovetail joint locks securely into position, giving a seamless connection between the vertical and horizontal profiles. This pioneering installation system ensures maximum structural integrity within every door and makes ETO the shower door of choice for the busiest of bathrooms.
(European Application No 19170695.1)



IDEA
CONCEPT
PROTOTYPE
ETO



THE ETO[®] COLLECTION

INFOLD DOOR	HINGE DOOR	HINGE & INLINE DOOR
14	16	18
SLIDER DOOR	ONE DOOR QUADRANT & OFFSET QUADRANT	TWO DOOR QUADRANT
20	22	24
	TWO DOOR OFFSET QUADRANT	CORNER ENTRY
	26	28
MATTE BLACK INFOLD DOOR	MATTE BLACK HINGE DOOR	MATTE BLACK HINGE & INLINE DOOR
30	32	34
	MATTE BLACK SLIDER DOOR	MATTE BLACK ONE DOOR QUADRANT & OFFSET QUADRANT
	36	38
GEMSTONE SHOWER TRAYS	ANTI-SLIP SHOWER TRAYS	QUALITY GUARANTEED
41	54	58

INFOLD DOOR

The ETO Infold is the perfect blend of elegance with practical functionality.

This outward opening door protrudes minimally into the bathroom, saving on space. The unique Infold door design also affords generous access to the shower.

The ETO Infold features a pioneering magnetic linkage system which gives the door a perfectly smooth gliding action. This innovative design removes the need for magnetic seals on the glass, giving a beautifully seamless glass edge to the door.

As is standard across the ETO range, the Infold door is constructed from 8mm toughened safety glass with ClearVue hydrophobic coating. All interior fixings are fully concealed, making this shower enclosure as delightful internally as externally.

DOOR SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE - SILVER
Infold Door 700mm	650mm	690mm	496mm	ETOIF70SC
Infold Door 760mm	710mm	750mm	556mm	ETOIF76SC
Infold Door 800mm	750mm	790mm	596mm	ETOIF80SC
Infold Door 900mm	850mm	890mm	696mm	ETOIF90SC
Infold Door 1000mm	950mm	990mm	796mm	ETOIF100SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE - SILVER
Side Panel 700mm	660mm	680mm	ETOSP70SC
Side Panel 760mm	720mm	740mm	ETOSP76SC
Side Panel 800mm	760mm	780mm	ETOSP80SC
Side Panel 900mm	860mm	880mm	ETOSP90SC
Side Panel 1000mm	960mm	980mm	ETOSP100SC
Side Panel 1200mm	1160mm	1180mm	ETOSP120SC

NOTE – An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied.

PRODUCT DESCRIPTION	CODE - SILVER
Compensating Bar 10mm (included with side panel)	ETOCB10SC
Compensating Bar 25mm	ETOCB25SC



INFOLD DOOR
ALCOVE INSTALLATION

INFOLD DOOR
WITH SIDE PANEL

HINGE DOOR

The stylish yet functional simplicity of the ETO Hinge door makes it the ideal choice for today's contemporary bathroom.

This 2 metre high door is supported by two precisely curved hinges that boast a flush to glass interior finish which allow for ease of cleaning. 8mm toughened safety glass is coated with ClearVue hydrophobic coating to resist the build up of unwanted grime and limescale.

The ETO Hinge door can be fitted independently in an alcove setting or with a dedicated ETO side panel of choice.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE - SILVER
Hinge Door 800mm	750mm	790mm	646mm	ETOHD80SC
Hinge Door 900mm	850mm	890mm	746mm	ETOHD90SC
Hinge Door 1000mm	950mm	990mm	846mm	ETOHD100SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE - SILVER
Side Panel 700mm	660mm	680mm	ETOSP70SC
Side Panel 760mm	720mm	740mm	ETOSP76SC
Side Panel 800mm	760mm	780mm	ETOSP80SC
Side Panel 900mm	860mm	880mm	ETOSP90SC
Side Panel 1000mm	960mm	980mm	ETOSP100SC
Side Panel 1200mm	1160mm	1180mm	ETOSP120SC

NOTE – An ETO Hinge Door installed with a side panel must be installed with the 10mm compensating profile supplied.

PRODUCT DESCRIPTION	CODE - SILVER
Compensating Bar 10mm (included with side panel)	ETOCB10SC
Compensating Bar 25mm	ETOCB25SC



2000mm
HEIGHT



8mm
TOUGHENED
SAFETY
GLASS



20mm
PROFILE
ADJUSTMENT



11
CRAFTED
HANDLE DESIGN



CLEARVUE
GLASS COATING



ULTRA CLEAR
SEALS



PRE-ASSEMBLED
PROFILE FRAME



PRESS FIT
SEAL DESIGN



ULTRA SLIM
CHROME PLATED
COVER CAPS



SEAMLESS
INTERIOR
COVER STRIPS



SHOWER TRAY
OR WETROOM
APPLICATION



REVERSIBLE



COUNTERSUNK
INTERIOR
HINGES



LIFETIME
GUARANTEE



HINGE DOOR
WITH SIDE PANEL



CURVED HINGE DETAILING WITH
COUNTERSUNK INTERIOR FINISH

HINGE DOOR
ALCOVE INSTALLATION



HINGE & INLINE DOOR
ALCOVE INSTALLATION

SOFTLY CURVED
ETO HINGE
DESIGN WITH
COUNTERSUNK
INTERIOR FINISH



HINGE & INLINE DOOR
WITH SIDE PANEL



HINGE & INLINE DOOR

The impressive ETO Hinge and Inline door is the perfect option for those larger luxurious bathroom spaces.

The flawless semi framed profiles give this door a robust feel, whilst the crafted ETO handle provides optimal functionality with its integrated towel hook design.

Designed with purpose, the softly curved hinges are countersunk into the glass and their flush interior finish allows for ease of cleaning. As is standard across the ETO range, this door comes with ClearVue glass coating which repels grime and limescale build up.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Hinge & Inline Door 1100mm	1050mm	1090mm	725mm	ETOHD110SC
Hinge & Inline Door 1200mm	1150mm	1190mm	725mm	ETOHD120SC
Hinge & Inline Door 1300mm	1250mm	1290mm	725mm	ETOHD130SC
Hinge & Inline Door 1400mm	1350mm	1390mm	725mm	ETOHD140SC
Hinge & Inline Door 1500mm	1450mm	1490mm	725mm	ETOHD150SC
Hinge & Inline Door 1600mm	1550mm	1590mm	725mm	ETOHD160SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE - SILVER
	MIN	MAX	
Side Panel 700mm	660mm	680mm	ETOSP70SC
Side Panel 760mm	720mm	740mm	ETOSP76SC
Side Panel 800mm	760mm	780mm	ETOSP80SC
Side Panel 900mm	860mm	880mm	ETOSP90SC
Side Panel 1000mm	960mm	980mm	ETOSP100SC
Side Panel 1200mm	1160mm	1180mm	ETOSP120SC



ELEGANTLY
CRAFTED
ETO HANDLE
DESIGN

NOTE – An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - SILVER
Compensating Bar 10mm (included with side panel)	ETOCB10SC
Compensating Bar 25mm	ETOCB25SC



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

COUNTERSUNK
INTERIOR
HINGES

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

LIFETIME
GUARANTEE

SLIDER DOOR

With minimalist profiles surrounding 8mm toughened safety glass, the ETO Slider is designed with long lasting durability in mind.

The sliding door glass is guided by stainless steel wheel brackets which provide an effortlessly smooth experience. The magnetic cushion close mechanism ensures a controlled and gentle action as the door opens and closes.

The curvature of the crafted ETO handle feels beautifully precise in hand, whilst also doubling up on functionality with its integrated towel hook design.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Sliding Door 1000mm	950mm	990mm	370mm	ETOSA100SC
Sliding Door 1100mm	1050mm	1090mm	420mm	ETOSA110SC
Sliding Door 1200mm	1150mm	1190mm	470mm	ETOSA120SC
Sliding Door 1300mm	1250mm	1290mm	520mm	ETOSA130SC
Sliding Door 1400mm	1350mm	1390mm	520mm	ETOSA140SC
Sliding Door 1500mm	1450mm	1490mm	570mm	ETOSA150SC
Sliding Door 1600mm	1550mm	1590mm	570mm	ETOSA160SC
Sliding Door 1700mm	1650mm	1690mm	570mm	ETOSA170SC
Sliding Door 1800mm	1750mm	1790mm	570mm	ETOSA180SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE - SILVER
	MIN	MAX	
Side Panel 700mm	660mm	680mm	ETOSP70SC
Side Panel 760mm	720mm	740mm	ETOSP76SC
Side Panel 800mm	760mm	780mm	ETOSP80SC
Side Panel 900mm	860mm	880mm	ETOSP90SC
Side Panel 1000mm	960mm	980mm	ETOSP100SC
Side Panel 1200mm	1160mm	1180mm	ETOSP120SC

NOTE – An ETO Slider installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - SILVER
Compensating Bar 10mm (included with side panel)	ETOCB10SC
Compensating Bar 25mm	ETOCB25SC



MAGNETIC CUSHION
CLOSE DOOR SYSTEM



STAINLESS STEEL DOUBLE
ROLLERS - QUICK RELEASE DESIGN



SLIDER DOOR
ALCOVE INSTALLATION



SLIDER DOOR
WITH SIDE PANEL

2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

LIFETIME
GUARANTEE

ONE DOOR QUADRANT & OFFSET QUADRANT

The ETO One Door Quadrant and Offset Quadrant are perfectly shaped to make the most out of a corner bathroom space.

Ideal for larger bathrooms, the innovative magnetic cushion close feature ensures a smooth rolling door action on this offset quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.


ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface. The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE - SILVER
One Door Quadrant 800mm	770mm	790mm	440mm	ETOOCQ80SC
One Door Quadrant 900mm	870mm	890mm	484mm	ETOOCQ90SC
One Door Quadrant 1000mm	970mm	990mm	484mm	ETOOCQ100SC
One Door Offset Quadrant 1000x800mm - Long Side Opening	770-970mm	790-990mm	440mm	ETOOCQ100X80SCL
One Door Offset Quadrant 1200x800mm - Long Side Opening	770-1170mm	790-1190mm	440mm	ETOOCQ120X80SCL
One Door Offset Quadrant 1200x900mm - Long Side Opening	870-1170mm	890-1190mm	484mm	ETOOCQ120X90SCL



QUICK RELEASE ROLLER DESIGN



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



2000mm HEIGHT

8mm TOUGHENED SAFETY GLASS

20mm PROFILE ADJUSTMENT

CRAFTED HANDLE DESIGN

CLEARVUE GLASS COATING

ULTRA CLEAR SEALS

MAGNETIC CUSHION CLOSE DOOR SYSTEM

PRESS FIT SEAL DESIGN

ULTRA SLIM CHROME PLATED COVER CAPS

SEAMLESS INTERIOR COVER STRIPS

SHOWER TRAY OR WETROOM APPLICATION

REVERSIBLE

SILVER & BLACK OPTIONS AVAILABLE *SELECTED DOOR STYLES

LIFETIME GUARANTEE



ONE DOOR OFFSET QUADRANT



ONE DOOR QUADRANT



TWO DOOR QUADRANT

Perfect for the every day, the gently curved detailing of this stylish Two Door Quadrant exudes contemporary elegance.

The magnetic cushion close door system brings both sliding doors to a controlled and gentle stop. The 8mm curved glass features ClearVue glass coating which repels against grime and limescale.

Superior quality double wheel rollers have a quick release design and are supported by stainless steel components, promising functional longevity in the busy bathroom environment.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Two Door Quadrant 900mm	870mm	890mm	528mm	ETOCQ90SC



SUPERIOR DOUBLE WHEEL ROLLER SYSTEM



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

LIFETIME
GUARANTEE

TWO DOOR OFFSET QUADRANT

With generous proportions, the ETO Two Door Offset Quadrant is a much favoured corner shower door choice for many discerning homeowners.

The magnetic cushion close door system brings this door to a controlled and gentle stop. The impressive 8mm curved glass features ClearVue hydrophobic coating which repels against grime and limescale.

The sleek yet sturdy metal profiles give this door a robust feel while its gently curved detailing captures the essence of contemporary elegance.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE - SILVER
Two Door Offset Quadrant 1100 x 800mm	770 - 1070mm	790 - 1090mm	458mm	ETOCQ80X110SC
Two Door Offset Quadrant 1100 x 900mm	870 - 1070mm	890 - 1090mm	528mm	ETOCQ90X110SC
Two Door Offset Quadrant 1200 x 800mm	770 - 1170mm	790 - 1190mm	458mm	ETOCQ80X120SC
Two Door Offset Quadrant 1200 x 900mm	870 - 1170mm	890 - 1190mm	528mm	ETOCQ90X120SC



QUICK RELEASE
BOTTOM ROLLERS



MAGNETIC CUSHION
CLOSE DOOR SYSTEM

NOTE – Dedicated 1100 x 800mm and 1100 x 900mm offset quadrant slimline shower trays now available.



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

LIFETIME
GUARANTEE





CORNER ENTRY

The ETO Corner Entry boasts contemporary clean lines and a sturdy semi frameless design. The two door corner sliding configuration make the corner entry an ideal choice for the bathroom where space is limited.

The flush finish on the corner brackets provides for a truly seamless door aesthetic. Quick release double rollers ensure ease of cleaning while the magnetic cushion close system brings this door to a controlled and gentle stop.

Superior magnetic seals ensure watertightness and give a positive close action when both doors are drawn together.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 800mm	770mm	790mm	392mm	ETOCE80SC
Corner Entry 900mm	870mm	890mm	462mm	ETOCE90SC



ETO CORNER ENTRY
HANDLE DESIGN



SLEEK FLUSH CORNER
BRACKET DESIGN



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

INTRODUCING
ETO MATTE BLACK COLLECTION

INFOLD DOOR

The ETO Infold is the perfect blend of elegance with practical functionality.

This outward opening door protrudes minimally into the bathroom, saving on space. The unique Infold door design also affords generous access to the shower.

The ETO Infold features a pioneering magnetic linkage system which gives the door a perfectly smooth gliding action. This innovative design removes the need for magnetic seals on the glass, giving a beautifully seamless glass edge to the door.

As is standard across the ETO range, the Infold door is constructed from 8mm toughened safety glass with ClearVue hydrophobic coating. All interior fixings are fully concealed, making this shower enclosure as delightful internally as externally.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE - BLACK
Infold Door 800mm	750mm	790mm	596mm	ETOIF80BC
Infold Door 900mm	850mm	890mm	696mm	ETOIF90BC
Infold Door 1000mm	950mm	990mm	796mm	ETOIF100BC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE - BLACK
Side Panel 800mm	760mm	780mm	ETOSP80BC
Side Panel 900mm	860mm	880mm	ETOSP90BC
Side Panel 1000mm	960mm	980mm	ETOSP100BC

NOTE – An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - BLACK
Compensating Bar 10mm (included with side panel)	ETOCB10BC
Compensating Bar 25mm	ETOCB25BC

INFOLD - DOOR OPEN POSITION MEASUREMENTS

INFOLD DOOR SIZE	INTERIOR MEASUREMENT	EXTERIOR MEASUREMENT
800mm	250mm	392mm
900mm	357mm	386mm
1000mm	357mm	486mm

2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

PRE-ASSEMBLED
PROFILE FRAME

LIFETIME
GUARANTEE



MATTE BLACK
INFOLD DOOR
ALCOVE
INSTALLATION

MATTE BLACK INFOLD DOOR
WITH SIDE PANEL

HINGE DOOR

The stylish yet functional simplicity of the ETO Hinge door makes it the ideal choice for today's contemporary bathroom.

This 2 metre high door is supported by two precisely curved hinges that boast a flush to glass interior finish which allow for ease of cleaning. 8mm toughened safety glass is coated with ClearVue hydrophobic coating to resist the build up of unwanted grime and limescale.

The ETO Hinge door can be fitted independently in an alcove setting or with a dedicated ETO side panel of choice.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE - BLACK
Hinge Door 800mm	750mm	790mm	646mm	ETOHD80BC
Hinge Door 900mm	850mm	890mm	746mm	ETOHD90BC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE - BLACK
Side Panel 800mm	760mm	780mm	ETOSP80BC
Side Panel 900mm	860mm	880mm	ETOSP90BC
Side Panel 1000mm	960mm	980mm	ETOSP100BC

NOTE – An ETO Hinge Door installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - BLACK
Compensating Bar 10mm (included with side panel)	ETOCB10BC
Compensating Bar 25mm	ETOCB25BC



2000mm
HEIGHT



8mm
TOUGHENED
SAFETY
GLASS



20mm
PROFILE
ADJUSTMENT



11
CRAFTED
HANDLE DESIGN



CLEARVUE
GLASS COATING



ULTRA CLEAR
SEALS



PRE-ASSEMBLED
PROFILE FRAME



PRESS FIT
SEAL DESIGN



ULTRA SLIM
CHROME PLATED
COVER CAPS



SEAMLESS
INTERIOR
COVER STRIPS



SHOWER TRAY
OR WETROOM
APPLICATION



REVERSIBLE



COUNTERSUNK
INTERIOR
HINGES



LIFETIME
GUARANTEE



MATTE BLACK HINGE DOOR
WITH SIDE PANEL



CURVED HINGE DETAILING WITH
COUNTERSUNK INTERIOR FINISH

MATTE BLACK HINGE DOOR
ALCOVE INSTALLATION



MATTE BLACK HINGE & INLINE DOOR ALCOVE INSTALLATION

SOFTLY CURVED ETO HINGE DESIGN WITH COUNTERSUNK INTERIOR FINISH



MATTE BLACK HINGE & INLINE DOOR WITH SIDE PANEL



HINGE & INLINE DOOR

The impressive ETO Hinge and Inline door is the perfect option for those larger luxurious bathroom spaces.

The flawless semi framed profiles give this door a robust feel, whilst the crafted ETO handle provides optimal functionality with its integrated towel hook design.

Designed with purpose, the softly curved hinges are countersunk into the glass and their flush interior finish allows for ease of cleaning. As is standard across the ETO range, this door comes with ClearVue glass coating which repels grime and limescale build up.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - BLACK
	MIN	MAX		
Hinge & Inline Door 1200mm	1150mm	1190mm	725mm	ETOHD120BC
Hinge & Inline Door 1400mm	1350mm	1390mm	725mm	ETOHD140BC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE - BLACK
	MIN	MAX	
Side Panel 800mm	760mm	780mm	ETOSP80BC
Side Panel 900mm	860mm	880mm	ETOSP90BC
Side Panel 1000mm	960mm	980mm	ETOSP100BC

NOTE – An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - BLACK
Compensating Bar 10mm (included with side panel)	ETOCB10BC
Compensating Bar 25mm	ETOCB25BC



ELEGANTLY CRAFTED ETO HANDLE DESIGN



SLIDER DOOR

With minimalist profiles surrounding 8mm toughened safety glass, the ETO Slider is designed with long lasting durability in mind.

The sliding door glass is guided by stainless steel wheel brackets which provide an effortlessly smooth experience. The magnetic cushion close mechanism ensures a controlled and gentle action as the door opens and closes.

The curvature of the crafted ETO handle feels beautifully precise in hand, whilst also doubling up on functionality with its integrated towel hook design.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - BLACK
	MIN	MAX		
Sliding Door 1100mm	1050mm	1090mm	420mm	ETOSA110BC
Sliding Door 1200mm	1150mm	1190mm	470mm	ETOSA120BC
Sliding Door 1400mm	1350mm	1390mm	520mm	ETOSA140BC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE - BLACK
	MIN	MAX	
Side Panel 800mm	760mm	780mm	ETOSP80BC
Side Panel 900mm	860mm	880mm	ETOSP90BC
Side Panel 1000mm	960mm	980mm	ETOSP100BC

NOTE – An ETO Slider installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - BLACK
Compensating Bar 10mm (included with side panel)	ETOCB10BC
Compensating Bar 25mm	ETOCB25BC



MATTE BLACK SLIDER DOOR
ALCOVE INSTALLATION



MATTE BLACK SLIDER DOOR
WITH SIDE PANEL

2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

LIFETIME
GUARANTEE



ONE DOOR QUADRANT & OFFSET QUADRANT

The ETO One Door Quadrant and Offset Quadrant are perfectly shaped to make the most out of a corner bathroom space.

Ideal for larger bathrooms, the innovative magnetic cushion close feature ensures a smooth rolling door action on this offset quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.

ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface. The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE - BLACK
One Door Quadrant 900mm	870mm	890mm	484mm	ETOOCQ90BC
One Door Offset Quadrant 1000x800mm - Long Side Opening	770-970mm	790-990mm	440mm	ETOOCQ100X80BCL
One Door Offset Quadrant 1200x900mm - Long Side Opening	870-1170mm	890-1190mm	484mm	ETOOCQ120X90BCL



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

LIFETIME
GUARANTEE



MATTE BLACK ONE DOOR OFFSET QUADRANT



ONE DOOR
QUADRANT

CREATING
PERFECT
HARMONY

GEMSTONE

GEMSTONE SLATE TEXTURED TRAYS

The Gemstone brand is synonymous with quality and style. This extensive selection of slate textured shower trays compliment the most beautiful of bathroom designs. With an ultra minimal height of 25 to 30mm, each tray is anti-slip rated and available in 4 colour options - Onyx Black*, Graphite Black, Flint Grey or White

Choose from square or linear shape waste options, with both chrome or colour matched grille finishes available depending on customer preference. Both visually appealing and sensual to touch, a Gemstone shower tray will work perfectly in a wide variety of bathroom applications, be they classic, modern or contemporary in design.

*Onyx Black only available in 25mm height, Square waste.





FLINT GREY TRAY WITH LINEAR WASTE

GEMSTONE TRAYS

KEY FEATURES

- Slate texture – a natural stone resin composite with gel coat finish
- Anti slip rated – Grade 3 Rating UNE ENV 12633:2003
- Available in 4 colours – Onyx Black, White, Graphite Black & Flint Grey
- Minimalist stainless steel waste cover in Square or Linear version
- Colour matched interior waste trap (Onyx Black, Graphite Black or Flint Grey tray = Grey interior waste / White tray = White interior waste)
- Supplied with 90mm McAlpine high flow waste

GRADE 3
ANTI SLIP
RATED

ANTIBACTERIAL
WITH NON
POROUS
SURFACE

CHEMICAL
RESISTANCE
IN ACCORDANCE WITH
UNE EN 12527

MAY BE CUT WITH
A DIAMOND
CUTTING
WHEEL

EASY TRANSPORT /
DURABLE
PACKAGING

2 YEAR
MANUFACTURER
WARRANTY

CE APPROVED

25mm
or 30mm
TRAY
DEPTH

90mm
HI-FLOW
WASTE

GEMSTONE TRAY COLOUR OPTIONS

WHITE

GRAPHITE
BLACK

FLINT
GREY

ONYX
BLACK

Note: Gemstone tray colours are reproduced as accurately as the printing process will allow. There is no guarantee of exact colour match - this brochure is a visual aid only.

GEMSTONE



WHITE TRAY WITH SQUARE WASTE

WASTE DESIGN -
SQUARE WASTE

25mm
TRAY
DEPTH



SQUARE WASTE GRILL OPTION

- Available in Rectangle, Square, Quadrant and Offset Quadrant shapes

WASTE DESIGN -
LINEAR WASTE

30mm
TRAY
DEPTH

LINEAR WASTE
GRILL OPTION

- Defined gradient on linear tray
- On trend to create the minimalist wetroom look
- Rectangular shower tray shape only



COLOUR MATCHED
GRILL OPTIONS




COLOUR MATCHED GRILL OPTION

- Choose to match your shower tray grill to the precise colour of your tray. Available in White, Graphite Black and Flint Grey



SQUARE WASTE

RECTANGLE TRAY



PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1000 x 800mm - Square Waste	White	GEM10080RWS
Rectangular Tray 1000 x 800mm - Square Waste	Graphite Black	GEM10080RBS
Rectangular Tray 1000 x 800mm - Square Waste	Flint Grey	GEM10080RGS
Rectangular Tray 1000 x 800mm - Square Waste	Onyx Black	GEM10080ROS
Rectangular Tray 1000 x 900mm - Square Waste	White	GEM10090RWS
Rectangular Tray 1000 x 900mm - Square Waste	Graphite Black	GEM10090RBS
Rectangular Tray 1000 x 900mm - Square Waste	Flint Grey	GEM10090RGS
Rectangular Tray 1000 x 900mm - Square Waste	Onyx Black	GEM10090ROS
Rectangular Tray 1100 x 800mm - Square Waste	White	GEM11080RWS
Rectangular Tray 1100 x 800mm - Square Waste	Graphite Black	GEM11080RBS
Rectangular Tray 1100 x 800mm - Square Waste	Flint Grey	GEM11080RGS
Rectangular Tray 1100 x 900mm - Square Waste	White	GEM11090RWS
Rectangular Tray 1100 x 900mm - Square Waste	Graphite Black	GEM11090RBS
Rectangular Tray 1100 x 900mm - Square Waste	Flint Grey	GEM11090RGS
Rectangular Tray 1200 x 800mm - Square Waste	White	GEM12080RWS
Rectangular Tray 1200 x 800mm - Square Waste	Graphite Black	GEM12080RBS
Rectangular Tray 1200 x 800mm - Square Waste	Flint Grey	GEM12080RGS
Rectangular Tray 1200 x 800mm - Square Waste	Onyx Black	GEM12080ROS
Rectangular Tray 1200 x 900mm - Square Waste	White	GEM12090RWS
Rectangular Tray 1200 x 900mm - Square Waste	Graphite Black	GEM12090RBS
Rectangular Tray 1200 x 900mm - Square Waste	Flint Grey	GEM12090RGS
Rectangular Tray 1200 x 900mm - Square Waste	Onyx Black	GEM12090ROS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	White	GEM120100RWS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Graphite Black	GEM120100RBS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Flint Grey	GEM120100RGS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Onyx Black	GEM120100ROS
Rectangular Tray 1400 x 800mm - Square Waste	White	GEM14080RWS
Rectangular Tray 1400 x 800mm - Square Waste	Graphite Black	GEM14080RBS
Rectangular Tray 1400 x 800mm - Square Waste	Flint Grey	GEM14080RGS
Rectangular Tray 1400 x 800mm - Square Waste	Onyx Black	GEM14080ROS
Rectangular Tray 1400 x 900mm - Square Waste	White	GEM14090RWS
Rectangular Tray 1400 x 900mm - Square Waste	Graphite Black	GEM14090RBS
Rectangular Tray 1400 x 900mm - Square Waste	Flint Grey	GEM14090RGS
Rectangular Tray 1400 x 900mm - Square Waste	Onyx Black	GEM14090ROS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	White	GEM140100RWS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Graphite Black	GEM140100RBS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Flint Grey	GEM140100RGS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Onyx Black	GEM140100ROS
Rectangular Tray 1500 x 800mm - Square Waste	White	GEM15080RWS
Rectangular Tray 1500 x 800mm - Square Waste	Graphite Black	GEM15080RBS
Rectangular Tray 1500 x 800mm - Square Waste	Flint Grey	GEM15080RGS

SQUARE WASTE

RECTANGLE TRAY



PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1500 x 900mm - Square Waste	White	GEM15090RWS
Rectangular Tray 1500 x 900mm - Square Waste	Graphite Black	GEM15090RBS
Rectangular Tray 1500 x 900mm - Square Waste	Flint Grey	GEM15090RGS
Rectangular Tray 1600 x 800mm - Square Waste	White	GEM16080RWS
Rectangular Tray 1600 x 800mm - Square Waste	Graphite Black	GEM16080RBS
Rectangular Tray 1600 x 800mm - Square Waste	Flint Grey	GEM16080RGS
Rectangular Tray 1600 x 800mm - Square Waste	Onyx Black	GEM16080ROS
Rectangular Tray 1600 x 900mm - Square Waste	White	GEM16090RWS
Rectangular Tray 1600 x 900mm - Square Waste	Graphite Black	GEM16090RBS
Rectangular Tray 1600 x 900mm - Square Waste	Flint Grey	GEM16090RGS
Rectangular Tray 1600 x 900mm - Square Waste	Onyx Black	GEM16090ROS
Rectangular Tray 1700 x 700mm - Square Waste	White	GEM17070RWS
Rectangular Tray 1700 x 700mm - Square Waste	Graphite Black	GEM17070RBS
Rectangular Tray 1700 x 700mm - Square Waste	Flint Grey	GEM17070RGS
Rectangular Tray 1700 x 800mm - Square Waste	White	GEM17080RWS
Rectangular Tray 1700 x 800mm - Square Waste	Graphite Black	GEM17080RBS
Rectangular Tray 1700 x 800mm - Square Waste	Flint Grey	GEM17080RGS
Rectangular Tray 1700 x 800mm - Square Waste	Onyx Black	GEM17080ROS
Rectangular Tray 1700 x 900mm - Square Waste	White	GEM17090RWS
Rectangular Tray 1700 x 900mm - Square Waste	Graphite Black	GEM17090RBS
Rectangular Tray 1700 x 900mm - Square Waste	Flint Grey	GEM17090RGS
Rectangular Tray 1700 x 900mm - Square Waste	Onyx Black	GEM17090ROS
Rectangular Tray 1800 x 800mm - Square Waste	White	GEM18080RWS
Rectangular Tray 1800 x 800mm - Square Waste	Graphite Black	GEM18080RBS
Rectangular Tray 1800 x 800mm - Square Waste	Flint Grey	GEM18080RGS
Rectangular Tray 1800 x 900mm - Square Waste	White	GEM18090RWS
Rectangular Tray 1800 x 900mm - Square Waste	Graphite Black	GEM18090RBS
Rectangular Tray 1800 x 900mm - Square Waste	Flint Grey	GEM18090RGS



WHITE GEMSTONE TRAY,
COUNTERSUNK WITH A
FLUSH TO FLOOR FINISH

SQUARE TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Square Tray 800mm - Square Waste NEW	White	GEM80SWS
Square Tray 800mm - Square Waste NEW	Graphite Black	GEM80SBS
Square Tray 800mm - Square Waste NEW	Flint Grey	GEM80SGS
Square Tray 800mm - Square Waste NEW	Onyx Black	GEM80SOS
Square Tray 900mm - Square Waste	White	GEM90SWS
Square Tray 900mm - Square Waste	Graphite Black	GEM90SBS
Square Tray 900mm - Square Waste	Flint Grey	GEM90SGS
Square Tray 900mm - Square Waste	Onyx Black	GEM90SOS
Square Tray 1000mm - Square Waste	White	GEM100SWS
Square Tray 1000mm - Square Waste	Graphite Black	GEM100SBS
Square Tray 1000mm - Square Waste	Flint Grey	GEM100SGS

QUADRANT TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Quadrant Tray 900mm - Square Waste	White	GEM90QWS
Quadrant Tray 900mm - Square Waste	Graphite Black	GEM90QBS
Quadrant Tray 900mm - Square Waste	Flint Grey	GEM90QGS
Quadrant Tray 900mm - Square Waste	Onyx Black	GEM90QOS
Quadrant Tray 1000mm - Square Waste	White	GEM100QWS
Quadrant tray 1000mm - Square Waste	Graphite Black	GEM100QBS
Quadrant Tray 1000mm - Square Waste	Flint Grey	GEM100QGS

OFFSET QUADRANT TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	White	GEM10080QWSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	White	GEM10080QWSR
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	Graphite Black	GEM10080QBSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	Graphite Black	GEM10080QBSR
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	Flint Grey	GEM10080QGSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	Flint Grey	GEM10080QGSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	White	GEM12080QWSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	White	GEM12080QWSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Graphite Black	GEM12080QBSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Graphite Black	GEM12080QBSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Flint Grey	GEM12080QGSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Flint Grey	GEM12080QGSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Onyx Black	GEM12080QOSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Onyx Black	GEM12080QOSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	White	GEM12090QWSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	White	GEM12090QWSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Graphite Black	GEM12090QBSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Graphite Black	GEM12090QBSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Flint Grey	GEM12090QGSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Flint Grey	GEM12090QGSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Onyx Black	GEM12090QOSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Onyx Black	GEM12090QOSR



LINEAR WASTE



RECTANGLE TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1200 x 800mm - Linear Waste	White	GEM12080RWL
Rectangular Tray 1200 x 800mm - Linear Waste	Graphite Black	GEM12080RBL
Rectangular Tray 1200 x 800mm - Linear Waste	Flint Grey	GEM12080RGL
Rectangular Tray 1200 x 900mm - Linear Waste	White	GEM12090RWL
Rectangular Tray 1200 x 900mm - Linear Waste	Graphite Black	GEM12090RBL
Rectangular Tray 1200 x 900mm - Linear Waste	Flint Grey	GEM12090RGL
Rectangular Tray 1200 x 1000mm - Linear Waste	White	GEM120100RWL
Rectangular Tray 1200 x 1000mm - Linear Waste	Graphite Black	GEM120100RBL
Rectangular Tray 1200 x 1000mm - Linear Waste	Flint Grey	GEM120100RGL
Rectangular Tray 1400 x 800mm - Linear Waste	White	GEM14080RWL
Rectangular Tray 1400 x 800mm - Linear Waste	Graphite Black	GEM14080RBL
Rectangular Tray 1400 x 800mm - Linear Waste	Flint Grey	GEM14080RGL
Rectangular Tray 1400 x 900mm - Linear Waste	White	GEM14090RWL
Rectangular Tray 1400 x 900mm - Linear Waste	Graphite Black	GEM14090RBL
Rectangular Tray 1400 x 900mm - Linear Waste	Flint Grey	GEM14090RGL
Rectangular Tray 1500 x 800mm - Linear Waste	White	GEM15080RWL
Rectangular Tray 1500 x 800mm - Linear Waste	Graphite Black	GEM15080RBL
Rectangular Tray 1500 x 800mm - Linear Waste	Flint Grey	GEM15080RGL
Rectangular Tray 1500 x 900mm - Linear Waste	White	GEM15090RWL
Rectangular Tray 1500 x 900mm - Linear Waste	Graphite Black	GEM15090RBL
Rectangular Tray 1500 x 900mm - Linear Waste	Flint Grey	GEM15090RGL
Rectangular Tray 1600 x 800mm - Linear Waste	White	GEM16080RWL
Rectangular Tray 1600 x 800mm - Linear Waste	Graphite Black	GEM16080RBL
Rectangular Tray 1600 x 800mm - Linear Waste	Flint Grey	GEM16080RGL
Rectangular Tray 1600 x 900mm - Linear Waste	White	GEM16090RWL
Rectangular Tray 1600 x 900mm - Linear Waste	Graphite Black	GEM16090RBL
Rectangular Tray 1600 x 900mm - Linear Waste	Flint Grey	GEM16090RGL
Rectangular Tray 1700 x 700mm - Linear Waste	White	GEM17070RWL
Rectangular Tray 1700 x 700mm - Linear Waste	Graphite Black	GEM17070RBL
Rectangular Tray 1700 x 700mm - Linear Waste	Flint Grey	GEM17070RGL
Rectangular Tray 1700 x 800mm - Linear Waste	White	GEM17080RWL
Rectangular Tray 1700 x 800mm - Linear Waste	Graphite Black	GEM17080RBL
Rectangular Tray 1700 x 800mm - Linear Waste	Flint Grey	GEM17080RGL
Rectangular Tray 1700 x 900mm - Linear Waste	White	GEM17090RGL

Flow rate 24 l/min when tested under a constant 15mm head of water, in accordance with clause 5 of BS EN 274-2:2002



GRAPHITE BLACK TRAY
WITH LINEAR WASTE

COLOUR MATCHED WASTE GRILLS

COLOURED GRILLS

PRODUCT DESCRIPTION	COLOUR	CODE
Gemstone Grill 70mm - Linear	Graphite Black	GEMG70LB
Gemstone Grill 70mm - Linear	Chrome	GEMG70LC
Gemstone Grill 70mm - Linear	Flint Grey	GEMG70LG
Gemstone Grill 70mm - Linear	White	GEMG70LW
Gemstone Grill 70mm - Linear	Onxy Black	GEMG70LOB
Gemstone Grill 80mm - Linear	Graphite Black	GEMG80LB
Gemstone Grill 80mm - Linear	Chrome	GEMG80LC
Gemstone Grill 80mm - Linear	Flint Grey	GEMG80LG
Gemstone Grill 80mm - Linear	White	GEMG80LW
Gemstone Grill 90mm - Linear	Graphite Black	GEMG90LB
Gemstone Grill 90mm - Linear	Chrome	GEMG90LC
Gemstone Grill 90mm - Linear	Flint Grey	GEMG90LG
Gemstone Grill 90mm - Linear	White	GEMG90LW
Gemstone Grill Square	Graphite Black	GEMGSB
Gemstone Grill Square	Chrome	GEMGSC
Gemstone Grill Square	Flint Grey	GEMGSG
Gemstone Grill Square	White	GEMGSW
Gemstone Grill Square	Onyx Black	GEMGSOB



GEMSTONE INFORMATION

GUARANTEE

Your Gemstone tray must be inspected 100% before installation. Fitting of tray is acceptance of quality. Please read fitting instructions fully before installation.

Before tiling and placing the screen or any other fixed material on the shower tray, please make sure that the perimeters of your tray are 100% level in all directions.

The guarantee only covers the replacement or repair of the product and excludes any other compensation, assembly or travel costs.

Gemstone Trays are guaranteed for 2 years, in accordance with current European regulations.

The following are excluded from the guarantee:

- Damage caused by misuse
- Damage caused by the use of unsuitable cleaning materials (do not use products containing acids, alcohol, chlorine or solvents, do not spill drain cleaners onto the shower tray, do not use metallic or scouring pads)
- Damage caused by improper installation
- Damage caused by the improper handling of the product

Our products must be installed by qualified personnel to be eligible for the product guarantee. An installation guide will be delivered with the tray for its proper placement.

Before installing the tray you should make sure that:

- The tray drains well and is 100% level
- It has no anomalies
- The tray has been stored in a horizontal position, on a flat surface, until installation

CLEANING

- Routine: rinse and leave to dry
- Thorough: rub with a soft cloth with neutral liquid detergent; for limescale prevention use an anti-lime product

Please note, Gemstone Trays are manufactured from a natural stone resin composition. You must allow for a tray thickness tolerance of 2 - 3mm.

CHEMICAL TESTS

Chemical resistance tested in accordance with UNE-EN 12527 - No deterioration.

CHEMICAL TESTING COMPOSITION

Acetyl acid (10%), sodium hydroxide (10%), ethanol (70%), bleach, methylene blue (1%).

CLEANING SOLVENT (PRODUCT)	EXPOSURE TIME (DAYS)	RESULT OF VISUAL INSPECTION
Don Limpio Neutral PH	4	No Visible Effect
Perfumed Home Bleach	4	Slight Bleaching
Ace	4	Slight Bleaching
Perfumed Ammonia	4	No Visible Effect
Viakal	4	Slight Bleaching
Cillit Bang	4	No Visible Effect
KH-7 Anti-lime	4	No Visible Effect
White Wine Vinegar	4	No Visible Effect
Povidone Iodine	4	No Visible Effect
Hydrochloric Acid	4	No Visible Effect
Hydrogen Peroxide	4	No Visible Effect
Cleaning Solvent	4	No Visible Effect
Methylated Spirits	4	No Visible Effect
Acetone	4	No Visible Effect
Nail Polish Remover	4	No Visible Effect

PACKAGING AND STORAGE

The products are delivered packed in individual boxes with expanded polystyrene reinforcements, including the drainage grate. Gemstone trays must be stored in a horizontal position on a flat surface until installation. This prevents the tray from losing shape.

FAQ

Can it be cut?
Yes, with a diamond cutting wheel.

Note - Maximum trim of 200mm on rectangular waste trays. Maximum trim of 100mm on linear waste trays, with the cut applied to opposite end to the linear drain.

Can it be repaired?
Although they are highly resistant to any impact, we have a repair kit available to the customer. Please contact us on 01279 443 644 to order your Gemstone Tray repair kit. Lead time applies.

How should the product be cleaned?
We recommend cleaning with water and neutral soap, applied with a sponge, never with scouring products or tools.

What material should I use to install the products?
Your Gemstone tray must be installed on a fully level glue-cement or mortar base. For sealing the product, it is recommended to use MS flexible polyurethane sealant and / or a neutral silicone.

ANTI-SLIP SHOWER TRAYS

HEIGHT 40mm (INCLUDING WASTE)

RECTANGLE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Rectangle Tray 1000 x 800mm	ASTSLI0080R
Anti-Slip Slimline Rectangle Tray 1000 x 900mm	ASTSLI0090R
Anti-Slip Slimline Rectangle Tray 1100 x 800mm	ASTSLI1080R
Anti-Slip Slimline Rectangle Tray 1100 x 900mm	ASTSLI1090R
Anti-Slip Slimline Rectangle Tray 1200 x 700mm	ASTSLI2070R
Anti-Slip Slimline Rectangle Tray 1200 x 760mm	ASTSLI2076R
Anti-Slip Slimline Rectangle Tray 1200 x 800mm	ASTSLI2080R
Anti-Slip Slimline Rectangle Tray 1200 x 900mm	ASTSLI2090R
Anti-Slip Slimline Rectangle Tray 1400 x 700mm	ASTSLI4070R
Anti-Slip Slimline Rectangle Tray 1400 x 800mm	ASTSLI4080R
Anti-Slip Slimline Rectangle Tray 1400 x 900mm	ASTSLI4090R
Anti-Slip Slimline Rectangle Tray 1500 x 700mm	ASTSLI5070R
Anti-Slip Slimline Rectangle Tray 1500 x 800mm	ASTSLI5080R
Anti-Slip Slimline Rectangle Tray 1500 x 900mm	ASTSLI5090R
Anti-Slip Slimline Rectangle Tray 1600 x 700mm	ASTSLI6070R
Anti-Slip Slimline Rectangle Tray 1600 x 800mm	ASTSLI6080R
Anti-Slip Slimline Rectangle Tray 1600 x 900mm	ASTSLI6090R
Anti-Slip Slimline Rectangle Tray 1700 x 700mm	ASTSLI7070R
Anti-Slip Slimline Rectangle Tray 1700 x 800mm	ASTSLI7080R
Anti-Slip Slimline Rectangle Tray 1700 x 900mm	ASTSLI7090R

Note - There is a tolerance of up to 10mm in tray sizes above the nominal dimensions. This is to allow for potential shrinkage during the manufacturing process.



SQUARE TRAY



RECTANGLE TRAY



OFFSET QUADRANT TRAY



QUADRANT TRAY



TEXTURED ANTI-SLIP TRAY SURFACE

SQUARE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Square Tray 800mm	ASTSL80S
Anti-Slip Slimline Square Tray 900mm	ASTSL90S
Anti-Slip Slimline Square Tray 1000mm	ASTSL100S

QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Quadrant Tray 800mm	ASTSL80Q
Anti-Slip Slimline Quadrant Tray 900mm	ASTSL90Q
Anti-Slip Slimline Quadrant Tray 1000mm	ASTSL100Q

OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left Hand	ASTSLI0080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Right Hand	ASTSLI0080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left Hand	ASTSLI0090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right Hand	ASTSLI0090ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left Hand	ASTSLI2080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right Hand	ASTSLI2080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Left Hand	ASTSLI2090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Right Hand	ASTSLI2090ROQ

DESIGNED FOR LIFE



SINCE
1952

flair

CELEBRATING 70 YEARS

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer award winning designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



AWARD WINNING
PRODUCT DESIGN

QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality

All ETO Shower Doors are CE approved and quality tested to I.S. EN 14428-2015 Shower Enclosures - Functional Requirements and Test Methods. This includes all normative reference standards including I.S. EN 12150-1-2015 for toughened safety glass.

ETO Shower Enclosures have been subject to lifetime shower door cycle testing consisting of 40,000 functional cycles, water tests, impact tests and corrosion tests for all components.

ETO Doors are rigorously tested to ensure that they meet the highest possible industry standards. Transportation testing is also conducted so that the ETO product arrives to our customer in the best possible condition.

INSTALLATION

Full installation instructions are provided with each ETO product to ensure correct installation. ETO Shower Doors and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.

ETO Lifetime Guarantee

ETO Shower Doors are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. ***Note: Non glass and detachable parts such as rollers, seals, door dampeners and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every ETO door.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.



Aftersales & Spare Parts service

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



APRIL 2022

DESIGNED FOR LIFE

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com

CELEBRATING **75** YEARS



Connect with us



FLAIRSHOWERS.COM