



flair

COLLECTIONS
2022



DE
FO

—

DESIGNED FOR LIFE



SINCE
1952

flair
—

CELEBRATING **75** YEARS

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer innovative designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



CONTENTS

THE PERFECT
BLEND OF
FUNCTION
AND FORM



FLAIR
FRAMELESS 08

NAMARA 24

SLIMLINE
CAPELLA 46

CHIANTI 64

AYO
ORIGIN 85

CARA 101

SOUL 114

DINA 122

Bathscreen
Collection 131

Shower
Trays 136

Gemstone
Shower Trays 147








Installation
Guide 160

Information 163

FLAIR FRAMELESS



FLEXIBILITY IS KEY TO THE FLAIR FRAMELESS CONCEPT. THIS CLEVERLY DESIGNED RANGE IS SUITABLE FOR BOTH WETROOM AND SHOWER TRAY APPLICATION

6mm GLASS THICKNESS	HEIGHT 1950mm	 MAGNETIC CLOSURE	 RISING BUTT HINGE MECHANISM FOR SMOOTH MOVEMENT	 SILVER AND BLACK OPTIONS AVAILABLE <small>*SELECTED DOOR STYLES</small>
CLEAN EASY COATING	 REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION	 EASY ACCESS SOLUTION	 25mm WALL PROFILE EXTENSION AVAILABLE	 LIFETIME GUARANTEE



FLAIR FRAMELESS

CORNER PIVOT DOORS
SILVER PROFILES

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Pivot Doors 800mm	765mm	790mm	880mm	FFCPD80SC
Corner Pivot Doors 900mm	865mm	890mm	1080mm	FFCPD90SC
Corner Pivot Doors 1000mm	965mm	990mm	1280mm	FFCPD100SC



6
GLASS
THICKNESS



HEIGHT
1950mm



25
PRODUCT
ADJUSTMENT



25mm WALL
PROFILE
EXTENSION
AVAILABLE



SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION



SUITABLE FOR
INSTALLATION
WITH INLINE
PANELS



INWARD
AND OUTWARD
OPENING



EASY ACCESS
SOLUTION




FLAIR FRAMELESS


OFFSET CORNER PIVOT DOORS
SILVER PROFILES

SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Corner Pivot Doors 1000 x 800mm	765-965mm	790-990mm	640mm	FFCPD100x80SC
Offset Corner Pivot Doors 1200 x 800mm	765-1165mm	790-1190mm	640mm	FFCPD120x80SC
Offset Corner Pivot Doors 1200 x 900mm	865-1165mm	890-1190mm	740mm	FFCPD120x90SC




6mm
GLASS
THICKNESS




HEIGHT
1950mm




25mm
PRODUCT
ADJUSTMENT




SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION




SUITABLE FOR
INSTALLATION
WITH INLINE
PANELS




INLINE PANEL
WITH
SHELVES OPTION
AVAILABLE



INWARD
AND OUTWARD
OPENING



EASY ACCESS
SOLUTION



25mm WALL
PROFILE
EXTENSION
AVAILABLE





FLAIR FRAMELESS

PIVOT DOOR
SILVER & MATTE BLACK PROFILES

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
Pivot Door 700mm	650mm	700mm	510mm	FFPD70SC	FFPD70BC
Pivot Door 800mm	750mm	800mm	610mm	FFPD80SC	FFPD80BC
Pivot Door 900mm	850mm	900mm	710mm	FFPD90SC	FFPD90BC
Pivot Door 1000mm	950mm	1000mm	810mm	FFPD100SC	FFPD100BC

Suitable for installation with a side panel - See page 21.



6mm
GLASS THICKNESS

HEIGHT
1950mm

50mm
PRODUCT ADJUSTMENT

SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION

SILVER AND BLACK OPTIONS AVAILABLE
*SELECTED DOOR STYLES

SUITABLE FOR SIDE PANEL INSTALLATION

SUITABLE FOR INSTALLATION WITH 2 INLINE PANELS

INLINE PANEL WITH SHELVES OPTION AVAILABLE

EASY ACCESS SOLUTION

25mm WALL PROFILE EXTENSION AVAILABLE



PIVOT DOOR (SILVER),
INLINE PANELS WITH SHELVES

FLAIR FRAMELESS

INLINE PANELS
SILVER & MATTE BLACK PROFILES



SIZE OPTIONS

PRODUCT DESCRIPTION	CODE - SILVER	CODE - BLACK
Inline Panel 200mm	FFIL20SC	FFIL20BC
Inline Panel 300mm	FFIL30SC	FFIL30BC
Inline Panel 400mm	FFIL40SC	FFIL40BC
Inline Panel 200mm with 3 Shelves	FFILS20SC	—
Inline Panel 300mm with 3 Shelves	FFILS30SC	—
Inline Panel 400mm with 3 Shelves	FFILS40SC	—

Suitable for installation with a side panel - See page 21.
Please note, an inline panel can not be fitted directly adjoining a side panel

6mm
GLASS THICKNESS

HEIGHT
1950mm

SUPPLIED WITH
FLAIR FRAMELESS
ANGLED
STABILISING BAR

STRAIGHT
STABILISER
AVAILABLE
ON REQUEST

SILVER AND
BLACK OPTIONS
AVAILABLE
*SELECTED DOOR
STYLES

INLINE PANEL
WITH SHELVES
OPTION AVAILABLE
*IN SILVER ONLY

SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION

PATENTED
FAILSAFE SECURE
GLASS SYSTEM

25mm WALL
PROFILE
EXTENSION
AVAILABLE

FLAIR FRAMELESS

SALOON DOOR
SILVER & MATTE
BLACK PROFILES



SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
Saloon Door 800mm	750mm	800mm	590mm	FFSD80SC	FFSD80BC
Saloon Door 900mm	850mm	900mm	690mm	FFSD90SC	FFSD90BC
Saloon Door 1000mm	950mm	1000mm	790mm	FFSD100SC	FFSD100BC
Saloon Door 1200mm	1150mm	1200mm	990mm	FFSD120SC	FFSD120BC

Suitable for installation with a side panel - See page 21.
Please note: Saloon door comes with Angled stabilising bar. Straight stabilising bar available on request.

6mm
GLASS THICKNESS

HEIGHT
1950mm

50mm
PRODUCT ADJUSTMENT

650mm
ANGLED STABILISING BAR WITH SALOON DOOR

STRAIGHT STABILISER AVAILABLE ON REQUEST

INWARD AND OUTWARD OPENING

SUITABLE FOR WETROOM OR SHOWER TRAY INSTALLATION

25mm WALL PROFILE EXTENSION AVAILABLE

SUITABLE FOR INSTALLATION WITH INLINE PANELS

RISING BUTT HINGE MECHANISM FOR SMOOTH MOVEMENT

SUITABLE FOR SIDE PANEL INSTALLATION

SILVER AND BLACK OPTIONS AVAILABLE
*SELECTED DOOR STYLES





FLAIR FRAMELESS

SIDE PANEL
SILVER & MATTE BLACK PROFILES
SUITABLE FOR PIVOT DOOR OR SALOON DOORS

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE - SILVER	CODE - BLACK
	MIN	MAX		
Side Panel 700mm	665mm	690mm	FFSP70SC	FFSP70BC
Side Panel 760mm	725mm	750mm	FFSP76SC	–
Side Panel 800mm	765mm	790mm	FFSP80SC	FFSP80BC
Side Panel 900mm	865mm	890mm	FFSP90SC	FFSP90BC
Side Panel 1000mm	965mm	990mm	FFSP100SC	FFSP100BC
Side Panel 1200mm	1165mm	1190mm	FFSP120SC	FFSP120BC



PATENTED FAILSAFE
GLASS SYSTEM



6E
GLASS THICKNESS

HEIGHT
1950mm

25E
PRODUCT ADJUSTMENT

STRAIGHT STABILISER
AVAILABLE
ON REQUEST

SILVER AND
BLACK OPTIONS
AVAILABLE
*SELECTED DOOR
STYLES

SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION

ALUMINIUM
FLOOR
PROTECTOR
STRIP

650E
ANGLED
STABILISING
BAR WITH
SIDE PANEL

25mm WALL
PROFILE
EXTENSION
AVAILABLE

Please note, an inline panel can not be fitted directly adjoining a side panel.
Maximum of one inline panel to be installed when a side panel is being used.

FLAIR FRAMELESS

CURVED HINGED
WETROOM PANEL
SILVER PROFILES

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		WEIGHT	CODE
	MIN	MAX		
Flair Frameless Curved Hinged Wetroom Panel 900mm Bright Silver with Clear Glass	875mm	900mm	35kg	FFCRR90SC



6mm
GLASS
THICKNESS



HEIGHT
1950mm



25mm
PRODUCT
ADJUSTMENT



SUITABLE FOR
WETROOM
INSTALLATION
ONLY



401mm
RADIUS



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION




ROTATES
180°




FLAIR FRAMELESS

HINGED ROTATING
WETROOM PANEL
SILVER PROFILES


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		WEIGHT	CODE
	MIN	MAX		
Hinged Rotating Wetroom Panel 300mm	300mm	325mm	14kg	FFPD30SC
Hinged Rotating Wetroom Panel 450mm	450mm	475mm	18kg	FFPD45SC
Hinged Rotating Wetroom Panel 600mm	600mm	625mm	23kg	FFPD60SC




6mm
GLASS
THICKNESS




HEIGHT
1950mm




25mm
PRODUCT
ADJUSTMENT



SUITABLE FOR
WETROOM OR
SHOWER TRAY
INSTALLATION




REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



ROTATES
180°



NAMARA



BUILT TO STAND THE TEST OF TIME,
THE NAMARA COLLECTION BOASTS A
SUPERIOR RANGE OF 8MM SHOWER DOORS.

<p>UP TO 8mm GLASS THICKNESS</p>	<p>HEIGHT 1950mm</p>	<p>CLEAR SHIELD EASY TO CLEAN GLASS</p>	<p> 25mm WALL PROFILE EXTENSION AVAILABLE</p>
<p> REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION</p>	<p> CONCEALED CHROME COVER STRIP FITTINGS</p>	<p> SPARE PARTS AVAILABLE</p>	<p> LIFETIME GUARANTEE</p>

*Fixed panels are 6mm glass.


NAMARA

HINGE DOOR


SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	750mm	800mm	615mm	NHD80SC
Hinge Door 900mm	850mm	900mm	715mm	NHD90SC
Hinge Door 1000mm	950mm	1000mm	815mm	NHD100SC

Suitable for installation with a side panel - See page 45.



CLEARSHIELD EASY TO CLEAN GLASS



STYLISH ALUMINIUM DOOR HANDLE

8mm
GLASS THICKNESS

HEIGHT
1950mm

50mm
PRODUCT ADJUSTMENT

UNIQUE INVISIBLE MAGNETIC CLOSE ACTION

QUALITY CHROME PLATED BRASS HINGES

GENEROUS ACCESS WIDTH




NAMARA

HINGE DOOR AND INLINE PANEL


SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door & Inline Panel 1100mm	1050mm	1100mm	725mm	NHDI10SC
Hinge Door & Inline Panel 1200mm	1150mm	1200mm	725mm	NHDI20SC
Hinge Door & Inline Panel 1300mm	1250mm	1300mm	725mm	NHDI30SC
Hinge Door & Inline Panel 1400mm	1350mm	1400mm	725mm	NHDI40SC
Hinge Door & Inline Panel 1500mm	1450mm	1500mm	725mm	NHDI50SC
Hinge Door & Inline Panel 1600mm	1550mm	1600mm	725mm	NHDI60SC

Suitable for installation with a side panel - See page 45.



CLEARSHIELD EASY
TO CLEAN GLASS



STYLISH ALUMINIUM
DOOR HANDLE

8mm
GLASS
THICKNESS

HEIGHT
1950mm

50mm
PRODUCT
ADJUSTMENT

UNIQUE
INVISIBLE
MAGNETIC
CLOSE ACTION

QUALITY
CHROME
PLATED BRASS
HINGES

GENEROUS
ACCESS WIDTH




NAMARA


ONE DOOR QUADRANT

SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
One Door Quadrant 800mm	770mm	795mm	410mm	NOCQ80SC
One Door Quadrant 900mm	870mm	895mm	470mm	NOCQ90SC
One Door Quadrant 1000mm	970mm	995mm	510mm	NOCQ100SC




UP TO
8mm
GLASS THICKNESS




HEIGHT
1950mm




25mm
PRODUCT ADJUSTMENT



INNOVATIVE
SOFT STOP
DOOR CLOSE



QUICK RELEASE
DOUBLE
ROLLERS



STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS





NAMARA

ONE DOOR OFFSET QUADRANT LONG SIDE OPENING

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
One Door Offset Quadrant 1000 x 800mm (Long Side Opening)	770-795mm	970-995mm	500mm	NOCQ100x80SCL
One Door Offset Quadrant 1200 x 800mm (Long Side Opening)	770-795mm	1170-1195mm	500mm	NOCQ120x80SCL
One Door Offset Quadrant 1200 x 900mm (Long Side Opening)	870-895mm	1170-1195mm	500mm	NOCQ120x90SCL



ERGONOMICALLY
DESIGNED ALUMINIUM
HANDLES



INNOVATIVE SOFT STOP
DOOR CLOSE MECHANISM

UP TO
8mm
GLASS
THICKNESS

HEIGHT
1950mm

25mm
PRODUCT
ADJUSTMENT

INNOVATIVE
SOFT STOP
DOOR CLOSE

QUICK RELEASE
DOUBLE
ROLLERS

STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS

UNIQUE ACCESS
POSITION



NAMARA

BIFOLD DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 800mm	750mm	800mm	486mm	NBF80SC
Bifold Door 900mm	850mm	900mm	606mm	NBF90SC
Bifold Door 1000mm	950mm	1000mm	694mm	NBF100SC
Bifold Door 1200mm*	1150mm	1200mm	694mm	NBF120SC

Suitable for installation with a side panel - See page 45.



*Note. On the 1200mm Bifold Door (NBF120SC) there is a fixed 200mm panel as shown.

OPENING MEASUREMENTS	
DOOR SIZE	INTERIOR MEASUREMENT (A)
800mm	324mm
900mm	374mm
1000mm	424mm
1200mm	424mm

8mm

GLASS THICKNESS

HEIGHT

1950mm

50mm

PRODUCT ADJUSTMENT

EASY TO FIT SLOTTED WALL JAMBS

UNIQUE INVISIBLE MAGNETIC CLOSE ACTION

STAINLESS STEEL WHEEL BRACKETS & BALL BEARINGS



CLEARSHIELD EASY TO CLEAN GLASS

NAMARA

CORNER ENTRY & OFFSET CORNER ENTRY

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 800mm	770mm	795mm	423mm	NCE80SC
Corner Entry 900mm	870mm	895mm	494mm	NCE90SC
Offset Corner 700 x 900mm	670-695mm	870-895mm	429mm	NCE70x90SC
Offset Corner 700 x 1000mm	670-695mm	970-995mm	471mm	NCE70x100SC



STYLISH ALUMINIUM
DOOR HANDLES



CLEARSHIELD EASY TO
CLEAN GLASS

UP TO

8

GLASS THICKNESS

↑ ↓

HEIGHT

1950mm

25

PRODUCT ADJUSTMENT

INNOVATIVE
SOFT STOP
DOOR CLOSE

QUICK RELEASE
DOUBLE
ROLLERS

STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS

EASY TO FIT
SLOTTED
WALL JAMBS



NAMARA

CENTRAL OPENING DOUBLE DOOR SLIDER

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Central Opening Double Door Slider 1400mm	1350mm	1400mm	540mm	NSADD140SC
Central Opening Double Door Slider 1500mm	1450mm	1500mm	590mm	NSADD150SC
Central Opening Double Door Slider 1600mm	1550mm	1600mm	640mm	NSADD160SC
Central Opening Double Door Slider 1700mm	1650mm	1700mm	690mm	NSADD170SC
Central Opening Double Door Slider 1800mm	1750mm	1800mm	740mm	NSADD180SC

Suitable for installation with a side panel - See page 45.



STYLISH ALUMINIUM
DOOR HANDLES



CENTRAL OPENING SLIDER INSTALLED
WITH A FRAMELESS SIDE PANEL

UP TO

8

GLASS
THICKNESS

HEIGHT

1950mm

50

PRODUCT
ADJUSTMENT

QUICK RELEASE
DOUBLE
ROLLERS

STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS

EASY TO FIT
SLOTTED
WALL JAMBS

IDEAL FOR
BATH
REPLACEMENT





NAMARA

SLIDER

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1000mm	950mm	1000mm	385mm	NSA100SC
Slider Door 1100mm	1050mm	1100mm	435mm	NSA110SC
Slider Door 1200mm	1150mm	1200mm	485mm	NSA120SC
Slider Door 1300mm	1250mm	1300mm	535mm	NSA130SC
Slider Door 1400mm	1350mm	1400mm	585mm	NSA140SC
Slider Door 1500mm	1450mm	1500mm	635mm	NSA150SC
Slider Door 1600mm	1550mm	1600mm	685mm	NSA160SC
Slider Door 1700mm	1650mm	1700mm	685mm	NSA170SC
Slider Door 1800mm	1750mm	1800mm	685mm	NSA180SC

Suitable for installation with a side panel - See page 45.



STYLISH ALUMINIUM HANDLES



CLEARSHIELD EASY TO CLEAN GLASS

UP TO
8mm
GLASS THICKNESS

1950mm
HEIGHT

50mm
PRODUCT ADJUSTMENT

INNOVATIVE
SOFT STOP
DOOR CLOSE

QUICK RELEASE
DOUBLE
ROLLERS

STAINLESS STEEL
WHEEL BRACKETS
& BALL BEARINGS

IDEAL FOR
BATH
REPLACEMENT




NAMARA


FRAMELESS SIDE PANEL

FRAMELESS SIDE PANEL SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	665mm	690mm	NUFSP70SC
Frameless side panel 760mm	725mm	750mm	NUFSP76SC
Frameless Side Panel 800mm	765mm	790mm	NUFSP80SC
Frameless Side Panel 900mm	865mm	890mm	NUFSP90SC
Frameless Side Panel 1000mm	965mm	990mm	NUFSP100SC
Frameless Side Panel 1200mm	1165mm	1190mm	NUFSP120SC




8mm
GLASS THICKNESS




HEIGHT
1950mm



25mm
PRODUCT ADJUSTMENT



COMPENSATING BAR AVAILABLE ON REQUEST



HEIGHT
1950mm

SLIMLINE CAPELLA

WITH MINIMALIST DESIGN
AND AN INNOVATIVE SILENT
ROLLER MECHANISM, SLIMLINE
CAPELLA IS THE PERFECT BLEND
OF FUNCTION AND FORM.


UNIQUE EASY INSTALL PATENTED SYSTEM




TWIST - ADJUST TO SUIT



LOCK - TO SECURE



6mm GLASS THICKNESS	HEIGHT 1950mm	PATENTED TWIST + LOCK ADJUSTMENT MECHANISM	INNOVATIVE SILENT WHEEL TRACK SYSTEM	
CLEAN EASY COATING	REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION	25mm WALL PROFILE EXTENSION AVAILABLE	SPARE PARTS AVAILABLE	LIFETIME GUARANTEE





SLIMLINE CAPELLA

PIVOT DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Pivot Door 800mm	700mm	800mm	430mm	STPD80SC
Pivot Door 900mm	800mm	900mm	530mm	STPD90SC
Pivot Door 1000mm	900mm	1000mm	630mm	STPD100SC
Pivot Door 1200mm	1100mm	1200mm	630mm	STPD120SC

Suitable for installation with a side panel - See page 63.



SLEEK POLISHED
CHROME HANDLES



MINIMALIST CHROME
PROFILES AND PIVOT HINGE

6mm
GLASS
THICKNESS

HEIGHT
1950mm

100mm
PRODUCT
ADJUSTMENT

MAGNETIC
CLOSURE

SLEEK CHROME
PLATED DOOR
HANDLES

SUITABLE FOR
SIDE PANEL
INSTALLATION

DOOR OPEN
POSITION
MEASUREMENTS

DOOR SIZE	INTERIOR MEASUREMENT (A)	EXTERIOR MEASUREMENT (B)
800mm	117mm	433mm
900mm	117mm	533mm
1000mm	117mm	633mm
1200mm	117mm	633mm



SLIMLINE CAPELLA

SLIDER DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1000mm	940mm	1000mm	380mm	STSA100SC
Slider Door 1100mm	1040mm	1100mm	430mm	STSA110SC
Slider Door 1200mm	1140mm	1200mm	470mm	STSA120SC
Slider Door 1300mm	1200mm	1300mm	490mm	STSA130SC
Slider Door 1400mm	1300mm	1400mm	540mm	STSA140SC
Slider Door 1500mm	1400mm	1500mm	540mm	STSA150SC

Suitable for installation with a side panel - See page 63.



SLEEK POLISHED
CHROME HANDLES



QUICK RELEASE
DOUBLE ROLLERS

6mm

GLASS
THICKNESS



HEIGHT
1950mm

UP TO
100mm

PRODUCT
ADJUSTMENT



INNOVATIVE
SILENT WHEEL
TRACK SYSTEM



SLEEK CHROME
PLATED DOOR
HANDLES



SUITABLE FOR
SIDE PANEL
INSTALLATION

SLIMLINE CAPELLA

CORNER ENTRY

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 700 x 700mm	650mm	700mm	328mm	STCE70SC
Corner Entry 800 x 800mm	740mm	800mm	385mm	STCE80SC
Corner Entry 900 x 900mm	840mm	900mm	456mm	STCE90SC
Corner Entry 1000 x 1000mm	940mm	1000mm	528mm	STCE100SC
Corner Entry 1200 x 1200mm	1140mm	1200mm	528mm	STCE120SC



SLEEK POLISHED
CHROME HANDLES



SOFT SILICONE
WHEEL TRACK

6mm
GLASS THICKNESS

HEIGHT
1950mm

UP TO
60mm
PRODUCT ADJUSTMENT

INNOVATIVE
SILENT WHEEL
TRACK SYSTEM

QUICK RELEASE
DOUBLE
ROLLERS

SLEEK CHROME
PLATED DOOR
HANDLES





SLIMLINE CAPELLA

OFFSET CORNER ENTRY

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Corner Entry 700 x 800mm	650-700mm	740-800mm	335mm	STCE70x80SC
Offset Corner Entry 700 x 900mm	650-700mm	840-900mm	370mm	STCE70x90SC
Offset Corner Entry 700 x 1000mm	650-700mm	940-1000mm	407mm	STCE70x100SC
Offset Corner Entry 700 x 1200mm	650-700mm	1140-1200mm	425mm	STCE70x120SC
Offset Corner Entry 800 x 900mm	740-800mm	840-900mm	405mm	STCE80x90SC
Offset Corner Entry 800 x 1000mm	740-800mm	940-1000mm	442mm	STCE80x100SC
Offset Corner Entry 800 x 1200mm	740-800mm	1140-1200mm	462mm	STCE80x120SC
Offset Corner Entry 900 x 1000mm	840-900mm	940-1000mm	493mm	STCE90x100SC
Offset Corner Entry 900 x 1200mm	840-900mm	1140-1200mm	493mm	STCE90x120SC



SLEEK POLISHED
CHROME HANDLES



QUICK RELEASE
DOUBLE ROLLERS

GLASS THICKNESS

HEIGHT

PRODUCT ADJUSTMENT

INNOVATIVE SILENT WHEEL TRACK SYSTEM

SLEEK CHROME PLATED DOOR HANDLES

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION



SLIMLINE CAPELLA

BIFOLD DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 700mm	630mm	700mm	370mm	STBF70SC
Bifold Door 800mm	730mm	800mm	440mm	STBF80SC
Bifold Door 900mm	800mm	900mm	510mm	STBF90SC
Bifold Door 1000mm	900mm	1000mm	610mm	STBF100SC
Bifold Door 1100mm	1000mm	1100mm	610mm	STBF110SC
Bifold Door 1200mm	1100mm	1200mm	610mm	STBF120SC

Suitable for installation with a side panel - See page 63.



SLEEK POLISHED
CHROME HANDLES



BIFOLD HINGE



6E
GLASS THICKNESS



HEIGHT
1950mm



UP TO
100E
PRODUCT ADJUSTMENT



INNOVATIVE
SILENT WHEEL
TRACK SYSTEM



MAGNETIC
CLOSURE




SLEEK CHROME
PLATED DOOR
HANDLES



SUITABLE FOR
SIDE PANEL
INSTALLATION

DOOR OPEN POSITION MEASUREMENTS



DOOR SIZE	INTERIOR MEASUREMENT (A)
700mm	252mm
800mm	300mm
900mm	335mm
1000mm	385mm
1100mm	385mm
1200mm	385mm

SLIMLINE CAPELLA

2 DOOR QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Quadrant 800 x 800mm	750mm	800mm	385mm	STCQ80SC
Quadrant 900 x 900mm	850mm	900mm	525mm	STCQ90SC
Quadrant 1000 x 1000mm	950mm	1000mm	525mm	STCQ100SC



SLEEK POLISHED
CHROME HANDLES



MINIMALIST CHROME
PLATED PROFILES

6mm

GLASS
THICKNESS

↑
HEIGHT
1950mm

50mm

PRODUCT
ADJUSTMENT

INNOVATIVE
SILENT WHEEL
TRACK SYSTEM



SLIMLINE CAPELLA

2 DOOR OFFSET QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Quadrant 900 × 800mm	750-800mm	850-900mm	460mm	STCQ80x90SC
Offset Quadrant 1000 × 800mm	750-800mm	950-1000mm	460mm	STCQ80x100SC
Offset Quadrant 1200 × 800mm	750-800mm	1150-1200mm	460mm	STCQ80x120SC
Offset Quadrant 1200 × 900mm	850-900mm	1150-1200mm	525mm	STCQ90x120SC



SLEEK POLISHED
CHROME HANDLES



QUICK RELEASE
DOUBLE ROLLERS

6mm

GLASS
THICKNESS

↑
HEIGHT
1950mm

50mm

PRODUCT
ADJUSTMENT

INNOVATIVE
SILENT WHEEL
TRACK SYSTEM





SLIMLINE CAPELLA

FRAMELESS SIDE PANELS

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	670mm	690mm	STSP70SC
Frameless Side Panel 760mm	730mm	750mm	STSP76SC
Frameless Side Panel 800mm	770mm	790mm	STSP80SC
Frameless Side Panel 900mm	870mm	890mm	STSP90SC
Frameless Side Panel 1000mm	970mm	990mm	STSP100SC
Frameless Side Panel 1100mm	1070mm	1090mm	STSP110SC
Frameless Side Panel 1200mm	1170mm	1190mm	STSP120SC

PRODUCT DESCRIPTION	CODE
Compensating Bar 25mm	STPACKDSC
Slimline L-Shape Profile 1950mm with Top Cap - 1 Per Pack	S-STLP



PIVOT DOOR WITH SIDE PANEL

6mm
GLASS THICKNESS

HEIGHT
1950mm

20mm
PRODUCT ADJUSTMENT



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION

EXTRA LARGE
SIZES AVAILABLE

CHIANTI

WITH AN EXTENSIVE RANGE OF STYLES AND SIZES, CHIANTI IS CHARACTERISED BY OUTSTANDING QUALITY, AT AN AFFORDABLE PRICE. THE PERFECT SHOWER DOOR FOR YOUR FAMILY BATHROOM, DESIGNED FOR LIFE.

EXPRESS FIT MECHANISM



CHIANTI

HINGED QUADRANT AND HINGED OFFSET QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinged Quadrant 900mm	870mm	900mm	570mm	CHHQ90S
Hinged Quadrant 1000mm	970mm	1000mm	570mm	CHHQ100S
Hinged Offset Quadrant 800 x 1000mm	770-800mm	970- 1000mm	570mm	CHHQ80x100S
Hinged Offset Quadrant 800 x 1200mm	770-800mm	1170- 1200mm	570mm	CHHQ80x120S
Hinged Offset Quadrant 900 x 1200mm	870-900mm	1170- 1200mm	570mm	CHHQ90x120S



Note - Offset quadrant door must hinge from the large fixed panel.



CHIANTI

CENTRAL OPENING 1 DOOR QUADRANT
AND OFFSET QUADRANT (CHCOQ)

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Central Opening Quadrant 900mm	870mm	900mm	490mm	CHCOQ90S
Central Opening Offset Quadrant 800 x 1000mm	770-800mm	800-1000mm	510mm	CHCOQ80x100S
Central Opening Offset Quadrant 800 x 1200mm	770-800mm	1170-1200mm	520mm	CHCOQ80x120S
Central Opening Offset Quadrant 900 x 1200mm	870-900mm	1170-1200mm	520mm	CHCOQ90x120S



STYLISH CHROME
PLATED HANDLES



QUICK RELEASE BOTTOM
DOUBLE ROLLERS



6mm
GLASS
THICKNESS




HEIGHT
1900mm



30mm
PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



CHROME
PLATED
COVER CAPS



CHIANTI

HINGED DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinged Door 760mm	702mm	760mm	570mm	CHHD76S
Hinged Door 800mm	742mm	800mm	610mm	CHHD80S
Hinged Door 900mm	842mm	900mm	710mm	CHHD90S
Hinged Door 1000mm	942mm	1000mm	810mm	CHHD100S

SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinged Door 800mm - Special Height 1800mm	742mm	800mm	610mm	B-CHHD80S
Hinged Door 900mm - Special Height 1800mm	842mm	900mm	710mm	B-CHHD90S


Suitable for installation with a side panel - See page 82.



STYLISH CHROME
PLATED HANDLES



CLEANEASY
GLASS COATING



CHIANTI

BIFOLD DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 760mm	700mm	760mm	430mm	CHBF76S
Bifold Door 800mm	740mm	800mm	460mm	CHBF80S
Bifold Door 900mm	840mm	900mm	540mm	CHBF90S
Bifold Door 1000mm	940mm	1000mm	620mm	CHBF100S
Bifold Door 1100mm	1040mm	1100mm	660mm	CHBF110S



SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 800mm - Special Height 1800mm	740mm	800mm	460mm	B-CHBF80S
Bifold Door 900mm - Special Height 1800mm	840mm	900mm	540mm	B-CHBF90S
Bifold Door 1000mm - Special Height 1800mm	940mm	1000mm	620mm	B-CHBF1-SC

Suitable for installation with a side panel - See page 82.



CLEANEASY GLASS COATING



STYLISH CHROME PROFILE COVER CAPS

DOOR OPEN POSITION MEASUREMENTS

DOOR SIZE	INTERIOR MEASUREMENT (A)
760mm	300mm
800mm	320mm
900mm	370mm
1000mm	420mm
1100mm	467mm

6mm

GLASS THICKNESS

↑

HEIGHT UP TO 1900mm

UP TO 60mm

PRODUCT ADJUSTMENT

✂

CHROME PLATED HANDLES

🔗

MAGNETIC CLOSURE

↺↻

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION





CHIANTI

SLIDER DOOR

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1100mm	1043mm	1100mm	430mm	CHSA110S
Slider Door 1200mm	1143mm	1200mm	480mm	CHSA120S

Suitable for installation with a side panel - See page 82.

SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1200mm - Special Height 1800mm	1143mm	1200mm	480mm	B-CHSA120S

Suitable for installation with a side panel - See page 82.



WITH FRAMELESS SIDE PANEL



QUICK RELEASE BOTTOM DOUBLE ROLLERS



6E
GLASS THICKNESS

HEIGHT UP TO
1900mm

UP TO
60mm
PRODUCT ADJUSTMENT

CHROME PLATED HANDLES

MAGNETIC CLOSURE

QUICK RELEASE DOUBLE ROLLERS

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION



CHIANTI

2 DOOR CURVED QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Curved Quadrant 800mm	770mm	800mm	410mm	CHCQ80S
Curved Quadrant 900mm	870mm	900mm	540mm	CHCQ90S
Curved Quadrant 1000mm	970mm	1000mm	540mm	CHCQ100S

SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Curved Quadrant 800mm - Special Height 1750mm	770mm	800mm	410mm	CHCQ80175S
Curved Quadrant 900mm - Special Height 1750mm	870mm	900mm	540mm	CHCQ90175S



STYLISH CHROME
PLATED HANDLES



QUICK RELEASE
BOTTOM
DOUBLE ROLLERS



6mm
GLASS
THICKNESS




HEIGHT UP TO
1900mm



UP TO
30mm
PRODUCT
ADJUSTMENT



MAGNETIC
CLOSURE



QUICK RELEASE
DOUBLE
ROLLERS

CHIANTI

2 DOOR OFFSET
CURVED QUADRANT

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Quadrant 800 x 1000mm	770-970mm	800-1000mm	475mm	CHCQ80x100S
Offset Quadrant 800 x 1200mm	770-1170mm	800-1200mm	475mm	CHCQ80x120S
Offset Quadrant 900 x 1200mm	870-1170mm	900-1200mm	540mm	CHCQ90x120S



STYLISH CHROME
PLATED HANDLES



QUICK RELEASE BOTTOM
DOUBLE ROLLERS



CHIANTI

CORNER ENTRY

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 800mm	770mm	800mm	420mm	CHCE80S
Corner Entry 900mm	870mm	900mm	460mm	CHCE90S

SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 800mm - Special height 1800mm	770mm	800mm	420mm	B-CHCE80S
Corner Entry 900mm - Special height 1800mm	870mm	900mm	460mm	B-CHCE90S



STYLISH CHROME
PROFILE COVER CAPS



STYLISH CHROME
PLATED HANDLES



6mm

GLASS THICKNESS

↑

HEIGHT UP TO 1900mm

30mm

PRODUCT ADJUSTMENT

M

MAGNETIC CLOSURE

↔

QUICK RELEASE DOUBLE ROLLERS

↻

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION



CHIANTI

FRAMELESS SIDE PANEL

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	660mm	690mm	CHSP70S
Frameless Side Panel 760mm	720mm	750mm	CHSP76S
Frameless Side Panel 800mm	760mm	790mm	CHSP80S
Frameless Side Panel 900mm	860mm	890mm	CHSP90S
Frameless Side Panel 1000mm	960mm	990mm	CHSP100S

SPECIAL HEIGHT CHIANTI

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side panel 800mm - Special height 1800mm	760mm	790mm	B-CHSP80S
Frameless Side panel 900mm - Special height 1800mm	860mm	890mm	B-CHSP90S
Frameless Side panel 1000mm- Special height 1800mm	960mm	990mm	B-CHSP100S



CLEANEASY
GLASS COATING



SLIDER WITH FRAMELESS SIDE PANEL



CREATING
PERFECT
HARMONY

AYO ORIGIN


THE AYO 8MM ORIGIN COLLECTION

Create a modern minimalist look with the stylish elegantly designed AYO Origin 8mm Wetroom Screen.


These stylish 8mm glass panels incorporate the aluminium frame bonded directly to the edge of the glass. Each AYO Origin panel is supplied with a stainless steel stabilising bar providing you with the assurance of quality and the reliability customers have come to trust from Flair.

With toughened safety glass, hidden fixation points and and hydrophobic coating the AYO Origin wetroom is the ideal choice for your busy bathroom routine.

A protective U-Channel is supplied as standard, allowing a rotating panel to be retrofitted at a later stage.



U-CHANNEL



WETROOM
PANEL WITH
STRAIGHT
STABILISING
BAR FITTED
WITH ROTATING
DEFLECTOR
PANEL



STAINLESS STEEL
ANGLED STABILISING BAR



FLOOR TO CEILING
STABILISING BARS

<p>8mm TOUGHENED SAFETY GLASS</p>	<p>2000mm HEIGHT</p>	<p>RANGE OF STABILISING SOLUTIONS AVAILABLE</p>	<p>WETROOM OR SHOWER TRAY INSTALLATION</p>	<p>CLEARVUE GLASS COATING</p>	<p>ULTRA CLEAR BOTTOM FLOOR PROTECTOR STRIP</p>
<p>ALUMINIUM FLOOR PROTECTOR STRIP</p>	<p>CONCEALED FIXINGS</p>	<p>ALTERNATIVE FIXING OPTIONS</p>	<p>REVERSIBLE</p>	<p>20 YEAR GUARANTEE</p>	


THE PERFECT
SENSE OF WELLBEING

WETROOM PANEL

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
AYO Origin 8mm Wetroom Silver - 300mm	275mm	290mm	AYO8WR30SC
AYO Origin 8mm Wetroom Silver - 400mm	375mm	390mm	AYO8WR40SC
AYO Origin 8mm Wetroom Silver - 450mm*	425mm	440mm	AYO8WR45SC
AYO Origin 8mm Wetroom Silver - 500mm*	475mm	490mm	AYO8WR50SC
AYO Origin 8mm Wetroom Silver - 600mm*	575mm	590mm	AYO8WR60SC
AYO Origin 8mm Wetroom Silver - 700mm	675mm	690mm	AYO8WR70SC
AYO Origin 8mm Wetroom Silver - 760mm	735mm	750mm	AYO8WR76SC
AYO Origin 8mm Wetroom Silver - 800mm	775mm	790mm	AYO8WR80SC
AYO Origin 8mm Wetroom Silver - 900mm	875mm	890mm	AYO8WR90SC
AYO Origin 8mm Wetroom Silver - 1000mm	975mm	990mm	AYO8WR100SC
AYO Origin 8mm Wetroom Silver - 1100mm	1075mm	1090mm	AYO8WR110SC
AYO Origin 8mm Wetroom Silver - 1200mm	1175mm	1190mm	AYO8WR120SC
AYO Origin 8mm Wetroom Silver - 1400mm	1375mm	1390mm	AYO8WR140SC
AYO Origin 8mm Wetroom Silver - 1500mm	1475mm	1490mm	AYO8WR150SC
AYO Origin 8mm Wetroom Silver - 1600mm	1575mm	1590mm	AYO8WR160SC

1200mm Straight stabilising bar included with products over 700mm.
350mm angled stabilising bar supplied with 300mm & 400mm products.
*650mm angled stabilising bar supplied with these products.



AYO ORIGIN


WETROOM ROTATING PANEL



ROTATING
PANELS CAN
ALSO BE
RETROFITTED AT
A LATER STAGE

SIZE OPTIONS

PRODUCT DESCRIPTION	CODE
AYO Origin 8mm Rotating Panel - 300mm	AYO8RP30SC
AYO Origin 8mm Rotating Panel - 450mm	AYO8RP45SC
AYO Origin 8mm Rotating Panel - 500mm	AYO8RP50SC






AYO ORIGIN

WETROOM END PANEL

SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
AYO Origin 8mm Wetroom Silver - 500mm*	475mm	490mm	AYO8WR50SC
AYO Origin 8mm Wetroom Silver - 600mm*	575mm	590mm	AYO8WR60SC
AYO Origin 8mm Wetroom Silver - 700mm	675mm	690mm	AYO8WR70SC
AYO Origin 8mm Wetroom Silver - 760mm	735mm	750mm	AYO8WR76SC
AYO Origin 8mm Wetroom Silver - 800mm	775mm	790mm	AYO8WR80SC
AYO Origin 8mm Wetroom Silver - 900mm	875mm	890mm	AYO8WR90SC
AYO Origin 8mm Wetroom Silver - 1000mm	975mm	990mm	AYO8WR100SC
AYO Origin 8mm Wetroom Silver - 1100mm	1075mm	1090mm	AYO8WR110SC
AYO Origin 8mm Wetroom Silver - 1200mm	1175mm	1190mm	AYO8WR120SC
AYO Origin 8mm Wetroom Silver - 1400mm	1375mm	1390mm	AYO8WR140SC

*650mm angled stabilising bar supplied with 500mm & 600mm End Panels
- 1200mm Straight stabilising bar included with End Panels over 700mm
- Products over 700mm must be fitted with a T Piece
Note: Recommended minimum access width to showering zone is 600mm.




AYO ORIGIN

WETROOM FLOOR TO CEILING STABILISING BAR

SIZE OPTIONS

PRODUCT DESCRIPTION	CODE
AYO Floor to Ceiling Stabilising Bar 2600mm	AYOFCSBS



AYO ORIGIN CONFIGURATIONS

- 8mm Wetroom panel glass with bonded adjustment profile
- Straight stabilising bar
- End Polished Silver Profile (Optional)
- Aluminium floor protector strip or clear horizontal seal included

1

- 8mm Wetroom panel glass with bonded adjustment profile x2
- Straight stabilising bar x2
- T-Piece
- Aluminium floor protector strip or clear horizontal seal included x2

2

- 8mm Wetroom panel glass with bonded adjustment profile x2
- Straight stabilising bar x2
- T-Piece
- Rotating panel
- Aluminium floor protector strip or clear horizontal seal included x2

3

- 8mm Wetroom panel glass with adjustment profile
- Angular stabilising bar
- Aluminium floor protector strip or clear horizontal seal included x2

4

- 8mm Wetroom panel glass with bonded adjustment profile
- Top of Glass to Ceiling Stabilising Bar
- Aluminium floor protector strip or clear horizontal seal included

5

- 8mm Wetroom panel glass with bonded adjustment profile
- Floor to ceiling stabilising bar
- Aluminium floor protector strip or clear horizontal seal included

6

AYO ORIGIN ACCESSORIES

STABILISING BARS

Straight Stabilising Bar	
PRODUCT DESCRIPTION	CODE
AYO 1400mm Straight Stabilising Bar	AYO140SSBS
Other Stabilising Bars	
PRODUCT DESCRIPTION	CODE
AYO Top of Glass to Ceiling Stabilising Bar - Height 600mm	AYOCSBS
AYO Floor to Ceiling Stabilising Bar - Height 2600mm	AYOFCSBS
AYO L Shape Stabilising Bar - Length 1410mm / Height 220mm	AYOLSSBS
AYO Rotating Panel Stabilising Bar - Length 1200mm	AYORPSBS

ACCESSORIES

PRODUCT DESCRIPTION	CODE
AYO Stainless Steel T-Piece	AYOTPS
AYO End Polished Silver Profile - 2000mm Length	AYOEPS



CARA LAMINATED
GLASS SHOWER DOORS


The Cara shower door range is not just inclusively designed, it also offers the greatest standards of safety in the bathroom sector today.

Laminated glass technology is applied to each door style in the range. This means that in the unlikely event of a breakage, the glass will remain integral due to the polyvinyl butyral (PVB) interlayer.

CARA



LAMINATED GLASS
CONSTRUCTION WITH
PVB INTERLAYER



8mm
LAMINATED
GLASS

1950mm
FULL HEIGHT

975mm
HALF HEIGHT

CLEAR
VUE
PROTECTIVE
GLASS COATING

MAGNETIC
CLOSURE

SUITABLE FOR
SHOWER TRAY OR
WETROOM FLOOR
INSTALLATION

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION


RISING BUTT
HINGE
MECHANISM

SPARE PARTS
AVAILABLE

10 YEAR
GUARANTEE

failsafe
TECHNOLOGY
SECURE GLASS SYSTEM

MOSAIC TILE FLOOR SIZE WARNING - Please take extra care to check adjustment sizes required for mosaic wetroom floor applications. Please contact your Flair Sales Representative for advice on mosaic floor application.



CARA

CORNER PIVOT DOORS

CORNER PIVOT DOOR - FULL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Corner Pivot Door 800mm - Tray Application	765mm	790mm	815mm	68kg	CACPD80SLC
Full Height - Corner Pivot Door 900mm - Tray Application	865mm	890mm	955mm	76kg	CACPD90SLC
Full Height - Corner Pivot Door 1000mm - Tray Application	965mm	990mm	1095mm	84kg	CACPD100SLC
Full Height - Corner Pivot Door 900mm - Mosaic Tile Application	900mm	925mm	1005mm	80kg	CACPD90MSLC
Full Height - Corner Pivot Door 1000mm - Mosaic Tile Application	1000mm	1025mm	1105mm	88kg	CACPD100MSLC

CORNER PIVOT DOOR - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Corner Pivot Door 800mm - Tray Application	765mm	790mm	940mm	33kg	CAHCPD80SLC
Half Height - Corner Pivot Door 900mm - Tray Application	865mm	890mm	1080mm	36kg	CAHCPD90SLC
Half Height - Corner Pivot Door 1000mm - Tray Application	965mm	990mm	1095mm	39kg	CAHCPD100SLC
Half Height - Corner Pivot Door 900mm - Mosaic Tile Application	900mm	925mm	1005mm	38kg	CAHCPD90MSLC
Half Height - Corner Pivot Door 1000mm - Mosaic Tile Application	1000mm	1025mm	1105mm	41kg	CAHCPD100MSLC



FULL HEIGHT
CORNER PIVOT DOOR



8mm
LAMINATED
GLASS



1950mm
FULL HEIGHT



975mm
HALF HEIGHT



INWARD AND
OUTWARD
OPENING



MAGNETIC
CLOSURE



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



CLEAR
VUE
PROTECTIVE
GLASS COATING



CHROME PLATED
DOOR HANDLES



RIISING BUTT
HINGE
MECHANISM



10 YEAR
GUARANTEE

MOSAIC TILE FLOOR SIZE WARNING
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



CARA

CORNER BIFOLD DOORS

CORNER BIFOLD DOOR - FULL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Corner Bifold Door 900mm - Tray Application	865mm	890mm	955mm	72kg	CACBF90SLC
Full Height - Corner Bifold Door 1000mm - Tray Application	965mm	990mm	1095mm	86kg	CACBF100SLC
Full Height - Corner Bifold Door 900mm - Mosaic Tile Application	900mm	925mm	1005mm	81kg	CACBF90MSLC
Full Height - Corner Bifold Door 1000mm - Mosaic Tile Application	1000mm	1025mm	1105mm	89kg	CACBF100MSLC

CORNER BIFOLD DOOR - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Corner Bifold Door 900mm - Tray Application	865mm	890mm	955mm	37kg	CAHCBF90SLC
Half Height - Corner Bifold Door 1000mm - Tray Application	965mm	990mm	1095mm	45kg	CAHCBF100SLC
Half Height - Corner Bifold Door 900mm - Mosaic Tile Application	900mm	925mm	1005mm	43kg	CAHCBF90MSLC
Half Height - Corner Bifold Door 1000mm - Mosaic Tile Application	1000mm	1025mm	1105mm	47kg	CAHCBF100MSLC



HALF HEIGHT
CORNER BIFOLD DOOR

8mm
LAMINATED GLASS

1950mm
FULL HEIGHT

975mm
HALF HEIGHT

CLEAR VUE
PROTECTIVE GLASS COATING

CHROME PLATED
DOOR HANDLES

OUTWARD
OPENING ONLY

MAGNETIC
CLOSURE

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION

RIISING BUTT
HINGE
MECHANISM

10 YEAR
GUARANTEE

MOSAIC TILE FLOOR SIZE WARNING
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



CARA

BIFOLD DOORS

BIFOLD DOOR - FULL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Bifold Door 900mm	850mm	900mm	605mm	38kg	CABF90SLC


BIFOLD DOOR - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Bifold Door 900mm	850mm	900mm	605mm	20kg	CAHBF90SLC


Suitable for installation with a laminated glass side panel - See page 113.




HALF HEIGHT
BIFOLD DOOR




8mm
LAMINATED GLASS




1950mm
FULL HEIGHT




975mm
HALF HEIGHT




CLEAR VUE
PROTECTIVE GLASS COATING




CHROME PLATED
DOOR HANDLES




OUTWARD
OPENING ONLY




MAGNETIC
CLOSURE



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



RISING BUTT
HINGE
MECHANISM



10 YEAR
GUARANTEE

MOSAIC TILE FLOOR SIZE WARNING
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.





CARA

SPLIT PIVOT DOORS

SPLIT PIVOT DOOR - FULL HEIGHT


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Pivot Door 900mm	850mm	900mm	710mm	20kg	CASPD90SLC

PIVOT DOOR - HALF HEIGHT


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Pivot Door 900mm	850mm	900mm	710mm	39kg	CAHSPD90LSC

Suitable for installation with a laminated glass side panel - See page 113.







8mm
LAMINATED
GLASS




1950mm
FULL HEIGHT




975mm
HALF HEIGHT




CLEAR
VUE
PROTECTIVE
GLASS COATING




OUTWARD
OPENING ONLY




MAGNETIC
CLOSURE




RISING BUTT
HINGE
MECHANISM



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



CHROME PLATED
DOOR HANDLES



10 YEAR
GUARANTEE

MOSAIC TILE FLOOR SIZE WARNING
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



CARA

SALOON DOORS

SALOON DOORS - FULL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Saloon Door 900mm	850mm	900mm	685mm	37kg	CASD90SLC


SALOON DOORS - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Saloon Door 900mm	850mm	900mm	685mm	20kg	CAHSD90SLC


Suitable for installation with a laminated glass side panel - See page 113.




FULL HEIGHT SALOON DOOR SHOWN WITH SIDE PANEL




975mm
HALF HEIGHT




1950mm
FULL HEIGHT




8mm
LAMINATED GLASS




CLEAR VUE
PROTECTIVE GLASS COATING




CHROME PLATED DOOR HANDLES




INWARD AND OUTWARD OPENING




MAGNETIC CLOSURE



REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION



RISEING BUTT HINGE MECHANISM



10 YEAR GUARANTEE

MOSAIC TILE FLOOR SIZE WARNING
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



CARA

LAMINATED GLASS SIDE PANEL

FULL HEIGHT - SIDE PANELS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Full Height - Side Panel 700mm	665mm	690mm	CASP70SLC
Full Height - Side Panel 800mm	765mm	790mm	CASP80SLC
Full Height - Side Panel 900mm	865mm	890mm	CASP90SLC
Full Height - Side Panel 1000mm	965mm	990mm	CASP100SLC
Full Height - Side Panel 1200mm	1165mm	1190mm	CASP120SLC

HALF HEIGHT - SIDE PANELS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Half Height - Side Panel 700mm	665mm	690mm	CAHSP70SLC
Half Height - Side Panel 800mm	765mm	790mm	CAHSP80SLC
Half Height - Side Panel 900mm	865mm	890mm	CAHSP90SLC
Half Height - Side Panel 1000mm	965mm	990mm	CAHSP100SLC
Half Height - Side Panel 1200mm	1165mm	1190mm	CAHSP120SLC

HALF HEIGHT - INLINE PANELS


PRODUCT DESCRIPTION	CODE
Half Height - Inline Panel 200mm	CAHIL20SLC
Half Height - Inline Panel 300mm	CAHIL30SLC
Half Height - Inline Panel 400mm	CAHIL40SLC
Cara Half Compensating Bar 10mm Adjustment with Cap Bracket	CAHCB10SC




1950mm
HEIGHT




975mm
HALF HEIGHT




8mm
LAMINATED
GLASS




CLEAR
VUE
PROTECTIVE
GLASS COATING




ANGLED
STABILISING BAR
INCLUDED



STRAIGHT
STABILISING BAR
AVAILABLE
ON REQUEST



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



10 YEAR
GUARANTEE


NB. Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.

—

A STYLISH COLLECTION
OF CHROME PLATED
STAINLESS STEEL GRAB
BARS TO COMPLEMENT
YOUR BATHROOM.

SOUL

PREMIUM GRAB BAR COLLECTION





S304
STAINLESS STEEL



200KG
LOAD TEST



25MM OR 32MM
BAR DIAMETER



CONCEALED
FIXINGS




NON SLIP
RUBBER GRIP
OPTIONS
AVAILABLE



S304 STAINLESS
STEEL SCREWS
INCLUDED





10 YEAR
GUARANTEE





SOUL

STRAIGHT GRAB BARS - CHROME PLATED STAINLESS STEEL



CHROME GRAB BAR 30cm



CHROME GRAB BAR 45cm



CHROME GRAB BAR 60cm



25mm DIAMETER CHROME GRAB BARS



PRODUCT DESCRIPTION	CODE
Soul Chrome Grab Bar 30cm	SOGBS30S
Soul Chrome Grab Bar 45cm	SOGBS45S
Soul Chrome Grab Bar 60cm	SOGBS60S

32mm DIAMETER CHROME GRAB BARS



PRODUCT DESCRIPTION	CODE
Soul Chrome Grab Bar 30cm	SOGB32S30S
Soul Chrome Grab Bar 45cm	SOGB32S45S
Soul Chrome Grab Bar 60cm	SOGB32S60S

STRAIGHT GRAB BARS WITH RUBBER GRIP OPTION (25mm DIAMETER)


CHROME GRAB BAR 30cm WITH CHOICE OF BLACK OR GREY RUBBER GRIP



CHROME GRAB BAR 45cm WITH CHOICE OF BLACK OR GREY RUBBER GRIP



CHROME GRAB BAR 60cm WITH CHOICE OF BLACK OR GREY RUBBER GRIP





PRODUCT DESCRIPTION	CODE
Soul Chrome Grab Bar 30cm With Black Rubber Grip	SOGBS30SB
Soul Chrome Grab Bar 30cm With Grey Rubber Grip	SOGBS30SG
Soul Chrome Grab Bar 45cm With Black Rubber Grip	SOGBS45SB
Soul Chrome Grab Bar 45cm With Grey Rubber Grip	SOGBS45SG
Soul Chrome Grab Bar 60cm With Black Rubber Grip	SOGBS60SB
Soul Chrome Grab Bar 60cm With Grey Rubber Grip	SOGBS60SG

SOUL


135° ANGLED BAR OPTIONS - CHROME PLATED STAINLESS STEEL

135° ANGLED BAR OPTIONS WITH RUBBER GRIP OPTION (25MM DIAMETER)


LEFT HAND



RIGHT HAND



UNIVERSAL WITH BASKET - SUITS LEFT OR RIGHT HAND APPLICATION



25mm DIAMETER 135° ANGLED GRAB BARS

PRODUCT DESCRIPTION	CODE
Soul 135° Chrome Grab Bar - Left Hand	SOGB135LS
Soul 135° Chrome Grab Bar - Right Hand	SOGB135RS
Soul 135° Chrome Grab Bar - Universal With Basket	SOGBABS

32mm DIAMETER 135° ANGLED GRAB BARS

PRODUCT DESCRIPTION	CODE
Soul 135° Chrome Angled Grab Bar (32mm diameter)	SOGB32135S

200KG
LOAD TEST

NON SLIP
RUBBER GRIP
OPTIONS
AVAILABLE

S304
STAINLESS STEEL

25mm OR 32mm
BAR DIAMETER

CONCEALED
FIXINGS

S304 STAINLESS
STEEL SCREWS
INCLUDED

10 YEAR
GUARANTEE

LEFT HAND WITH BLACK RUBBER GRIP





RIGHT HAND WITH BLACK RUBBER GRIP



LEFT HAND WITH GREY RUBBER GRIP



RIGHT HAND WITH GREY RUBBER GRIP



PRODUCT DESCRIPTION


Soul 135° Chrome Grab Bar - Left Hand With Black Rubber Grip	SOGB135LSB
Soul 135° Chrome Grab Bar - Right Hand With Black Rubber Grip	SOGB135RSB
Soul 135° Chrome Grab Bar - Left Hand With Grey Rubber Grip	SOGB135LSG
Soul 135° Chrome Grab Bar - Right Hand With Grey Rubber Grip	SOGB135RSG

CODE



SOUL

90° ANGLED BARS - CHROME PLATED STAINLESS STEEL

LEFT HAND



RIGHT HAND



25MM DIAMETER - 90° ANGLED GRAB BARS

PRODUCT DESCRIPTION

CODE

Soul 90° Chrome Grab Bar - Left Hand (25mm Diameter) SOGB90LS

Soul 90° Chrome Grab Bar - Right Hand (25mm Diameter) SOGB90RS

32MM DIAMETER - 90° ANGLED GRAB BARS

PRODUCT DESCRIPTION

CODE

Soul 90° Chrome Grab Bar - Left Hand (32mm Diameter) SOGB3290LS

Soul 90° Chrome Grab Bar - Right Hand (32mm Diameter) SOGB3290RS



200KG
LOAD TEST



NON SLIP
RUBBER GRIP
OPTIONS
AVAILABLE



S304
STAINLESS STEEL



25MM BAR
DIAMETER



CONCEALED
FIXINGS



S304 STAINLESS
STEEL SCREWS
INCLUDED





10 YEAR
GUARANTEE

90° ANGLED BARS WITH RUBBER GRIP

LEFT HAND WITH GREY RUBBER GRIP



RIGHT HAND WITH GREY RUBBER GRIP



PRODUCT DESCRIPTION

CODE

Soul 90 Chrome Grab Bar - Left Hand With Black Rubber Grip

SOGB90LSB

Soul 90 Chrome Grab Bar - Right Hand With Black Rubber Grip

SOGB90RSB

Soul 90 Chrome Grab Bar - Left Hand With Grey Rubber Grip

SOGB90LSG

Soul 90 Chrome Grab Bar - Right Hand With Grey Rubber Grip

SOGB90RSG

DINA

GRAB BARS AND ACCESSORIES




DINA OFFERS PRACTICAL ASSISTANCE IN YOUR BATHROOM. THE RANGE IS MANUFACTURED USING S304 STAINLESS STEEL AND CHROME PLATED BRASS MATERIALS.

DINA BATHROOM ACCESSORIES ARE DESIGNED TO MAKE THE BATHROOM ROUTINE A MORE ENJOYABLE EXPERIENCE.



DINA

BRUSHED & POLISHED CHROME GRAB BARS




BRUSHED & POLISHED CHROME GRAB BARS

PRODUCT DESCRIPTION	CODE
25mm Diameter	
DINA Grab Bar Straight 25mm Thick - 300mm Long - Brushed Chrome	DiGBS25300BS
DINA Grab Bar Straight 25mm Thick - 450mm Long - Brushed Chrome	DiGBS25450BS
DINA Grab Bar Straight 25mm Thick - 600mm Long - Brushed Chrome	DiGBS25600BS
DINA Grab Bar Straight 25mm Thick - 300mm Long - Polished Chrome	DiGBS25300P
DINA Grab Bar Straight 25mm Thick - 450mm Long - Polished Chrome	DiGBS25450P
DINA Grab Bar Straight 25mm Thick - 600mm Long - Polished Chrome	DiGBS25600P
32mm Diameter	
DINA Grab Bar Straight 32mm Thick - 300mm Long - Brushed Chrome	DiGBS32300BS
DINA Grab Bar Straight 32mm Thick - 450mm Long - Brushed Chrome	DiGBS32450BS
DINA Grab Bar Straight 32mm Thick - 600mm Long - Brushed Chrome	DiGBS32600BS
DINA Grab Bar Straight 32mm Thick - 300mm Long - Polished Chrome	DiGBS32300P
DINA Grab Bar Straight 32mm Thick - 450mm Long - Polished Chrome	DiGBS32450P
DINA Grab Bar Straight 32mm Thick - 600mm Long - Polished Chrome	DiGBS32600P

DINA

STRAIGHT POWDER WHITE GRAB BARS AND ANGLED POLISHED CHROME GRAB BARS



STRAIGHT POWDER WHITE GRAB BARS

PRODUCT DESCRIPTION	CODE
25mm Diameter	
DINA Grab Bar Straight 25mm Thick - 300mm Long - Powder White	DiGBS25300W
DINA Grab Bar Straight 25mm Thick - 450mm Long - Powder White	DiGBS25450W
DINA Grab Bar Straight 25mm Thick - 600mm Long - Powder White	DiGBS25600W
32mm Diameter	
DINA Grab Bar Straight 32mm Thick - 300mm Long - Powder White	DiGBS32300W
DINA Grab Bar Straight 32mm Thick - 450mm Long - Powder White	DiGBS32450W
DINA Grab Bar Straight 32mm Thick - 600mm Long - Powder White	DiGBS32600W

ANGLED POLISHED CHROME GRAB BARS

PRODUCT DESCRIPTION	CODE
25mm Diameter	
DINA Grab Bar Angled 25mm Thick 450mm Long - Polished Chrome	DiGBA25450P
32mm Diameter	
DINA Grab Bar Angled 32mm Thick 450mm Long - Polished Chrome	DiGBA32450P

DINA

LINE DRAWINGS



S304
STAINLESS STEEL



200KG
LOAD TEST




CONCEALED
FIXINGS




S304 STAINLESS
STEEL SCREWS
INCLUDED




10 YEAR
GUARANTEE




300MM GRAB BAR - 25MM Ø DIAMETER




300MM GRAB BAR - 32MM Ø DIAMETER




450MM GRAB BAR - 25MM Ø DIAMETER




450MM GRAB BAR - 32MM Ø DIAMETER




600MM GRAB BAR - 25MM Ø DIAMETER



600MM GRAB BAR - 32MM Ø DIAMETER



450MM ANGLED GRAB BAR -
25MM Ø DIAMETER




450MM ANGLED GRAB BAR -
32MM Ø DIAMETER

DINA

THE FINISHING TOUCHES
FOR YOUR BATHROOM




SHOWER WIPER




DESCRIPTION	CODE
Flair Shower Wiper	Di02

WAVE SHOWER BASKET




PRODUCT DESCRIPTION	CODE
DINA - Wave Shower Basket Chrome	Di03

SOAP SHELF




PRODUCT DESCRIPTION	CODE
DINA - Soap Shelf Brushed Stainless Steel	Di23

2 TIER HANGING BASKETS




PRODUCT DESCRIPTION	CODE
DINA - 2 Tier Hanging Basket - Small	Di04




PRODUCT DESCRIPTION	CODE
DINA - 2 Tier Hanging Basket - Large	Di05

CORNER BASKETS




PRODUCT DESCRIPTION	CODE
DINA - Corner Basket - Open 1 Side	Di07




PRODUCT DESCRIPTION	CODE
DINA - Large Corner Basket	Di10


RECTANGLE BASKETS



PRODUCT DESCRIPTION	CODE
DINA - Soap Basket	Di06



PRODUCT DESCRIPTION	CODE
DINA - Small Rectangle Basket	Di09



PRODUCT DESCRIPTION	CODE
DINA - Large Rectangle Basket	Di11

DINA

THE FINISHING TOUCHES FOR YOUR BATHROOM

DINA SHOWER SEAT COLLECTION



S304
STAINLESS STEEL

SOFT TOUCH
POLYURETHANE
SEAT

200KG
LOAD TEST

NON POROUS
SURFACE

SOLID WALL
FIXATION ONLY

10 YEAR
GUARANTEE


PRODUCT DESCRIPTION	SEAT DIMENSIONS (WIDTH x DEPTH)	HEIGHT	CODE
Folding Wall Mounted Shower Seat - White	360 x 330mm	-	Di17
Folding Shower Seat with Legs - White	410 x 365mm	Adjustable	Di18
Free Standing Shower Seat - White	445 x 275mm	425mm	Di19

WASTE BINS



PRODUCT DESCRIPTION	CODE
DINA - Waste Bin - 3 Litre	Di14
DINA - Waste Bin - 5 Litre	Di15

CURVED SHOWER ROD & SHOWER CURTAIN



PRODUCT DESCRIPTION	CODE
DINA - Curved Shower Rod - 25mm Thick - 1000mm Long Chrome Plated	DiCSR251800P
DINA - Shower Curtain White	DISCW

BATHSCREEN COLLECTION



FLAIR OFFERS AN UNRIVALLED SELECTION OF INNOVATIVE BATH SCREEN DESIGNS. FROM SIMPLE CURVED SHAPES TO MORE ANGULAR DESIGNS WITH CLEVER SHELF OPTIONS, THERE IS SOMETHING TO SUIT EVERY BATHROOM.





FBS SAIL BATHSCREENS

SIZE OPTIONS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
Single Panel Sail Bathscreen	1430 x 850mm	Silver	FBS1SC
Double Panel Sail Bathscreen	1430 x 1050mm	Silver	FBS2SC

6mm
GLASS THICKNESS

25mm
PRODUCT ADJUSTMENT

HEIGHT 1430mm

CLEAN EASY
COATING

POLISHED CHROME TOWEL RAIL

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION

WATER DEFLECTOR ONLY

10 YEAR GUARANTEE

failsafe
TECHNOLOGY
SECURE GLASS SYSTEM

PATENTED FAILSAFE GLASS SYSTEM



FBS SQUARE BATHSCREENS

SIZE OPTIONS

PRODUCT DESCRIPTION	SIZE	COLOUR	CODE
Single Panel Square Bathscreen	1430 x 850mm	Silver	FBS3SC
Double Panel Square Bathscreen	1430 x 1050mm	Silver	FBS4SC
Double Panel Square Bathscreen with Shelves	1430 x 1050mm	Silver	FBS5SC
Two Panel Square Bathscreen - 1 Fixed 1 Rotating	1400 x 900mm	Silver	CYBSSQ2S

6mm

GLASS THICKNESS

25mm

PRODUCT ADJUSTMENT

HEIGHT 1430mm

CLEAN EASY

COATING

POLISHED CHROME TOWEL RAIL

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION

WATER DEFLECTOR ONLY

10 YEAR GUARANTEE

failsafe

TECHNOLOGY

SECURE GLASS SYSTEM

BATHSCREEN SHELVES



FBS5SC - DOUBLE PANEL SQUARE BATHSCREEN WITH SHELVES



FBS4SC - DOUBLE PANEL SQUARE BATHSCREEN



FBS3SC - SINGLE PANEL SQUARE BATHSCREEN



SHOWER TRAYS



FLAIR SLIMLINE SHOWER TRAYS



STRONG AND RIGID
CONSTRUCTION

MANUFACTURED TO BRITISH
STANDARD BS6340/5

TOUGH HIGH GLOSS ABS ACRYLIC
CAPPED SURFACE FINISH

EASY-TO-CLEAN AND MAINTAIN

HEIGHT
40mm

SLEEK
LOW PROFILE
DESIGN

90mm
HIGH FLOW
WASTE

**EASY
CLEAN**
FILTER TRAP

SUITABLE FOR
CONVERSION
TO EASY
PLUMB TRAY

SUITABLE FOR
CONVERSION
TO
UPSTAND TRAY

25 YEAR
GUARANTEE

EXTENSIVE SELECTION
OF SHOWER TRAY
SHAPES AND SIZES
TO COMPLEMENT
YOUR BATHROOM.

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.



SLIMLINE RECTANGLE TRAY
INCLUDING SHOWER WASTE



SLIMLINE SQUARE TRAY
INCLUDING SHOWER WASTE



SLIMLINE QUADRANT TRAY
INCLUDING SHOWER WASTE



SLIMLINE OFFSET QUADRANT TRAY
INCLUDING SHOWER WASTE (right hand illustrated)

SLIMLINE SHOWER TRAYS

HEIGHT 40mm INCLUDING WASTE

RECTANGLE	
PRODUCT DESCRIPTION	CODE
800 × 700mm Slimline Rectangle Tray	TSL8070R
900 × 700mm Slimline Rectangle Tray	TSL9070R
900 × 760mm Slimline Rectangle Tray	TSL9076R
900 × 800mm Slimline Rectangle Tray	TSL9080R
1000 × 700mm Slimline Rectangle Tray	TSL10070R
1000 × 760mm Slimline Rectangle Tray	TSL10076R
1000 × 800mm Slimline Rectangle Tray	TSL10080R
1000 × 900mm Slimline Rectangle Tray	TSL10090R
1100 × 700mm Slimline Rectangle Tray	TSL11070R
1100 × 760mm Slimline Rectangle Tray	TSL11076R
1100 × 800mm Slimline Rectangle Tray	TSL11080R
1100 × 900mm Slimline Rectangle Tray	TSL11090R
1200 × 700mm Slimline Rectangle Tray	TSL12070R
1200 × 760mm Slimline Rectangle Tray	TSL12076R
1200 × 800mm Slimline Rectangle Tray	TSL12080R
1200 × 900mm Slimline Rectangle Tray	TSL12090R
1200 × 1000mm Slimline Rectangle Tray	TSL120100R
1300 × 800mm Slimline Rectangle Tray	TSL13080R
1300 × 900mm Slimline Rectangle Tray	TSL13090R
1400 × 700mm Slimline Rectangle Tray	TSL14070R
1400 × 800mm Slimline Rectangle Tray	TSL14080R
1400 × 900mm Slimline Rectangle Tray	TSL14090R
1500 × 700mm Slimline Rectangle Tray	TSL15070R
1500 × 760mm Slimline Rectangle Tray	TSL15076R
1500 × 800mm Slimline Rectangle Tray	TSL15080R
1500 × 900mm Slimline Rectangle Tray	TSL15090R
1600 × 700mm Slimline Rectangle Tray	TSL16070R
1600 × 800mm Slimline Rectangle Tray	TSL16080R
1600 × 900mm Slimline Rectangle Tray	TSL16090R
1700 × 700mm Slimline Rectangle Tray	TSL17070R
1700 × 750mm Slimline Rectangle Tray	TSL17075R
1700 × 800mm Slimline Rectangle Tray	TSL17080R
1700 × 900mm Slimline Rectangle Tray	TSL17090R
1800 × 800mm Slimline Rectangle Tray	TSL18080R
1800 × 900mm Slimline Rectangle Tray	TSL18090R
2000 × 900mm Slimline Rectangle Tray	TSL20090R

SQUARE	
PRODUCT DESCRIPTION	CODE
700 × 700mm Slimline Square Tray	TSL70S
760 × 760mm Slimline Square Tray	TSL76S
800 × 800mm Slimline Square Tray	TSL80S
900 × 900mm Slimline Square Tray	TSL90S
1000 × 1000mm Slimline Square Tray	TSL100S
1200 × 1200mm Slimline Square Tray	TSL120S

QUADRANT	
PRODUCT DESCRIPTION	CODE
800 × 800mm Slimline Quadrant Tray	TSL80Q
900 × 900mm Slimline Quadrant Tray	TSL90Q
1000 × 1000mm Slimline Quadrant Tray	TSL100Q

OFFSET QUADRANT	
PRODUCT DESCRIPTION	CODE
900 × 800mm Offset Quadrant Tray - Left	TSL9080LOQ
900 × 800mm Offset Quadrant Tray - Right	TSL9080ROQ
1000 × 800mm Offset Quadrant Tray - Left	TSL10080LOQ
1000 × 800mm Offset Quadrant Tray - Right	TSL10080ROQ
1000 × 900mm Offset Quadrant Tray - Left	TSL10090LOQ
1000 × 900mm Offset Quadrant Tray - Right	TSL10090ROQ
1100 × 800mm Offset Quadrant Tray - Left	TSL11080LOQ
1100 × 800mm Offset Quadrant Tray - Right	TSL11080ROQ
1100 × 900mm Offset Quadrant Tray - Left	TSL11090LOQ
1100 × 900mm Offset Quadrant Tray - Right	TSL11090ROQ
1200 × 800mm Offset Quadrant Tray - Left	TSL12080LOQ
1200 × 800mm Offset Quadrant Tray - Right	TSL12080ROQ
1200 × 900mm Offset Quadrant Tray - Left	TSL12090LOQ
1200 × 900mm Offset Quadrant Tray - Right	TSL12090ROQ

Note.
There is a tolerance of up to 10mm in tray sizes above the nominal dimensions.
This is to allow for potential shrinkage during the manufacturing process.



ANTI-SLIP SHOWER TRAYS

HEIGHT 40mm (INCLUDING WASTE)

RECTANGLE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Rectangle Tray 1000 x 800mm	ASTSLI0080R
Anti-Slip Slimline Rectangle Tray 1000 x 900mm	ASTSLI0090R
Anti-Slip Slimline Rectangle Tray 1100 x 800mm	ASTSLI1080R
Anti-Slip Slimline Rectangle Tray 1100 x 900mm	ASTSLI1090R
Anti-Slip Slimline Rectangle Tray 1200 x 700mm	ASTSLI2070R
Anti-Slip Slimline Rectangle Tray 1200 x 760mm	ASTSLI2076R
Anti-Slip Slimline Rectangle Tray 1200 x 800mm	ASTSLI2080R
Anti-Slip Slimline Rectangle Tray 1200 x 900mm	ASTSLI2090R
Anti-Slip Slimline Rectangle Tray 1400 x 700mm	ASTSLI4070R
Anti-Slip Slimline Rectangle Tray 1400 x 800mm	ASTSLI4080R
Anti-Slip Slimline Rectangle Tray 1400 x 900mm	ASTSLI4090R
Anti-Slip Slimline Rectangle Tray 1500 x 700mm	ASTSLI5070R
Anti-Slip Slimline Rectangle Tray 1500 x 800mm	ASTSLI5080R
Anti-Slip Slimline Rectangle Tray 1500 x 900mm	ASTSLI5090R
Anti-Slip Slimline Rectangle Tray 1600 x 700mm	ASTSLI6070R
Anti-Slip Slimline Rectangle Tray 1600 x 800mm	ASTSLI6080R
Anti-Slip Slimline Rectangle Tray 1600 x 900mm	ASTSLI6090R
Anti-Slip Slimline Rectangle Tray 1700 x 700mm	ASTSLI7070R
Anti-Slip Slimline Rectangle Tray 1700 x 800mm	ASTSLI7080R
Anti-Slip Slimline Rectangle Tray 1700 x 900mm	ASTSLI7090R

SQUARE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Square Tray 800mm	ASTSL80S
Anti-Slip Slimline Square Tray 900mm	ASTSL90S
Anti-Slip Slimline Square Tray 1000mm	ASTSL100S

QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Quadrant Tray 800mm	ASTSL80Q
Anti-Slip Slimline Quadrant Tray 900mm	ASTSL90Q
Anti-Slip Slimline Quadrant Tray 1000mm	ASTSL100Q

- Anti-slip coating for extra safety in the showering space
- Pendulum slip tested, in accordance with British Standard BS7976:2
- Classified as low slip potential

Note: It is normal for a small amount of localized water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.



TEXTURED ANTI-SLIP TRAY SURFACE

OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left Hand	ASTSLI0080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Right Hand	ASTSLI0080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left Hand	ASTSLI0090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right Hand	ASTSLI0090ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left Hand	ASTSLI2080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right Hand	ASTSLI2080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Left Hand	ASTSLI2090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Right Hand	ASTSLI2090ROQ

SLIMLINE SHOWER TRAYS

WITH CORNER WASTE POSITION

CORNER SHOWER TRAY WASTES

PRODUCT DESCRIPTION	CODE
800 x 800mm Slimline Quadrant Tray - Corner Waste	CTSL80Q
900 x 900mm Slimline Quadrant Tray - Corner Waste	CTSL90Q
800 x 800mm Slimline Square Tray - Corner Waste	CTSL80S
900 x 800mm Slimline Rectangle Tray - Corner Waste	CTSL9080R
900 x 900mm Slimline Square Tray - Corner Waste	CTSL90S
1000 x 800mm Slimline Rectangle Tray - Corner Waste	CTSLI0080R
1200 x 800mm Slimline Rectangle Tray - Corner Waste	CTSLI2080R
1200 x 900mm Slimline Rectangle Tray - Corner Waste	CTSLI2090R



SQUARE TRAY CORNER WASTE



RECTANGLE TRAY CORNER WASTE



800MM QUADRANT TRAY CORNER WASTE



900MM QUADRANT TRAY CORNER WASTE

SLIMLINE SHOWER TRAYS

WITH TILING UPSTAND
HEIGHT: 53MM (INCLUDING 13MM UPSTAND HEIGHT)

SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
Slimline Tray 760mm Square Tray Upstand With Waste	TSL76SU
Slimline Tray 800mm Square Tray Upstand With Waste	TSL80SU
Slimline Tray 900mm Square Tray Upstand With Waste	TSL90SU



SLIMLINE SQUARE TRAY
INCLUDING SHOWER WASTE AND UPSTAND

SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
Slimline Tray 900 x 760mm Rectangle Tray Upstand With Waste	TSL9076RU
Slimline Tray 1000 x 760mm Rectangle Tray Upstand With Waste	TSL10076RU
Slimline Tray 1000 x 800mm Rectangle Tray Upstand With Waste	TSL10080RU
Slimline Tray 1200 x 760mm Rectangle Tray Upstand With Waste	TSL12076RU
Slimline Tray 1200 x 800mm Rectangle Tray Upstand With Waste	TSL12080RU
Slimline Tray 1200 x 900mm Rectangle Tray Upstand With Waste	TSL12090RU
Slimline Tray 1400 x 800mm Rectangle Tray Upstand With Waste	TSL14080RU
Slimline Tray 1400 x 900mm Rectangle Tray Upstand With Waste	TSL14090RU
Slimline Tray 1700 x 750mm Rectangle Tray Upstand With Waste	TSL17075RU



SLIMLINE RECTANGLE TRAY
INCLUDING SHOWER WASTE AND UPSTAND


SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
Slimline Tray 800mm Quadrant Upstand With Waste	TSL80QU
Slimline Tray 900mm Quadrant Upstand With Waste	TSL90QU



SLIMLINE QUADRANT TRAY
INCLUDING SHOWER WASTE AND UPSTAND

SLIMLINE TRAY WITH EASY PLUMB KIT



McALPINE WASTES



PRODUCT DESCRIPTION	CODE
McAlpine 90mm Shower Waste with Plastic Dome - White	ST90WH10-70
McAlpine 90mm Shower Waste with Plastic Dome - Matte Black	ST90WH10-70



FLAIR EASY PLUMB KIT

Flair slimline easy plumb shower kits have adjustable legs to comply with building regulations to assist in installation and for maintenance of waste outlets if required after building settlement.

The Flair slimline easy plumb kit provides this access without compromising on style in the bathroom.

An easy plumb tray can be made by using any of the Flair slimline trays and a kit. This will increase the height of the tray by 95mm.

Accessories are not to scale - for visual representation only.



PRODUCT DESCRIPTION	WEIGHT	CODE
Easy Plumb Riser Kit for all Square Trays & Rectangle Trays (Suitable for maximum tray size of 1200mm)	2kg	WD3
Easy Plumb Riser Kit for all Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm)	3kg	WD4
Easy Plumb Kit for all Square & Rectangle Trays (Up to 2000mm in size)	2kg	WD5
Shower Waste	1kg	TSL WASTE

TOTAL HEIGHT
135mm

ADJUSTABLE
LEGS

REMOVABLE
FASCIA PANEL

CONCEALED
FITTINGS



NEW ULTRA SLIM SHOWER TRAYS

HEIGHT 25mm (INCLUDING WASTE & WHITE GRILL)

RECTANGLE

PRODUCT DESCRIPTION	CODE
Ultra Slim Rectangle Tray 1000 x 800mm - Inc.Waste & White Grill	USL I0080R
Ultra Slim Rectangle Tray 1000 x 900mm - Inc.Waste & White Grill	USL I0090R
Ultra Slim Rectangle Tray 1200 x 800mm - Inc.Waste & White Grill	USL I2080R
Ultra Slim Rectangle Tray 1200 x 900mm - Inc.Waste & White Grill	USL I2090R
Ultra Slim Rectangle Tray 1400 x 800mm - Inc.Waste & White Grill	USL I4080R
Ultra Slim Rectangle Tray 1400 x 900mm - Inc.Waste & White Grill	USL I4090R
Ultra Slim Rectangle Tray 1500 x 800mm - Inc.Waste & White Grill	USL I5080R
Ultra Slim Rectangle Tray 1500 x 900mm - Inc.Waste & White Grill	USL I5090R
Ultra Slim Rectangle Tray 1600 x 800mm - Inc.Waste & White Grill	USL I6080R
Ultra Slim Rectangle Tray 1600 x 900mm - Inc.Waste & White Grill	USL I6090R
Ultra Slim Rectangle Tray 1700 x 800mm - Inc.Waste & White Grill	USL I7080R
Ultra Slim Rectangle Tray 1700 x 900mm - Inc.Waste & White Grill	USL I7090R
Ultra Slim Rectangle Tray 1800 x 800mm - Inc.Waste & White Grill	USL I8080R
Ultra Slim Rectangle Tray 1800 x 900mm - Inc.Waste & White Grill	USL I8090R

SQUARE

PRODUCT DESCRIPTION	CODE
Ultra Slim Square Tray 900 x 900mm - Inc.Waste & White Grill	USL90S

QUADRANT

PRODUCT DESCRIPTION	CODE
Ultra Slim Quadrant Tray 900 x 900mm - Inc.Waste & White Grill	USL90Q

OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Ultra Slim Offset Quadrant Tray 1200 x 800mm Left Hand - Inc.Waste & White Grill	USL I2080LOQ
Ultra Slim Offset Quadrant Tray 1200 x 800mm Right Hand - Inc.Waste & White Grill	USL I2080ROQ
Ultra Slim Offset Quadrant Tray 1200 x 900mm Left Hand - Inc.Waste & White Grill	USL I2090LOQ
Ultra Slim Offset Quadrant Tray 1200 x 900mm Right Hand - Inc.Waste & White Grill	USL I2090ROQ

NEW ANTI-SLIP ULTRA SLIM SHOWER TRAYS

HEIGHT 25mm (INCLUDING WASTE & WHITE GRILL)

RECTANGLE

PRODUCT DESCRIPTION	CODE
Anti-Slip Ultra Slim Rectangle Tray 1000 x 800mm - Inc.Waste & White Grill	AUSL I0080R
Anti-Slip Ultra Slim Rectangle Tray 1200 x 800mm - Inc.Waste & White Grill	AUSL I2080R
Anti-Slip Ultra Slim Rectangle Tray 1200 x 900mm - Inc.Waste & White Grill	AUSL I2090R
Anti-Slip Ultra Slim Rectangle Tray 1400 x 800mm - Inc.Waste & White Grill	AUSL I4080R
Anti-Slip Ultra Slim Rectangle Tray 1400 x 900mm - Inc.Waste & White Grill	AUSL I4090R
Anti-Slip Ultra Slim Rectangle Tray 1500 x 800mm - Inc.Waste & White Grill	AUSL I5080R
Anti-Slip Ultra Slim Rectangle Tray 1600 x 800mm - Inc.Waste & White Grill	AUSL I6080R
Anti-Slip Ultra Slim Rectangle Tray 1600 x 900mm - Inc.Waste & White Grill	AUSL I6090R
Anti-Slip Ultra Slim Rectangle Tray 1700 x 800mm - Inc.Waste & White Grill	AUSL I7080R
Anti-Slip Ultra Slim Rectangle Tray 1700 x 900mm - Inc.Waste & White Grill	AUSL I7090R



ULTRA SLIM RECTANGLE TRAY
INCLUDING WASTE AND WHITE GRILL



ULTRA SLIM SQUARE TRAY
INCLUDING WASTE AND WHITE GRILL



ULTRA SLIM QUADRANT TRAY
INCLUDING WASTE AND WHITE GRILL



ULTRA SLIM OFFSET QUADRANT TRAY
INCLUDING WASTE AND WHITE GRILL

CREATING
PERFECT
HARMONY

GEMSTONE

GEMSTONE SLATE TEXTURED TRAYS

The Gemstone brand is synonymous with quality and style. This extensive selection of slate textured shower trays compliment the most beautiful of bathroom designs. With an ultra minimal height of 25 to 30mm, each tray is anti-slip rated and available in 4 colour options - Onyx Black*, Graphite Black, Flint Grey or White

Choose from square or linear shape waste options, with both chrome or colour matched grille finishes available depending on customer preference. Both visually appealing and sensual to touch, a Gemstone shower tray will work perfectly in a wide variety of bathroom applications, be they classic, modern or contemporary in design.

*Onyx Black only available in 25mm height, Square waste.





FLINT GREY TRAY WITH LINEAR WASTE

GEMSTONE TRAYS

KEY FEATURES

Slate texture – a natural stone resin composite with gel coat finish

Anti slip rated – Grade 3 Rating
UNE ENV 12633:2003

Available in 4 colours – Onyx Black, White, Graphite Black & Flint Grey

Minimalist stainless steel waste cover in Square or Linear version

Colour matched interior waste trap
(Onyx Black, Graphite Black or Flint Grey tray = Grey interior waste / White tray = White interior waste)

Supplied with 90mm McAlpine high flow waste

GRADE 3
ANTI SLIP
RATED

ANTIBACTERIAL
WITH NON
POROUS
SURFACE

CHEMICAL
RESISTANCE
IN ACCORDANCE WITH
UNE EN 12527

MAY BE CUT WITH
A DIAMOND
CUTTING
WHEEL

EASY TRANSPORT /
DURABLE
PACKAGING

90mm
HI-FLOW
WASTE

CE
APPROVED

25mm
or 30mm
TRAY
DEPTH

2 YEAR
MANUFACTURER
WARRANTY

GEMSTONE TRAY COLOUR OPTIONS

WHITE

GRAPHITE
BLACK

FLINT
GREY

ONYX
BLACK

Note: Gemstone tray colours are reproduced as accurately as the printing process will allow. There is no guarantee of exact colour match - this brochure is a visual aid only.

GEMSTONE



WHITE TRAY WITH SQUARE WASTE

WASTE DESIGN -
SQUARE WASTE

25mm
TRAY
DEPTH



SQUARE WASTE GRILL OPTION

- Available in Rectangle, Square, Quadrant and Offset Quadrant shapes

WASTE DESIGN -
LINEAR WASTE

30mm
TRAY
DEPTH

LINEAR WASTE
GRILL OPTION

- Defined gradient on linear tray
- On trend to create the minimalist wetroom look
- Rectangular shower tray shape only



COLOUR MATCHED
GRILL OPTIONS




COLOUR MATCHED GRILL OPTION

- Choose to match your shower tray grill to the precise colour of your tray. Available in White, Graphite Black and Flint Grey



SQUARE WASTE

RECTANGLE TRAY



PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1000 x 800mm - Square Waste	White	GEM10080RWS
Rectangular Tray 1000 x 800mm - Square Waste	Graphite Black	GEM10080RBS
Rectangular Tray 1000 x 800mm - Square Waste	Flint Grey	GEM10080RGS
Rectangular Tray 1000 x 800mm - Square Waste	Onyx Black	GEM10080ROS
Rectangular Tray 1000 x 900mm - Square Waste	White	GEM10090RWS
Rectangular Tray 1000 x 900mm - Square Waste	Graphite Black	GEM10090RBS
Rectangular Tray 1000 x 900mm - Square Waste	Flint Grey	GEM10090RGS
Rectangular Tray 1000 x 900mm - Square Waste	Onyx Black	GEM10090ROS
Rectangular Tray 1100 x 800mm - Square Waste	White	GEM11080RWS
Rectangular Tray 1100 x 800mm - Square Waste	Graphite Black	GEM11080RBS
Rectangular Tray 1100 x 800mm - Square Waste	Flint Grey	GEM11080RGS
Rectangular Tray 1100 x 900mm - Square Waste	White	GEM11090RWS
Rectangular Tray 1100 x 900mm - Square Waste	Graphite Black	GEM11090RBS
Rectangular Tray 1100 x 900mm - Square Waste	Flint Grey	GEM11090RGS
Rectangular Tray 1200 x 800mm - Square Waste	White	GEM12080RWS
Rectangular Tray 1200 x 800mm - Square Waste	Graphite Black	GEM12080RBS
Rectangular Tray 1200 x 800mm - Square Waste	Flint Grey	GEM12080RGS
Rectangular Tray 1200 x 800mm - Square Waste	Onyx Black	GEM12080ROS
Rectangular Tray 1200 x 900mm - Square Waste	White	GEM12090RWS
Rectangular Tray 1200 x 900mm - Square Waste	Graphite Black	GEM12090RBS
Rectangular Tray 1200 x 900mm - Square Waste	Flint Grey	GEM12090RGS
Rectangular Tray 1200 x 900mm - Square Waste	Onyx Black	GEM12090ROS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	White	GEM120100RWS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Graphite Black	GEM120100RBS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Flint Grey	GEM120100RGS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Onyx Black	GEM120100ROS
Rectangular Tray 1400 x 800mm - Square Waste	White	GEM14080RWS
Rectangular Tray 1400 x 800mm - Square Waste	Graphite Black	GEM14080RBS
Rectangular Tray 1400 x 800mm - Square Waste	Flint Grey	GEM14080RGS
Rectangular Tray 1400 x 800mm - Square Waste	Onyx Black	GEM14080ROS
Rectangular Tray 1400 x 900mm - Square Waste	White	GEM14090RWS
Rectangular Tray 1400 x 900mm - Square Waste	Graphite Black	GEM14090RBS
Rectangular Tray 1400 x 900mm - Square Waste	Flint Grey	GEM14090RGS
Rectangular Tray 1400 x 900mm - Square Waste	Onyx Black	GEM14090ROS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	White	GEM140100RWS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Graphite Black	GEM140100RBS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Flint Grey	GEM140100RGS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Onyx Black	GEM140100ROS
Rectangular Tray 1500 x 800mm - Square Waste	White	GEM15080RWS
Rectangular Tray 1500 x 800mm - Square Waste	Graphite Black	GEM15080RBS
Rectangular Tray 1500 x 800mm - Square Waste	Flint Grey	GEM15080RGS

SQUARE WASTE

RECTANGLE TRAY



PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1500 x 900mm - Square Waste	White	GEM15090RWS
Rectangular Tray 1500 x 900mm - Square Waste	Graphite Black	GEM15090RBS
Rectangular Tray 1500 x 900mm - Square Waste	Flint Grey	GEM15090RGS
Rectangular Tray 1600 x 800mm - Square Waste	White	GEM16080RWS
Rectangular Tray 1600 x 800mm - Square Waste	Graphite Black	GEM16080RBS
Rectangular Tray 1600 x 800mm - Square Waste	Flint Grey	GEM16080RGS
Rectangular Tray 1600 x 800mm - Square Waste	Onyx Black	GEM16080ROS
Rectangular Tray 1600 x 900mm - Square Waste	White	GEM16090RWS
Rectangular Tray 1600 x 900mm - Square Waste	Graphite Black	GEM16090RBS
Rectangular Tray 1600 x 900mm - Square Waste	Flint Grey	GEM16090RGS
Rectangular Tray 1600 x 900mm - Square Waste	Onyx Black	GEM16090ROS
Rectangular Tray 1700 x 700mm - Square Waste	White	GEM17070RWS
Rectangular Tray 1700 x 700mm - Square Waste	Graphite Black	GEM17070RBS
Rectangular Tray 1700 x 700mm - Square Waste	Flint Grey	GEM17070RGS
Rectangular Tray 1700 x 800mm - Square Waste	White	GEM17080RWS
Rectangular Tray 1700 x 800mm - Square Waste	Graphite Black	GEM17080RBS
Rectangular Tray 1700 x 800mm - Square Waste	Flint Grey	GEM17080RGS
Rectangular Tray 1700 x 800mm - Square Waste	Onyx Black	GEM17080ROS
Rectangular Tray 1700 x 900mm - Square Waste	White	GEM17090RWS
Rectangular Tray 1700 x 900mm - Square Waste	Graphite Black	GEM17090RBS
Rectangular Tray 1700 x 900mm - Square Waste	Flint Grey	GEM17090RGS
Rectangular Tray 1700 x 900mm - Square Waste	Onyx Black	GEM17090ROS
Rectangular Tray 1800 x 800mm - Square Waste	White	GEM18080RWS
Rectangular Tray 1800 x 800mm - Square Waste	Graphite Black	GEM18080RBS
Rectangular Tray 1800 x 800mm - Square Waste	Flint Grey	GEM18080RGS
Rectangular Tray 1800 x 900mm - Square Waste	White	GEM18090RWS
Rectangular Tray 1800 x 900mm - Square Waste	Graphite Black	GEM18090RBS
Rectangular Tray 1800 x 900mm - Square Waste	Flint Grey	GEM18090RGS



WHITE GEMSTONE TRAY,
COUNTERSUNK WITH A
FLUSH TO FLOOR FINISH

SQUARE TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Square Tray 800mm - Square Waste NEW	White	GEM80SWS
Square Tray 800mm - Square Waste NEW	Graphite Black	GEM80SBS
Square Tray 800mm - Square Waste NEW	Flint Grey	GEM80SGS
Square Tray 800mm - Square Waste NEW	Onyx Black	GEM80SOS
Square Tray 900mm - Square Waste	White	GEM90SWS
Square Tray 900mm - Square Waste	Graphite Black	GEM90SBS
Square Tray 900mm - Square Waste	Flint Grey	GEM90SGS
Square Tray 900mm - Square Waste	Onyx Black	GEM90SOS
Square Tray 1000mm - Square Waste	White	GEM100SWS
Square Tray 1000mm - Square Waste	Graphite Black	GEM100SBS
Square Tray 1000mm - Square Waste	Flint Grey	GEM100SGS

QUADRANT TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Quadrant Tray 900mm - Square Waste	White	GEM90QWS
Quadrant Tray 900mm - Square Waste	Graphite Black	GEM90QBS
Quadrant Tray 900mm - Square Waste	Flint Grey	GEM90QGS
Quadrant Tray 900mm - Square Waste	Onyx Black	GEM90QOS
Quadrant Tray 1000mm - Square Waste	White	GEM100QWS
Quadrant tray 1000mm - Square Waste	Graphite Black	GEM100QBS
Quadrant Tray 1000mm - Square Waste	Flint Grey	GEM100QGS

OFFSET QUADRANT TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	White	GEM10080QWSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	White	GEM10080QWSR
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	Graphite Black	GEM10080QBSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	Graphite Black	GEM10080QBSR
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	Flint Grey	GEM10080QGSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	Flint Grey	GEM10080QGSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	White	GEM12080QWSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	White	GEM12080QWSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Graphite Black	GEM12080QBSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Graphite Black	GEM12080QBSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Flint Grey	GEM12080QGSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Flint Grey	GEM12080QGSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Onyx Black	GEM12080QOSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Onyx Black	GEM12080QOSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	White	GEM12090QWSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	White	GEM12090QWSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Graphite Black	GEM12090QBSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Graphite Black	GEM12090QBSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Flint Grey	GEM12090QGSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Flint Grey	GEM12090QGSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Onyx Black	GEM12090QOSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Onyx Black	GEM12090QOSR



LINEAR WASTE



RECTANGLE TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1200 x 800mm - Linear Waste	White	GEM12080RWL
Rectangular Tray 1200 x 800mm - Linear Waste	Graphite Black	GEM12080RBL
Rectangular Tray 1200 x 800mm - Linear Waste	Flint Grey	GEM12080RGL
Rectangular Tray 1200 x 900mm - Linear Waste	White	GEM12090RWL
Rectangular Tray 1200 x 900mm - Linear Waste	Graphite Black	GEM12090RBL
Rectangular Tray 1200 x 900mm - Linear Waste	Flint Grey	GEM12090RGL
Rectangular Tray 1200 x 1000mm - Linear Waste	White	GEM120100RWL
Rectangular Tray 1200 x 1000mm - Linear Waste	Graphite Black	GEM120100RBL
Rectangular Tray 1200 x 1000mm - Linear Waste	Flint Grey	GEM120100RGL
Rectangular Tray 1400 x 800mm - Linear Waste	White	GEM14080RWL
Rectangular Tray 1400 x 800mm - Linear Waste	Graphite Black	GEM14080RBL
Rectangular Tray 1400 x 800mm - Linear Waste	Flint Grey	GEM14080RGL
Rectangular Tray 1400 x 900mm - Linear Waste	White	GEM14090RWL
Rectangular Tray 1400 x 900mm - Linear Waste	Graphite Black	GEM14090RBL
Rectangular Tray 1400 x 900mm - Linear Waste	Flint Grey	GEM14090RGL
Rectangular Tray 1500 x 800mm - Linear Waste	White	GEM15080RWL
Rectangular Tray 1500 x 800mm - Linear Waste	Graphite Black	GEM15080RBL
Rectangular Tray 1500 x 800mm - Linear Waste	Flint Grey	GEM15080RGL
Rectangular Tray 1500 x 900mm - Linear Waste	White	GEM15090RWL
Rectangular Tray 1500 x 900mm - Linear Waste	Graphite Black	GEM15090RBL
Rectangular Tray 1500 x 900mm - Linear Waste	Flint Grey	GEM15090RGL
Rectangular Tray 1600 x 800mm - Linear Waste	White	GEM16080RWL
Rectangular Tray 1600 x 800mm - Linear Waste	Graphite Black	GEM16080RBL
Rectangular Tray 1600 x 800mm - Linear Waste	Flint Grey	GEM16080RGL
Rectangular Tray 1600 x 900mm - Linear Waste	White	GEM16090RWL
Rectangular Tray 1600 x 900mm - Linear Waste	Graphite Black	GEM16090RBL
Rectangular Tray 1600 x 900mm - Linear Waste	Flint Grey	GEM16090RGL
Rectangular Tray 1700 x 700mm - Linear Waste	White	GEM17070RWL
Rectangular Tray 1700 x 700mm - Linear Waste	Graphite Black	GEM17070RBL
Rectangular Tray 1700 x 700mm - Linear Waste	Flint Grey	GEM17070RGL
Rectangular Tray 1700 x 800mm - Linear Waste	White	GEM17080RWL
Rectangular Tray 1700 x 800mm - Linear Waste	Graphite Black	GEM17080RBL
Rectangular Tray 1700 x 800mm - Linear Waste	Flint Grey	GEM17080RGL
Rectangular Tray 1700 x 900mm - Linear Waste	White	GEM17090RGL

Flow rate 24 l/min when tested under a constant 15mm head of water, in accordance with clause 5 of BS EN 274-2:2002



GRAPHITE BLACK TRAY WITH LINEAR WASTE

COLOUR MATCHED WASTE GRILLS

COLOURED GRILLS

PRODUCT DESCRIPTION	COLOUR	CODE
Gemstone Grill 70mm - Linear	Graphite Black	GEMG70LB
Gemstone Grill 70mm - Linear	Chrome	GEMG70LC
Gemstone Grill 70mm - Linear	Flint Grey	GEMG70LG
Gemstone Grill 70mm - Linear	White	GEMG70LW
Gemstone Grill 70mm - Linear	Onxy Black	GEMG70LOB
Gemstone Grill 80mm - Linear	Graphite Black	GEMG80LB
Gemstone Grill 80mm - Linear	Chrome	GEMG80LC
Gemstone Grill 80mm - Linear	Flint Grey	GEMG80LG
Gemstone Grill 80mm - Linear	White	GEMG80LW
Gemstone Grill 90mm - Linear	Graphite Black	GEMG90LB
Gemstone Grill 90mm - Linear	Chrome	GEMG90LC
Gemstone Grill 90mm - Linear	Flint Grey	GEMG90LG
Gemstone Grill 90mm - Linear	White	GEMG90LW
Gemstone Grill Square	Graphite Black	GEMGSB
Gemstone Grill Square	Chrome	GEMGSC
Gemstone Grill Square	Flint Grey	GEMGSG
Gemstone Grill Square	White	GEMGSW
Gemstone Grill Square	Onyx Black	GEMGSOB



GEMSTONE INFORMATION

GUARANTEE

Your Gemstone tray must be inspected 100% before installation. Fitting of tray is acceptance of quality. Please read fitting instructions fully before installation.

Before tiling and placing the screen or any other fixed material on the shower tray, please make sure that the perimeters of your tray are 100% level in all directions.

The guarantee only covers the replacement or repair of the product and excludes any other compensation, assembly or travel costs.

Gemstone Trays are guaranteed for 2 years, in accordance with current European regulations.

The following are excluded from the guarantee:

- Damage caused by misuse
- Damage caused by the use of unsuitable cleaning materials (do not use products containing acids, alcohol, chlorine or solvents, do not spill drain cleaners onto the shower tray, do not use metallic or scouring pads)
- Damage caused by improper installation
- Damage caused by the improper handling of the product

Our products must be installed by qualified personnel to be eligible for the product guarantee. An installation guide will be delivered with the tray for its proper placement.

Before installing the tray you should make sure that:

- The tray drains well and is 100% level
- It has no anomalies
- The tray has been stored in a horizontal position, on a flat surface, until installation

CLEANING

- Routine: rinse and leave to dry
- Thorough: rub with a soft cloth with neutral liquid detergent; for limescale prevention use an anti-lime product

Please note, Gemstone Trays are manufactured from a natural stone resin composition. You must allow for a tray thickness tolerance of 2 - 3mm.

CHEMICAL TESTS

Chemical resistance tested in accordance with UNE-EN 12527 - No deterioration.

CHEMICAL TESTING COMPOSITION

Acetyl acid (10%), sodium hydroxide (10%), ethanol (70%), bleach, methylene blue (1%).

CLEANING SOLVENT (PRODUCT)	EXPOSURE TIME (DAYS)	RESULT OF VISUAL INSPECTION
Don Limpio Neutral PH	4	No Visible Effect
Perfumed Home Bleach	4	Slight Bleaching
Ace	4	Slight Bleaching
Perfumed Ammonia	4	No Visible Effect
Viakal	4	Slight Bleaching
Cillit Bang	4	No Visible Effect
KH-7 Anti-lime	4	No Visible Effect
White Wine Vinegar	4	No Visible Effect
Povidone Iodine	4	No Visible Effect
Hydrochloric Acid	4	No Visible Effect
Hydrogen Peroxide	4	No Visible Effect
Cleaning Solvent	4	No Visible Effect
Methylated Spirits	4	No Visible Effect
Acetone	4	No Visible Effect
Nail Polish Remover	4	No Visible Effect

PACKAGING AND STORAGE

The products are delivered packed in individual boxes with expanded polystyrene reinforcements, including the drainage grate. Gemstone trays must be stored in a horizontal position on a flat surface until installation. This prevents the tray from losing shape.

FAQ

Can it be cut?
Yes, with a diamond cutting wheel.

Note - Maximum trim of 200mm on rectangular waste trays. Maximum trim of 100mm on linear waste trays, with the cut applied to opposite end to the linear drain.

Can it be repaired?
Although they are highly resistant to any impact, we have a repair kit available to the customer. Please contact us on 01279 443 644 to order your Gemstone Tray repair kit. Lead time applies.

How should the product be cleaned?
We recommend cleaning with water and neutral soap, applied with a sponge, never with scouring products or tools.


What material should I use to install the products?
Your Gemstone tray must be installed on a fully level glue-cement or mortar base. For sealing the product, it is recommended to use MS flexible polyurethane sealant and / or a neutral silicone.

INSTALLATION GUIDE

SHOWER DOOR STYLES -
DESIGNED TO FIT YOUR SPACE



SLIDER DOOR



OFFSET QUADRANT
(RIGHT HAND ILLUSTRATED)



QUADRANT



CORNER ENTRY



PIVOT DOOR



BIFOLD DOOR



MEASURING FOR YOUR SHOWER DOOR

Note: Your measurements should be taken after tray installation and tiling. The space left after tiling will determine the shower door size required.

FOR A RECESS

Measurement at low point _____
Measurement at high point _____

*Two measures relevant for uneven walls to ensure shower door caters for adjustment width needed.




FOR A CORNER

Measure to acute edge of shower tray
Measurement A _____ B _____

FOR A QUADRANT

RADIUS GUIDE	
DISTANCE C (mm)	RADIUS (mm)
186	450
197	475
207	500
218	525
228	550

Timbers placed at right angles to determine C



Measurement A _____ B _____ C _____



INFORMATION

LIFETIME GUARANTEE

Flair Shower doors and Wetroom screens are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with our instructions and best practice.

Non glass and detachable parts such as rollers, seals etc. are subject to normal wear and tear during usage and are under guarantee for 12 months from time of purchase.

10 YEAR GUARANTEE

Flair Bath Screens are covered by a 10 year guarantee against manufacturer defect. This guarantee is valid on the condition that screens have been installed and maintained in accordance with our instructions and best practice.

Non glass and spare parts such as rollers, seals etc. are subject to normal wear and tear during usage and are therefore under guarantee for 12 months from time of purchase.

If a Flair shower enclosure is defective in materials or manufacture, the consumer should contact the sales office on +353 42 966 8000 as soon as the defect is discovered.

Please note: Proof of purchase is necessary to validate your guarantee so retain purchase receipt for your Flair product.

INSTALLATION

Full installation instructions are provided with each Flair product to ensure correct installation. Shower Doors, Wetroom Screens and Side Panels are adjustable between the dimensions stated. All dimensions are approximate. All Flair products are reversible unless otherwise stated.

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

GLASS TREATMENT SYSTEMS

Flair Shower doors, wetroom panels and bath screens are supplied with a special glass coating designed to reduce limescale build up and make cleaning the glass easier.



WITHOUT TREATMENT



WITH TREATMENT



This special glass coating guards against limescale and the grime of everyday showering. It makes the glass easier to clean without the need for harsh abrasives and cleaners. Clearshield glass coating is available across the Namara range.

CLEANEASY



Cleaneasy glass coating is a standard feature on all Flair shower doors, wetroom screens and the FBS bath screen range. This easy to clean glass coating is applied to the glass surface and ensures that soap deposits and lime scale are easily cleaned off the glass.

QUALITY GUARANTEE

All Flair products are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughened safety glass and produced to EN12150. Flair products are performance tested to EN14428, ensuring the highest industry criteria is met.

AFTERSALES & SPARE PARTS SERVICE

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have. If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000 or sales@flaishowers.com.

CONDITIONS OF SALE




Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods/ incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.




*Errors and Omissions Exempt.

OTHER PRODUCT
RANGES FROM FLAIR

DOWNLOADABLE
BROCHURES AVAILABLE AT
FLAIRSHOWERS.COM



FLAIR HARMONY COLLECTIONS





AYO
WETROOM
SEE PAGE 88



NAMARA
CORNER ENTRY
SEE PAGE 38



SLIMLINE
CAPELLA BIFOLD
SEE PAGE 57



CHIANTI
CENTRAL OPENING 1 DOOR QUADRANT
SEE PAGE 68

GRAND CENTRAL HOTEL,
BELFAST



1/CT/FC08/20



NAMARA
CORNER ENTRY
SEE PAGE 38

DESIGNED FOR LIFE

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com



Connect with us



FLAIRSHOWERS.COM