

HYDRO

COLLECTIONS

flair

VERVE
HYDRO
EXPRESS

EXPRESS FIT
SHOWERING

INSTALLERS
CHOICE
REDUCING INSTALLATION TIME

EXPRESS
FIT
QUICK FIT INSTALLATION



See Page
18

SINCE
1952



See Page
34

DESIGNED TO SUIT YOUR **SPACE** AND YOUR **BUDGET**

For over 65 years Flair have been developing shower doors and bathscreens for homeowners. Flair have built an expert knowledge of the industry and a comprehensive understanding of customer needs. The tradition of design excellence continues with the launch of the all new Hydro Express and Verve ranges.

Flawless in design and technically perfect, Hydro Express and Verve offers superb quality with a fast fit system that is a firm favourite with professional installers.



TRUST FLAIR
TRUST HYDRO

**INSTALLERS
CHOICE**
REDUCING INSTALLATION TIME

**EXPRESS
FIT**
QUICK FIT INSTALLATION





EXPRESS FIT - A simple and clever feature in the shower door design, making it quick and easy for the installer to assemble the product.



SPECIFICATION COMPARISON

Choose to upgrade your Hydro Express to a stylish Verve shower door option.



GLASS THICKNESS	<div>UP TO 6mm TOUGHENED SAFETY GLASS</div>	<div>6mm TOUGHENED SAFETY GLASS</div>	<div>8mm TOUGHENED SAFETY GLASS</div>
DOOR HEIGHT	<div> 1850mm HEIGHT</div>	<div> 1900mm HEIGHT</div>	<div> 1900mm HEIGHT</div>
HANDLE TYPE	<div> CHROME ABS HANDLE</div>	<div> SOLID CHROME HANDLE DESIGN</div>	
ROLLER WHEELS	<div> QUICK RELEASE SINGLE WHEEL ROLLER</div>	<div> QUICK RELEASE CHROME DOUBLE WHEEL ROLLER</div>	
GLASS COATING		<div> CLEARVUE GLASS COATING</div>	<div> CLEARVUE GLASS COATING</div>
COVER CAPS		<div> CHROME PLATED COVER CAPS</div>	<div> CHROME PLATED COVER CAPS</div>
ADJUSTMENT SIZE	<div>UP TO 50mm PRODUCT ADJUSTMENT</div>	<div>UP TO 50mm PRODUCT ADJUSTMENT</div>	<div>UP TO 15mm PRODUCT ADJUSTMENT</div>



Our **EXPRESS FIT** design allows the installer to fit Hydro Express & Verve in a quick and easy manner. We have pre-assembled the screws in the horizontal profile, leaving them ready to slot into place. The screw guide rail in the vertical profile makes it easier for the installer to secure the screws into position.

A simple and clever feature in the shower door design, making it quick and easy for the installer to assemble.



STEP 1

Align the horizontal and vertical shower door profiles together.



STEP 2

Slide pre-assembled screws into place on vertical profile, using the guide rails.



STEP 3

Tighten screws into position through the punched access port.

HYDRO WORKS WITH YOU

VERVE

1 Door Quadrant & Offset Quadrant	10
2 Door Quadrant & Offset Quadrant	12
Triple Panel Slider Door	14
Slider Door	16
Corner Entry Door	18
Bifold Door	20
Pivot Door	24
Wetroom	26

HYDRO EXPRESS

2 Door Quadrant & Offset Quadrant	34
Slider Door	36
Corner Entry Door	38
Bifold Door	40
Pivot Door	42

BATHSCREENS

Hydro Bathscreens	46
Verve Bathscreens	48

SLIMLINE SHOWER TRAYS SEE PAGE 56

ANTI-SLIP SHOWER TRAYS SEE PAGE 58

SHOWER TRAYS WITH TILING UPSTAND SEE PAGE 60

ACCESSORIES SEE PAGE 62

SHOWER DOOR MEASURING GUIDE SEE PAGE 65

VERVE

Verve is the latest modern Shower Door collection brought to you by Flair Showers. The range features minimalist silver profiles and a sleek contemporary handle design.

Verve products have 6mm toughened safety glass with Clearvue protective coating to repel unwanted grime and limescale. Each sliding door has quick release double rollers for ease of cleaning. Verve also features an innovative fast fit system that is a firm favourite with installers.

Affordable quality is the essence of the Verve collection.

Verve Matte Black - Anodised Finish

Anodising is an electrochemical process that converts the metal surface to a durable, corrosion resistant, anodic oxide finish. The aluminium oxide finish is not just applied to the surface like a paint or plating, but it is fully integrated with the underlying aluminium substrate so that it cannot chip or peel. For Verve Matte Black, this means a superbly robust product that is designed for the busiest of bathroom environments.

KEY FEATURES

CLEARVUE HYDROPHOBIC COATING
RESISTS THE BUILD UP OF GRIME AND
LIMESCALE ON THE GLASS SURFACE



WITHOUT
TREATMENT



WITH
TREATMENT

6mm TOUGHENED SAFETY GLASS	1900mm HEIGHT	50mm PRODUCT ADJUSTMENT	SOLID CHROME HANDLE DESIGN	QUICK RELEASE CHROME DOUBLE WHEEL ROLLERS	30mm WALL PROFILE EXTENSION AVAILABLE
---	-------------------------	--------------------------------------	---------------------------------------	--	--

POSITIVE MAGNETIC CLOSE ACTION	CLEARVUE GLASS COATING	CHROME PLATED COVER CAPS	REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION	20 YEAR GUARANTEE
---	---------------------------------------	-------------------------------------	---	------------------------------

**INSTALLERS
CHOICE**
REDUCING INSTALLATION TIME

**EXPRESS
FIT**
QUICK FIT INSTALLATION

VERVE

1 DOOR QUADRANT & 1 DOOR OFFSET QUADRANT

VERVE - 1 DOOR QUADRANT

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
I Door Quadrant 800mm	770mm	795mm	490mm	VOCQ80SC	VOCQ80BC
I Door Quadrant 900mm	870mm	895mm	490mm	VOCQ90SC	VOCQ90BC
I Door Quadrant 1000mm	970mm	995mm	490mm	VOCQ100SC	—


VERVE - 1 DOOR OFFSET QUADRANT

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
I Door Offset Quadrant 800 x 900mm	770-795mm	870-895mm	490mm	VOCQ80X90SC	—
I Door Offset Quadrant 800 x 1000mm	770-795mm	970-995mm	490mm	VOCQ80X100SC	—
I Door Offset Quadrant 900 x 1000mm	870-895mm	970-995mm	490mm	VOCQ90X100SC	—
I Door Offset Quadrant 800 x 1200mm	770-795mm	1170-1195mm	490mm	VOCQ80X120SC	VOCQ80X120BC
I Door Offset Quadrant 900 x 1200mm	870-895mm	1170-1195mm	490mm	VOCQ90X120SC	VOCQ90X120BC



VERVE 1 DOOR

OFFSET QUADRANT



VERVE
1 DOOR QUADRANT

6mm
TOUGHENED
SAFETY GLASS

1900mm
HEIGHT

25mm
PRODUCT
ADJUSTMENT

SOLID CHROME
HANDLE DESIGN

QUICK RELEASE
CHROME DOUBLE
WHEEL ROLLERS

CLEARVUE
GLASS
COATING

CHROME PLATED
COVER CAPS

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION

*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.



6mm
TOUGHENED
SAFETY GLASS

1900mm
HEIGHT

25mm
PRODUCT
ADJUSTMENT

SOLID CHROME
HANDLE DESIGN

QUICK RELEASE
CHROME DOUBLE
WHEEL ROLLERS

CLEARVUE
GLASS DOUBLE
COATING

CHROME PLATED
COVER CAPS

*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.

VERVE

2 DOOR QUADRANT & 2 DOOR OFFSET QUADRANT

VERVE - 2 DOOR QUADRANT

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
2 Door Quadrant 800mm	770mm	795mm	390mm	VCQ80SC
2 Door Quadrant 900mm	870mm	895mm	540mm	VCQ90SC

VERVE - 2 DOOR OFFSET QUADRANT

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
2 Door Offset Quadrant 800 x 1000mm	770-795mm	970-995mm	470mm	VCQ80X100SC
2 Door Offset Quadrant 800 x 1100mm	770-795mm	1070-1095mm	470mm	VCQ80X110SC
2 Door Offset Quadrant 800 x 1200mm	770-795mm	1170-1195mm	470mm	VCQ80X120SC
2 Door Offset Quadrant 900 x 1100mm	870-895mm	1070-1095mm	540mm	VCQ90X110SC
2 Door Offset Quadrant 900 x 1200mm	870-895mm	1170-1195mm	540mm	VCQ90X120SC



**INSTALLERS
CHOICE**
REDUCING INSTALLATION TIME

**EXPRESS
FIT**
QUICK FIT INSTALLATION



VERVE

TRIPLE PANEL SLIDER

VERVE - SLIDER DOOR				
DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Triple Panel Slider Door 900mm	850mm	900mm	437mm	V3SA90SC
Triple Panel Slider Door 1000mm	950mm	1000mm	504mm	V3SA100SC
Triple Panel Slider Door 1100mm	1050mm	1100mm	570mm	V3SA110SC
Triple Panel Slider Door 1200mm	1150mm	1200mm	637mm	V3SA120SC

VERVE - SIDE PANELS				
DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Side Panel 700mm	670mm	695mm	-	VSP70SC
Side Panel 760mm	730mm	755mm	-	VSP76SC
Side Panel 800mm	770mm	795mm	-	VSP80SC
Side Panel 900mm	870mm	895mm	-	VSP90SC
Side Panel 1000mm	970mm	995mm	-	VSP100SC

*30mm compensating bar included with every Verve Side Panel from June 2021.

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE - ACCESSORIES	
DESCRIPTION	CODE - SILVER
Verve Compensating Wall Profile 30mm	VCB30SC



**INSTALLERS
CHOICE**
REDUCING INSTALLATION TIME

**EXPRESS
FIT**
QUICK FIT INSTALLATION

6mm
TOUGHENED
SAFETY GLASS

1900mm
HEIGHT

50mm
PRODUCT
ADJUSTMENT

↑↑
SOLID CHROME
HANDLE DESIGN

⚙
POSITIVE
MAGNETIC
CLOSE ACTION

↺↻
REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



VERVE

TRIPLE PANEL SLIDER



VERVE
SLIDER DOOR



VERVE
SLIDER DOOR



VERVE - SLIDER DOOR

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
Slider Door 1000mm	950mm	1000mm	380mm	VSA100SC	VSA100BC
Slider Door 1100mm	1050mm	1100mm	430mm	VSA110SC	VSA110BC
Slider Door 1200mm	1150mm	1200mm	480mm	VSA120SC	VSA120BC
Slider Door 1300mm	1250mm	1300mm	530mm	VSA130SC	VSA130BC
Slider Door 1400mm	1350mm	1400mm	580mm	VSA140SC	VSA140BC
Slider Door 1500mm	1450mm	1500mm	580mm	VSA150SC	—
Slider Door 1600mm	1550mm	1600mm	580mm	VSA160SC	VSA160BC
Slider Door 1700mm	1650mm	1700mm	580mm	VSA170SC	VSA170BC
Slider Door 1800mm	1750mm	1800mm	580mm	VSA180SC	—



VERVE - SIDE PANELS

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
Side Panel 700mm	670mm	695mm	-	VSP70SC	VSP70BC
Side Panel 760mm	730mm	755mm	-	VSP76SC	—
Side Panel 800mm	770mm	795mm	-	VSP80SC	VSP80BC
Side Panel 900mm	870mm	895mm	-	VSP90SC	VSP90BC
Side Panel 1000mm	970mm	995mm	-	VSP100SC	VSP100BC

*30mm compensating bar included with every Verve Side Panel from June 2021.

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.



VERVE - PROFILE EXTENSION

DESCRIPTION	CODE - SILVER	CODE - BLACK
Verve 30mm Compensating Bar	VCB30SC	VCB30BC



6mm
TOUGHENED
SAFETY GLASS

1900mm
HEIGHT

50mm
DOOR
ADJUSTMENT

SOLID CHROME
HANDLE DESIGN

QUICK RELEASE
CHROME DOUBLE
WHEEL ROLLERS

POSITIVE
MAGNETIC
CLOSE ACTION

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION

VERVE CORNER ENTRY

VERVE - CORNER ENTRY				
DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Corner Entry 700mm	670mm	695mm	345mm	VCE70SSC
Corner Entry 760mm	730mm	755mm	385mm	VCE76SSC
Corner Entry 800mm	770mm	795mm	415mm	VCE80SSC
Corner Entry 900mm	870mm	895mm	485mm	VCE90SSC
Corner Entry 1000mm	970mm	995mm	555mm	VCE100SSC
Corner Entry 1200mm	1170mm	1195mm	555mm	VCE120SSC



Note:Verve Corner entry is a two box product, code on both boxes are the same.

6mm
 TOUGHENED
 SAFETY GLASS

1900mm
 HEIGHT

25mm
 PRODUCT
 ADJUSTMENT

SOLID CHROME
 HANDLE DESIGN

QUICK RELEASE
 CHROME DOUBLE
 WHEEL ROLLERS

CLEARVUE
 GLASS
 COATING

CHROME PLATED
 COVER CAPS

INSTALLERS
 RECHOICE
 REDUCING INSTALLATION TIME

EXPRESS
 FIT
 QUICK FIT INSTALLATION



VERVE
 CORNER ENTRY

VERVE

BIFOLD DOOR

VERVE - BIFOLD DOOR

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
Bifold Door 700mm	650mm	700mm	413mm	VBF70SC	VBF70BC
Bifold Door 760mm	710mm	760mm	473mm	VBF76SC	—
Bifold Door 800mm	750mm	800mm	513mm	VBF80SC	VBF80BC
Bifold Door 900mm	850mm	900mm	613mm	VBF90SC	VBF90BC
Bifold Door 1000mm	950mm	1000mm	713mm	VBF100SC	VBF100BC

MATTE BLACK
COMING JULY 2022

VERVE - SIDE PANELS

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
Side Panel 700mm	670mm	695mm	-	VSP70SC	VSP70BC
Side Panel 760mm	730mm	755mm	-	VSP76SC	—
Side Panel 800mm	770mm	795mm	-	VSP80SC	VSP80BC
Side Panel 900mm	870mm	895mm	-	VSP90SC	VSP90BC
Side Panel 1000mm	970mm	995mm	-	VSP100SC	VSP100BC

*30mm compensating bar included with every Verve Side Panel from June 2021.

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE - INLINE PANELS

DESCRIPTION	CODE - SILVER	CODE - BLACK
Inline Panel 200mm	VIL20SC	—
Inline Panel 300mm	VIL30SC	—
Inline Panel 400mm	VIL40SC	—
Inline Panel 500mm	VIL50SC	—



VERVE - PROFILE EXTENSION

DESCRIPTION	CODE - SILVER	CODE - BLACK
Verve 30mm Compensating Bar	VCB30SC	VCB30BC



VERVE
BIFOLD DOOR
WITH FRAME-
LESS SIDE
PANEL

**EXPRESS
FIT**
QUICK FIT INSTALLATION

**INSTALLERS
CHOICE**
REDUCING INSTALLATION TIME


1900mm
HEIGHT

50mm
PRODUCT
ADJUSTMENT

SC
SOLID CHROME
HANDLE DESIGN

CM
POSITIVE
MAGNETIC
CLOSE ACTION

RL
REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



VERVE
BIFOLD DOOR

VERVE PIVOT DOOR AND INLINE PANEL

**INSTALLERS
CHOICE**
REDUCING INSTALLATION TIME

**EXPRESS
FIT**
QUICK FIT INSTALLATION



VERVE PIVOT DOOR AND INLINE PANEL



**EXPRESS
FIT**
QUICK FIT INSTALLATION

**INSTALLERS
CHOICE**
REDUCING INSTALLATION TIME

VERVE PIVOT DOOR

VERVE - PIVOT DOOR

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
Pivot Door 700mm	650mm	700mm	410mm	VPD70SC	—
Pivot Door 760mm	710mm	760mm	470mm	VPD76SC	—
Pivot Door 800mm	750mm	800mm	510mm	VPD80SC	VPD80BC
Pivot Door 900mm	850mm	900mm	610mm	VPD90SC	VPD90BC
Pivot Door 1000mm	950mm	1000mm	710mm	VPD100SC	VPD100BC

VERVE - SIDE PANELS

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER	CODE - BLACK
	MIN	MAX			
Side Panel 700mm	670mm	695mm	—	VSP70SC	VSP70BC
Side Panel 760mm	730mm	755mm	—	VSP76SC	—
Side Panel 800mm	770mm	795mm	—	VSP80SC	VSP80BC
Side Panel 900mm	870mm	895mm	—	VSP90SC	VSP90BC
Side Panel 1000mm	970mm	995mm	—	VSP100SC	VSP100BC

*30mm compensating bar included with every Verve Side Panel from June 2021.

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE - INLINE PANELS

DESCRIPTION	CODE - SILVER	CODE - BLACK
Inline Panel 200mm	VIL20SC	—
Inline Panel 300mm	VIL30SC	—
Inline Panel 400mm	VIL40SC	—
Inline Panel 500mm	VIL50SC	—

VERVE - PROFILE EXTENSION

DESCRIPTION	CODE - SILVER	CODE - BLACK
Verve 30mm Compensating Bar	VCB30SC	VCB30BC



6mm
TOUGHENED
SAFETY GLASS

1900mm
HEIGHT

50mm
PRODUCT
ADJUSTMENT

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION

SOLID CHROME
HANDLE DESIGN

QUALITY
ENGINEERED
HINGE


POSITIVE
MAGNETIC
CLOSE ACTION




VERVE WETROOM SCREENS

Choose a Verve wetroom for a luxurious walk-in shower experience. These versatile screens are suitable for shower tray or wetroom floor application.


Verve wetroom panels are constructed from 8mm toughened safety glass and offer superb quality at an affordable price-tag.




8mm
TOUGHENED
SAFETY GLASS




1900mm
HEIGHT




CLEARVUE
GLASS
COATING



15mm
PRODUCT
ADJUSTMENT



1m CHROME
STABILISING BAR
INCLUDED



SHOWER TRAY
OR WETROOM
FLOOR
APPLICATION



VERVE WETROOM SCREENS

VERVE - SILVER FINISH - WETROOMS

DESCRIPTION	ADJUSTMENT SIZE		CODE - SILVER
	MIN	MAX	
Verve 700mm Wetroom With Support Bar - Bright Silver	675mm	690mm	VWR70SC
Verve 800mm Wetroom With Support Bar - Bright Silver	775mm	790mm	VWR80SC
Verve 900mm Wetroom With Support Bar - Bright Silver	875mm	890mm	VWR90SC
Verve 1000mm Wetroom With Support Bar - Bright Silver	975mm	990mm	VWR100SC
Verve 1200mm Wetroom With Support Bar - Bright Silver	1175mm	1190mm	VWR120SC

VERVE - SILVER FINISH - ROTATING RETURN PANEL

DESCRIPTION	CODE - SILVER
Verve 300mm Rotating Return Panel - Bright Silver	VRP30SC

VERVE - T-PIECE STABILISING BAR

DESCRIPTION	CODE - SILVER
Verve T-Piece - Bright Silver	S-VWRTS

Please Note;
Rotating panel
Sold Separately.

VERVE WETROOM SCREENS




VERVE - MATTE BLACK WETROOM PROFILE KIT			
DESCRIPTION	ADJUSTMENT SIZE		CODE - BLACK
	MIN	MAX	
Verve Matte Black Wetroom Kit	875mm	890mm	VVRBLACKKIT


VERVE - MATTE BLACK T-PIECE STABILISING BAR	
DESCRIPTION	CODE - BLACK
Verve - Matte Black T-Piece	S-VVRTBLK



*This matte black profile kit will suit Verve wetroom sizes 700mm, 800mm, 900mm, 1000mm & 1200mm.
 ** Not suitable for installation with return panel.




VERVE
BIFOLD
DOOR




SIZE (mm)	X (mm)	Y (mm)	Z (mm)
700	650-700	413	281
760	710-760	473	312
800	750-800	513	332
900	850-900	613	383
1000	950-1000	713	433

VERVE
BIFOLD
DOOR




SIZE (mm)	X (mm)	Y (mm)	Z (mm)
700	650-700	413	281
760	710-760	473	312
800	750-800	513	332
900	850-900	613	383
1000	950-1000	713	433

VERVE
PIVOT
DOOR




SIZE (mm)	X (mm)	Y (mm)	Z1 (mm)	Z2 (mm)
700	650-700	417	392	159
760	710-760	477	452	159
800	750-800	517	492	159
900	850-900	617	592	159
1000	950-1000	717	692	159

VERVE
SLIDING
DOOR




SIZE (mm)	X (mm)	Y (mm)	A (mm)
1000	950-1000	375	438
1100	1050-1100	425	488
1200	1150-1200	475	538

VERVE
CORNER ENTRY




SIZE (mm)	X (mm)	Y (mm)	Z (mm)	A (mm)	B (mm)
700 x 700	670-695	670-695	345	287	287
760 x 760	730-755	730-755	385	322	322
800 x 800	770-795	770-795	415	337	337
900 x 900	870-895	870-895	485	387	387
1000 x 1000	970-995	970-995	555	437	437
1200 x 1200	1170-1195	1170-1195	555	637	637
1000 x 1200	970-995	1170-1195	555	437	637

VERVE
ONE DOOR
QUADRANT




SIZE (mm)	X (mm)	Y (mm)	Z (mm)	A (mm)	B (mm)
800 x 800	770-795	770-795	430	480	222
900 x 900	870-895	870-895	485	530	322
1000 x 1000	970-995	970-995	485	630	422
800 x 1000	770-795	970-995	485	630	222
900 x 1000	870-895	970-995	485	630	322
800 x 1200	770-795	1170-1195	485	830	222
900 x 1200	870-895	1170-1195	485	830	322
800 x 900	770-795	870-895	485	530	222

VERVE
SLIDING
DOOR




SIZE (mm)	X (mm)	Y (mm)	A (mm)
1300	1250-1300	525	587
1400	1350-1400	575	637
1500	1450-1500	575	737
1600	1550-1600	575	837
1700	1650-1700	575	937
1800	1750-1800	575	1037

VERVE
SIDE PANEL




SIZE (mm)	X (mm)	A (mm)
700	670-695	667
760	730-755	727
800	770-795	767
900	870-895	867
1000	970-995	967

VERVE
TWO DOOR
QUADRANT




SIZE (mm)	X (mm)	Y (mm)	Z (mm)	A (mm)	B (mm)
800 x 800	770-795	770-795	390	223	223
800 x 1000	770-795	970-995	470	223	423
800 x 1100	770-795	1070-1095	470	223	523
800 x 1200	770-795	1170-1195	470	223	623
900 x 900	870-895	870-895	540	323	323
900 x 1100	870-895	1070-1095	540	323	523
900 x 1200	870-895	1170-1195	540	323	623

VERVE
3 PANEL
SLIDER



SIZE (mm)	X (mm)	Y (mm)	Z (mm)
900	850-900	422	266
1000	950-1000	488	300
1100	1050-1100	555	333
1200	1150-1200	633	366

VERVE
INLINE
PANEL



SIZE (mm)	X (mm)	Y (mm)	A (mm)
200	235	250	235
300	335	350	335
400	435	350	435
500	535	450	535

VERVE INTRUSION MEASUREMENTS

HYDRO

EXPRESS

The all new Hydro express is an exciting remodel of Hydro - a tried and trusted brand brought to you by Flair Showers. Hydro's new design is crisp and contemporary with sleek modern handles and minimalist silver profiles.

Each door is 1850mm high and features up to 6mm toughened safety glass. Quick release rollers ensure easy cleaning while magnetic seals provide a watertight close.

This innovative range also boasts an express fit mechanism that is a firm favourite with installers.

Hydro Express - Designed to suit your space and budget.

KEY FEATURES

UP TO

6mm

TOUGHENED SAFETY GLASS

↑↓

1850mm

HEIGHT

UP TO

50mm

PRODUCT ADJUSTMENT

↑

30mm WALL PROFILE EXTENSION AVAILABLE

⇄

CHROME PLATED ABS HANDLES

⬇

QUICK RELEASE SINGLE WHEEL ROLLER

⌂

POSITIVE MAGNETIC CLOSE ACTION

↺↻

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION

♥

10 YEAR GUARANTEE

INSTALLERS

CHOICE

REDUCING INSTALLATION TIME

EXPRESS

FIT

QUICK FIT INSTALLATION

HYDRO EXPRESS

2 DOOR QUADRANT & OFFSET QUADRANT

HYDRO EXPRESS - 2 DOOR QUADRANT				
DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SIVER
	MIN	MAX		
2 Door Quadrant 800mm	770mm	795mm	395mm	HYCQ80SC
2 Door Quadrant 900mm	870mm	895mm	545mm	HYCQ90SC

HYDRO EXPRESS - OFFSET QUADRANT				
DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
2 Door Offset Quadrant 800x1000mm	770-795mm	970-995mm	475mm	HYCQ80X100SC
2 Door Offset Quadrant 800x1200mm	770-795mm	1170-1195mm	475mm	HYCQ80X120SC
2 Door Offset Quadrant 900x1200mm	870-895mm	1170-1195mm	545mm	HYCQ90X120SC




CONTEMPORARY
HANDLE DESIGN







HYDRO EXPRESS
OFFSET QUADRANT



HYDRO EXPRESS
2 DOOR QUADRANT

1850mm
HEIGHT

25mm
PRODUCT
ADJUSTMENT

CHROME PLATED
ABS HANDLES

QUICK RELEASE
SINGLE WHEEL
ROLLERS

POSITIVE
MAGNETIC
CLOSE ACTION

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION

HYDRO EXPRESS SLIDER DOOR



HYDRO EXPRESS - SLIDER DOOR

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Slider Door 1000mm	950mm	1000mm	380mm	HYSA100SC
Slider Door 1100mm	1050mm	1100mm	430mm	HYSA110SC
Slider Door 1200mm	1150mm	1200mm	480mm	HYSA120SC

HYDRO EXPRESS - SIDE PANELS


DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Side Panel 700mm	670mm	695mm	-	HYSP70SC
Side Panel 760mm	730mm	755mm	-	HYSP76SC
Side Panel 800mm	770mm	795mm	-	HYSP80SC
Side Panel 900mm	870mm	895mm	-	HYSP90SC

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.


DESCRIPTION	CODE - SILVER
Hydro Express Compensating Bar 30mm	HYCB30SC



HYDRO EXPRESS SLIDER DOOR



HYDRO EXPRESS
CORNER ENTRY DOOR



HYDRO EXPRESS
CORNER ENTRY DOOR



HYDRO EXPRESS - CORNER ENTRY

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Corner Entry 760mm	730mm	755mm	390mm	HYCE76SC
Corner Entry 800mm	770mm	795mm	420mm	HYCE80SC
Corner Entry 900mm	870mm	895mm	490mm	HYCE90SC

CONTEMPORARY
HANDLE DESIGN



QUICK RELEASE
BOTTOM ROLLERS



HYDRO EXPRESS BIFOLD DOORS

HYDRO EXPRESS - BIFOLD DOOR


DESCRIPTION	ADJUSTMENT MIN	SIZE MAX	ACCESS	CODE - SILVER
Bifold Door 760mm	710mm	760mm	473mm	HYBF76SC
Bifold Door 800mm	750mm	800mm	513mm	HYBF80SC
Bifold Door 900mm	850mm	900mm	613mm	HYBF90SC
Bifold Door 1000mm	950mm	1000mm	713mm	HYBF100SC

HYDRO EXPRESS - SIDE PANELS

DESCRIPTION	ADJUSTMENT MIN	SIZE MAX	ACCESS	CODE - SILVER
Side Panel 700mm	670mm	695mm	-	HYSP70SC
Side Panel 760mm	730mm	755mm	-	HYSP76SC
Side Panel 800mm	770mm	795mm	-	HYSP80SC
Side Panel 900mm	870mm	895mm	-	HYSP90SC

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

DESCRIPTION	CODE - SILVER
30mm Wall Profile Extension	HYCB30SC



HYDRO EXPRESS
BIFOLD DOORS

**INSTALLERS
CHOICE**
REDUCING INSTALLATION TIME

**EXPRESS
FIT**
QUICK FIT INSTALLATION

1850mm
HEIGHT

50mm
DOOR
ADJUSTMENT

CHROME PLATED
HANDLES

POSITIVE
MAGNETIC
CLOSE ACTION

REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION

HYDRO EXPRESS
PIVOT DOOR



HYDRO EXPRESS
PIVOT DOOR

HYDRO EXPRESS - PIVOT DOOR

DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Pivot Door 760mm	710mm	760mm	470mm	HYPD76SC
Pivot Door 800mm	750mm	800mm	510mm	HYPD80SC
Pivot Door 900mm	850mm	900mm	610mm	HYPD90SC

HYDRO EXPRESS - SIDE PANELS


DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
Side Panel 700mm	670mm	695mm	-	HYSP70SC
Side Panel 760mm	730mm	755mm	-	HYSP76SC
Side Panel 800mm	770mm	795mm	-	HYSP80SC
Side Panel 900mm	870mm	895mm	-	HYSP90SC

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

DESCRIPTION	CODE - SILVER
Hydro Express Compensating Bar 30mm	HYCB30SC




HYDRO
BIFOLD
DOOR




SIZE (mm)	X (mm)	Y (mm)	Z (mm)
760	710-760	480	312
800	750-800	520	332
900	850-900	620	382
1000	950-1000	720	432
1100	1050-1100	820	482

HYDRO
BIFOLD
DOOR




SIZE (mm)	X (mm)	Y (mm)	Z (mm)
760	710-760	480	312
800	750-800	520	332
900	850-900	620	382
1000	950-1000	720	432
1100	1050-1100	820	482

HYDRO
PIVOT
DOOR




SIZE (mm)	X (mm)	Y (mm)	Z1 (mm)	Z2 (mm)
760	710-760	477	452	159
800	750-800	517	492	159
900	850-900	617	592	159

HYDRO
SLIDING
DOOR




SIZE (mm)	X (mm)	Y (mm)	A (mm)
1000	950-1000	380	438
1100	1050-1100	430	488
1200	1150-1200	480	538

HYDRO
CORNER
ENTRY




SIZE (mm)	X (mm)	Y (mm)	Z (mm)	A (mm)	B (mm)
760 x 760	730-755	730-755	390	322	322
800 x 800	770-795	770-795	420	337	337
900 x 900	870-895	870-895	490	387	387
1000 x 1000	970-995	970-995	560	437	437

HYDRO
TWO DOOR SLIDING
QUADRANT



SIZE (mm)	X (mm)	Y (mm)	Z (mm)	A (mm)	B (mm)
800 x 800	770-795	770-795	395	223	223
900 x 900	870-895	870-895	545	323	323
800 x 1000	770-795	970-995	475	223	423
800 x 1200	770-795	1170-1195	475	223	623
900 x 1200	870-895	1170-1195	545	323	623

HYDRO
SIDE
PANEL



SIZE (mm)	X (mm)	A (mm)
700	670-695	667
760	730-755	727
800	770-795	767
900	870-895	867

HYDRO
INTRUSION
MEASUREMENTS

HYDRO

4 & 5 PANEL BATHSCREENS

IMPORTANT NOTE:

- These Bathscreens are a water deflector and splash proof only.
- It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.



HYDRO - BATHSCREENS

DESCRIPTION	HEIGHT	WIDTH	COLOUR	CODE
4 Panel Bathscreen	1400mm	850mm	Silver	PBSG4SC
5 Panel Bathscreen	1400mm	1050mm	Silver	PBSG5SC
5 Panel Bathscreen	1400mm	1050mm	White	PBSG5VC

BATH PANELS

High gloss acrylic white bath panels.

BATH PANELS

DESCRIPTION	HEIGHT	WIDTH	COLOUR	CODE
Front Bath Panel	533mm	1700mm	White	BP5FWH
End Bath Panel	533mm	711mm	White	BP5EWH



VERVE

CURVED BATHSCREENS

IMPORTANT NOTE:

- These Bathscreens are a water deflector and splash proof only.
- It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.



6MM CURVED 2 PANEL BATHSCREEN
BOTH PANELS ROTATING - VBS5SC



6MM CURVED 2 PANEL BATHSCREEN -
1 FIXED & 1 ROTATING PANEL - VBS7SC



6MM CURVED ROTATING
BATHSCREEN - VBS1SC



6MM CURVED ROTATING
BATHSCREEN MATTE BLACK - VBS1BC



6MM SAIL BATHSCREEN
WITH TOWEL RAIL- VBS12SC



6MM CURVED ROTATING
BATHSCREEN WITH TOWEL RAIL - VBS3SC

VERVE - CURVED BATHSCREENS

DESCRIPTION	HEIGHT	WIDTH	COLOUR	CODE
6mm Single Panel Rotating Bathscreen (Radius Edge)	1400mm	800mm	Silver	VBS1SC
6mm Single Panel Rotating Bathscreen (Radius Edge)	1400mm	800mm	Matte Black	VBS1BC
6mm Curved Rotating Bathscreen with Towel Rail	1500mm	800mm	Silver	VBS3SC
6mm Curved 2 Panel Bathscreen Both Panels Rotating	1500mm	900mm	Silver	VBS5SC
6mm Curved 2 Panel Bathscreen - 1 Fixed & 1 Rotating Panel	1500mm	900mm	Silver	VBS7SC
6mm Sail Bathscreen with Towel Rail	1500mm	800mm	Silver	VBS12SC
Verve Bathscreen L-Shape Profile with Cover Strip - 2 Profiles per pack		1500mm	Silver	S-VLPSC

NEW PRODUCT



IMPORTANT NOTE:


- These Bathscreens are a water deflector and splash proof only.
- It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.

VERVE

8MM BATHSCREENS



8MM 2 PANEL BATHSCREEN (1 FIXED PANEL / 1 ROTATING PANEL - SQUARE EDGE) - SILVER - VS13SC



8MM 2 PANEL BATHSCREEN (1 FIXED PANEL / 1 ROTATING PANEL - SQUARE EDGE) - MATTE BLACK - VS13BC



VERVE - 8MM BATHSCREENS

DESCRIPTION	HEIGHT	WIDTH	COLOUR	CODE
8mm 2 Panel Bathscreen - 1 Fixed Panel / Rotating Panel - Square Edge	1500mm	900mm	Silver	VS13SC
8mm 2 Panel Bathscreen - 1 Fixed Panel / Rotating Panel - Square Edge	1500mm	900mm	Matte Black	VS13BC

8mm

TOUGHENED
SAFETY GLASS



CLEARVUE
GLASS
COATING



MAGNETIC
SEALS



INWARD
ROTATING PANEL
UP TO 180°



REVERSIBLE FOR
LEFT OR RIGHT
HANDED
INSTALLATION



10 YEAR
GUARANTEE

IMPORTANT NOTE:

- These Bathscreens are a water deflector and splash proof only.
- It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.

VERVE

SQUARE BATHSCREENS



6MM 2 PANEL SCREEN -
BOTH PANELS ROTATING - SQUARE EDGE - VBS6SC



6MM 2 PANEL BATHSCREEN -
1 FIXED & 1 ROTATING PANEL - VBS8SC



6MM ROTATING BATHSCREEN -
SQUARE EDGE WITH TOWEL RAIL - VBS4SC

VERVE - SQUARE BATHSCREENS

DESCRIPTION	HEIGHT	WIDTH	COLOUR	CODE
6mm Rotating Bathscreen - Square Edge with Towel Rail	1500mm	800mm	Silver	VBS4SC
6mm 2 Panel Screen - Both Panels Rotating - Square Edge	1500mm	900mm	Silver	VBS6SC
6mm 2 Panel Bathscreen - 1 Fixed & 1 Rotating Panel	1500mm	900mm	Silver	VBS8SC



VERVE

SQUARE BATHSCREENS



6mm ROTATING BATHSCREEN - SQUARE EDGE - VBS2SC



6mm FIXED BATHSCREEN WITH CHROME ANGLED SUPPORT BAR - VBS10SC



6mm BATHSCREEN DEFLECTOR - 300mm WIDE - FBSG30SG



CURTAIN RAIL BATHSCREEN 300mm - VBS9SC

VERVE - SQUARE BATHSCREENS

DESCRIPTION	HEIGHT	WIDTH	CODE
6mm Rotating Bathscreen - Square Edge	1400mm	800mm	VBS2SC
6mm Fixed Bathscreen with Chrome Angled Support Bar	1400mm	850mm	VBS10SC
6mm Fixed Bathscreen Deflector - 300mm Wide	1430mm	300mm	FBSG30SG
Curtain Rail Bathscreen 300mm	1400mm	850mm	VBS9SC



SLIMLINE SHOWER TRAYS

Extensive selection of shower tray shapes and sizes to complement your bathroom to accompany the Hydro Express and Verve ranges.

- Strong and rigid construction
- Manufactured to British Standard BS6340/5
- Tough high gloss ABS acrylic capped surface finish
- Easy-to-clean and maintain

SHOWER TRAY INSTALLATION
All shower trays must be installed as per instructions supplied. Please note: Silicone sealants, foams, mastics, installation compound adhesive etc. must not be used as a substitute for cement. Ensure shower tray is installed 100% level and water test to ensure it is draining correctly. Fitting of Shower Tray is acceptance of quality.

40mm
HEIGHT

SLEEK
LOW PROFILE
DESIGN


90mm
HIGH FLOW
WASTE

**EASY
CLEAN**
FILTER TRAP

SUITABLE FOR
CONVERSION
TO EASY
PLUMB TRAY

SUITABLE FOR
CONVERSION
TO UPSTAND
TRAY

SLIMLINE RECTANGLE	
PRODUCT DESCRIPTION	CODE
800 x 700mm Slimline Rectangle Tray	TSL8070R
900 x 700mm Slimline Rectangle Tray	TSL9070R
900 x 760mm Slimline Rectangle Tray	TSL9076R
900 x 800mm Slimline Rectangle Tray	TSL9080R
1000 x 700mm Slimline Rectangle Tray	TSL10070R
1000 x 760mm Slimline Rectangle Tray	TSL10076R
1000 x 800mm Slimline Rectangle Tray	TSL10080R
1000 x 900mm Slimline Rectangle Tray	TSL10090R
1100 x 700mm Slimline Rectangle Tray	TSL11070R
1100 x 760mm Slimline Rectangle Tray	TSL11076R
1100 x 800mm Slimline Rectangle Tray	TSL11080R
1100 x 900mm Slimline Rectangle Tray	TSL11090R
1200 x 700mm Slimline Rectangle Tray	TSL12070R
1200 x 760mm Slimline Rectangle Tray	TSL12076R
1200 x 800mm Slimline Rectangle Tray	TSL12080R
1200 x 900mm Slimline Rectangle Tray	TSL12090R
1200 x 1000mm Slimline Rectangle Tray	TSL12010R
1300 x 800mm Slimline Rectangle Tray	TSL13080R
1300 x 900mm Slimline Rectangle Tray	TSL13090R
1400 x 700mm Slimline Rectangle Tray	TSL14070R
1400 x 800mm Slimline Rectangle Tray	TSL14080R
1400 x 900mm Slimline Rectangle Tray	TSL14090R
1500 x 700mm Slimline Rectangle Tray	TSL15070R
1500 x 760mm Slimline Rectangle Tray	TSL15076R
1500 x 800mm Slimline Rectangle Tray	TSL15080R
1500 x 900mm Slimline Rectangle Tray	TSL15090R
1600 x 700mm Slimline Rectangle Tray	TSL16070R
1600 x 800mm Slimline Rectangle Tray	TSL16080R
1600 x 900mm Slimline Rectangle Tray	TSL16090R
1700 x 700mm Slimline Rectangle Tray	TSL17070R
1700 x 750mm Slimline Rectangle Tray	TSL17075R
1700 x 800mm Slimline Rectangle Tray	TSL17080R
1700 x 900mm Slimline Rectangle Tray	TSL17090R
1800 x 800mm Slimline Rectangle Tray	TSL18080R
1800 x 900mm Slimline Rectangle Tray	TSL18090R
2000 x 900mm Slimline Rectangle Tray	TSL20090R



NOTE: It is normal for a small amount of localized water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

SLIMLINE SQUARE	
PRODUCT DESCRIPTION	CODE
700 x 700mm Slimline Square Tray	TSL70S
760 x 760mm Slimline Square Tray	TSL76S
800 x 800mm Slimline Square Tray	TSL80S
900 x 900mm Slimline Square Tray	TSL90S
1000 x 1000mm Slimline Square Tray	TSL100S
1200 x 1200mm Slimline Square Tray	TSL120S

SLIMLINE QUADRANT	
PRODUCT DESCRIPTION	CODE
800 x 800mm Slimline Quadrant Tray	TSL80Q
900 x 900mm Slimline Quadrant Tray	TSL90Q
1000 x 1000mm Slimline Quadrant Tray	TSL100Q

OFFSET QUADRANT	
PRODUCT DESCRIPTION	CODE
900 x 800mm Offset Quadrant Tray - Left	TSL9080LOQ
900 x 800mm Offset Quadrant Tray - Right	TSL9080ROQ
1000 x 800mm Offset Quadrant Tray - Left	TSL10080LOQ
1000 x 800mm Offset Quadrant Tray - Right	TSL10080ROQ
1000 x 900mm Offset Quadrant Tray - Left	TSL10090LOQ
1000 x 900mm Offset Quadrant Tray - Right	TSL10090ROQ
1100 x 800mm Offset Quadrant Tray - Left	TSL11080LOQ
1100 x 800mm Offset Quadrant Tray - Right	TSL11080ROQ
1100 x 900mm Offset Quadrant Tray - Left	TSL11090LOQ
1100 x 900mm Offset Quadrant Tray - Right	TSL11090ROQ
1200 x 800mm Offset Quadrant Tray - Left	TSL12080LOQ
1200 x 800mm Offset Quadrant Tray - Right	TSL12080ROQ
1200 x 900mm Offset Quadrant Tray - Left	TSL12090LOQ
1200 x 900mm Offset Quadrant Tray - Right	TSL12090ROQ



SLIMLINE RECTANGLE TRAY
INCLUDING SHOWER WASTE




SLIMLINE SQUARE TRAY
INCLUDING SHOWER WASTE




SLIMLINE OFFSET TRAY
INCLUDING SHOWER WASTE



SLIMLINE OFFSET QUADRANT TRAY
INCLUDING SHOWER WASTE
(right hand illustrated)



OFFSET
QUADRANT
LEFT HAND



OFFSET
QUADRANT
RIGHT HAND

ANTI-SLIP SHOWER TRAYS

NOTE: It is normal for a small amount of localized water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

ANTI-SLIP SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Rectangle Tray 1000 x 800mm	ASTSLI0080R
Anti-Slip Slimline Rectangle Tray 1000 x 900mm	ASTSLI0090R
Anti-Slip Slimline Rectangle Tray 1100 x 800mm	ASTSLI1080R
Anti-Slip Slimline Rectangle Tray 1100 x 900mm	ASTSLI1090R
Anti-Slip Slimline Rectangle Tray 1200 x 700mm	ASTSLI2070R
Anti-Slip Slimline Rectangle Tray 1200 x 760mm	ASTSLI2076R
Anti-Slip Slimline Rectangle Tray 1200 x 800mm	ASTSLI2080R
Anti-Slip Slimline Rectangle Tray 1200 x 900mm	ASTSLI2090R
Anti-Slip Slimline Rectangle Tray 1400 x 700mm	ASTSLI4070R
Anti-Slip Slimline Rectangle Tray 1400 x 800mm	ASTSLI4080R
Anti-Slip Slimline Rectangle Tray 1400 x 900mm	ASTSLI4090R
Anti-Slip Slimline Rectangle Tray 1500 x 700mm	ASTSLI5070R
Anti-Slip Slimline Rectangle Tray 1500 x 800mm	ASTSLI5080R
Anti-Slip Slimline Rectangle Tray 1500 x 900mm	ASTSLI5090R
Anti-Slip Slimline Rectangle Tray 1600 x 700mm	ASTSLI6070R
Anti-Slip Slimline Rectangle Tray 1600 x 800mm	ASTSLI6080R
Anti-Slip Slimline Rectangle Tray 1600 x 900mm	ASTSLI6090R
Anti-Slip Slimline Rectangle Tray 1700 x 700mm	ASTSLI7070R
Anti-Slip Slimline Rectangle Tray 1700 x 800mm	ASTSLI7080R
Anti-Slip Slimline Rectangle Tray 1700 x 900mm	ASTSLI7090R

- Anti-slip coating for extra safety in the showering space
- Pendulum slip tested, in accordance with British Standard BS7976:2
- Classified as low slip potential



SHOWER TRAY INSTALLATION
All shower trays must be installed as per instructions supplied. Please note: Silicone sealants, foams, mastics, installation compound adhesive etc. must not be used as a substitute for cement. Ensure shower tray is installed 100% level and water test to ensure it is draining correctly. Fitting of Shower Tray is acceptance of quality.

ANTI-SLIP SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Square Tray 800mm	ASTSL80S
Anti-Slip Slimline Square Tray 900mm	ASTSL90S
Anti-Slip Slimline Square Tray 1000mm	ASTSL100S

ANTI-SLIP SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Quadrant Tray 800mm	ASTSL80Q
Anti-Slip Slimline Quadrant Tray 900mm	ASTSL90Q
Anti-Slip Slimline Quadrant Tray 1000mm	ASTSL100Q

ANTI-SLIP OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left	ASTSLI0080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Right	ASTSLI0080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left	ASTSLI0090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right	ASTSLI0090ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left	ASTSLI2080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right	ASTSLI2080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Left	ASTSLI2090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Right	ASTSLI2090ROQ

CORNER SHOWER TRAY WASTES

CORNER SHOWER TRAY WASTES

PRODUCT DESCRIPTION	CODE
800 x 800mm Slimline Quadrant Tray - Corner Waste	CTSL80Q
900 x 900mm Slimline Quadrant Tray - Corner Waste	CTSL90Q
800 x 800mm Slimline Square Tray - Corner Waste	CTSL80S
900 x 900mm Slimline Square Tray - Corner Waste	CTSL90S
900 x 800mm Slimline Rectangle Tray - Corner Waste	CTSL9080R
1000 x 800mm Slimline Rectangle Tray - Corner Waste	CTSL10080R
1200 x 800mm Slimline Rectangle Tray - Corner Waste	CTSL12080R
1200 x 900mm Slimline Rectangle Tray - Corner Waste	CTSL12090R



RECTANGLE TRAY CORNER WASTE



SQUARE TRAY CORNER WASTE



900mm QUADRANT TRAY CORNER WASTE



800mm QUADRANT TRAY CORNER WASTE

SLIMLINE SHOWER TRAYS WITH TILING UPSTAND

SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
Slimline Tray 760mm Square Tray Upstand With Waste	TSL76SU
Slimline Tray 800mm Square Tray Upstand With Waste	TSL80SU
Slimline Tray 900mm Square Tray Upstand With Waste	TSL90SU

SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
Slimline Tray 900 x 760mm Rectangle Tray Upstand With Waste	TSL9076RU
Slimline Tray 1000 x 760mm Rectangle Tray Upstand With Waste	TSL10076RU
Slimline Tray 1000 x 800mm Rectangle Tray Upstand With Waste	TSL10080RU
Slimline Tray 1200 x 760mm Rectangle Tray Upstand With Waste	TSL12076RU
Slimline Tray 1200 x 800mm Rectangle Tray Upstand With Waste	TSL12080RU
Slimline Tray 1200 x 900mm Rectangle Tray Upstand With Waste	TSL12090RU
Slimline Tray 1400 x 800mm Rectangle Tray Upstand With Waste	TSL14080RU
Slimline Tray 1400 x 900mm Rectangle Tray Upstand With Waste	TSL14090RU
Slimline Tray 1700 x 750mm Rectangle Tray Upstand With Waste	TSL17075RU

SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
Slimline Tray 800mm Quadrant Upstand With Waste	TSL80QU
Slimline Tray 900mm Quadrant Upstand With Waste	TSL90QU



SLIMLINE SQUARE TRAY INCLUDING SHOWER WASTE AND UPSTAND




SLIMLINE RECTANGLE TRAY INCLUDING SHOWER WASTE AND UPSTAND



SLIMLINE QUADRANT TRAY INCLUDING SHOWER WASTE AND UPSTAND

SLIMLINE TRAY WITH EASY PLUMB KIT



EASY PLUMB KIT SUITS ALL SLIMLINE SHOWER TRAYS

Slimline easy plumb shower kits have adjustable legs to comply with building regulations to assist in installation and for maintenance of waste outlets if required after building settlement.

The slimline easy plumb kit provides this access without compromising on style in the bathroom.

An easy plumb tray can be made by using any of the Flair slimline trays and a kit. This will increase the height of the tray by 95mm.

Accessories are not to scale - for visual representation only.



DESCRIPTION	WEIGHT	CODE
Easy Plumb Riser Kit For All Square Trays & Rectangle Trays (Suitable for maximum tray size of 1200mm)	2kg	WD3
Easy Plumb Riser Kit For All Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm)	3kg	WD4
Easy Plumb Riser Kit For All Square Trays & Rectangle Trays (Suitable for maximum tray size of 2000mm)	2kg	WD5
Viva Shower Waste	1kg	TSLWASTE



WASTES

MCALPINE WASTES

PRODUCT DESCRIPTION	COLOUR	CODE
McAlpine 90mm Shower Waste with Plastic Dome	White	ST90WH10-70
McAlpine 90mm Shower Waste with Plastic Dome	Matte Black	ST90MB10-70




PROSEAL WATERPROOF BARRIER SEAL

Flexible up-stand seal installed onto shower trays, baths and worktops eliminating the risk of water leakage.

PROSEAL

PRODUCT DESCRIPTION	CODE
ProSeal 2 metre Roll	PROS2.0M
ProSeal 2.5 metre Roll	PROS2.5M
ProSeal 3 metre Roll	PROS3.0M
ProSeal 3.5 metre Roll	PROS3.5M
ProSeal 4 metre Roll	PROS4.0M
ProSeal 10 metre Roll	PROS10.0M
ProSeal 20 metre Roll	PROS20.0M



TRIPLE PANEL SLIDER

VERVE

SEE PAGE
14 - 15
FOR DETAILS

SHOWER TRAY SHAPES

FIND YOUR PERFECT FIT



SQUARE



RECTANGLE



QUADRANT



OFFSET QUADRANT LEFT HAND



OFFSET QUADRANT RIGHT HAND

SHOWER DOOR STYLES

DESIGNED TO FIT YOUR SPACE



SLIDER DOOR



CORNER ENTRY



OFFSET QUADRANT



PIVOT DOOR



QUADRANT



BIFOLD DOOR

AT A GLANCE METRIC CONVERTER

NOMINAL GUIDE ONLY

METRIC (MM)	FEET (FT)	INCHES (INS)
700	2 ft 3.5	27.5
760	2 ft 6.0	30
800	2 ft 7.5	31.5
900	2 ft 11.4	35.5
1000	3 ft 3.5	39.5
1100	3 ft 7.3	43.3
1200	3 ft 11.2	47.2

SHOWER DOOR MEASURING GUIDE



Note: Your measurements should be taken after tray installation and tiling.
The space left after tiling will determine the shower door size required.

FOR A RECESS

Measurement at low point _____

Measurement at high point _____

* Two measures relevant for uneven walls to ensure shower door caters for adjustment width needed



FOR A CORNER


Measure to acute edge of shower tray

Measurement A _____ B _____

FOR A QUADRANT*

Radius Guide	
Distance 'C' (mm)	Radius (mm)
207	500
218	525
228	550

*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.




Timbers placed at right angles to determine C

Measurement


A _____ B _____ C _____

CREATE YOUR SPACE



Scale 5mm = 100mm
25mm x 25mm Grid = 500mm x 500mm
175mm x 200mm Whole Grid = 3500mm x 4000mm

NOTES




QUALITY GUARANTEED


QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair products are CE approved and manufactured in accordance with ISO 9001 :2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150. Flair products are performance tested to EN14428, ensuring the highest industry criteria is met.



HYDRO shower doors and bath screens are covered by a 10 year guarantee against manufacturer defect.



VERVE shower doors, Bathscreens and wetrooms are covered by a 20 year guarantee against manufacturer defect.

This guarantee is valid on condition that the goods are installed and maintained in accordance with the products fitting instructions and best practices.

Non glass and detachable parts such as rollers, seals etc. are subject to normal wear and tear during usage and are under guarantee for 12 months from time of purchase.

Please complete your product guarantee card included in the components box or register online at flairshowers.com/register.

Note: Proof of purchase is necessary to validate your guarantee so retain purchase receipt for your Flair product.

If a Flair shower enclosure is defective in materials or manufacture, please contact us on 00353 42 966 8000.

CLEARVUE GLASS TREATMENT SYSTEM

VERVE shower doors, wetroom panels and Bathscreens are supplied with a special glass coating designed to reduce limescale build up and make cleaning the glass easier:



WITHOUT TREATMENT



WITH TREATMENT

AFTERSALES & SPARE PARTS SERVICE

Flair is 100% committed to customer service excellence.

We carry a full range of spare parts for each product range and have dedicated aftersales specialists to deal with any issues you may have.

If you have any queries, please contact Flair on 00353 42 966 8000.

RETURN POLICY

Flair will not accept return of any product that has been opened.

We do not accept return of any product if the packaging has been damaged.

If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice price will be charged.

SHOWER DOOR INSTALLATION ADVICE

BEFORE YOU INSTALL YOUR SHOWER ENCLOSURE PLEASE READ ALL INSTRUCTIONS. FAILURE TO DO SO MAY LEAD TO INVALIDATION OF YOUR GUARANTEE.

Flair Showers Ltd will not accept responsibility for any loss or damage, however caused, if the shower enclosure has not been installed as per the instructions.

- The shower tray MUST be fitted 100% level. The shower tray must be sealed correctly to prevent any water leakage.
- Glass edges are vulnerable and should be treated with care at all times. Contact with hard surfaces may result in glass breakage if due care is not taken.
- Check walls for electrical cabling or water pipes before drilling.
- Your shower enclosure, Bathscreen or wetroom must be inspected before installation. Check for all visual defects on the product before installation. Once the enclosure has been installed no claims of damage or defect will be accepted. Fitting of shower enclosure is acceptance of quality.
- The wall plugs supplied with the shower door are for use in solid walls. Timber frame, stud partition walls will require alternative fixings.
- Ensure vertical wall profiles are level and are an equal distance in from the tray.
- Shower Doors, Wetroom Screens, Bathscreens and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.
- Ensure adjustment at wall profiles are equal at both sides and that all screws are fully tightened.
- Ensure hinges are level and securely fitted to the glass.
- Ensure magnets are the right orientation and are attracting rather than repelling.
- The shower enclosure should be sealed on the outside only using silicone sealant.

- Care must be taken during assembly. Flair will not accept responsibility where incorrect assembly results in undue stress being put on any components in this product.
- If there are any manufacturer defects, please call Flair Service Line on +353 42 966 8000.
- Note: If a problem has been caused by incorrect installation, a call-out charge will apply for the Flair technical engineer's time. Subsequent charges will apply "to fix" a problem caused by incorrect installation.

BATHSCREEN INSTALLATION

The Bathscreen must be installed on a 100% level surface with the bath edge free from obstructions.

Bathscreens should not be used on a bath with roll top rim, stepped edge rim or where the bath handle void meets the Bathscreen seal. This will impact on the performance of the bathscreen and the guarantee will be void. The Bathscreen should be fitted to the inside edge of the bath only.

A Bathscreen acts as a water deflector and is not 100% waterproof. If used appropriately under normal showering conditions and installed to the inside edge of the bath, water will be deflected into the showering area. Bathscreens are not suitable for power showers.

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

NOTE: It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

CLEANING GUIDELINES

- Glass: Use a soft cloth and mild detergent, rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water. Rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads. Only use detergents, cleaners and limescale removers with a pH of 5-8.
- The constant use of detergents will degrade the finish of the product over time if not thoroughly rinsed off.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with the use of a mild limescale remover.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit/ dirt which may have collected over time.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

As part of our continuing policy of product improvement, we reserve the right to amend specifications, colours and prices without prior notice. Images are for illustrated purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all shower heads and shower wastes in the brochure is for illustrative purposes only.

***Errors and Omissions Exempt.**



DESIGNED
TO SUIT YOUR
SPACE AND
YOUR **BUDGET**

HYDRO WORKS WITH YOU

VERVE
HYDRO
EXPRESS

EXPRESS FIT
SHOWERING



Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com

FLAIRSHOWERS.COM