

CREATING
PERFECT
HARMONY

ORO

flair

SINCE
1952



CREATING
PERFECT
HARMONY



PRODUCT DESIGN AWARD WINNER

Flair are proud to have received three design accolades, in recognition of the ORO frameless shower door collection.

The Good Design Award, RedDot Award, and iF Design Award are seals of global design excellence and a testimony to our passion for product quality and innovation.



THE ORO[®] COLLECTION

At Flair we understand that our customers have an ever demanding daily routine. Be it first thing in the morning or as you finish the day, a shower has the power to lift your spirits, calm the mind and invigorate.

In creating the ORO range, our aim is to enrich lives with beautifully designed products for living and giving, that are a pleasure to use.

With a graceful aesthetic, the award winning ORO collection is a union of design innovation and functional perfection. The hand crafted ORO door handles are one of a kind and distinctly individual. Elegance shines through the curved profile and hinge detailing. Each ORO component is carefully considered to enhance your experience every day.

As you explore the ORO catalogue, we hope you are captivated by every detail.



VISIONARY INNOVATIONS

COUNTERSUNK INTERIOR HINGES
WITH FLUSH TO GLASS FINISH



CURVED HINGE
DETAILING



SIGNATURE
HANDLE
DESIGN



UNIQUELY CRAFTED
BI-FOLD HANDLE




PATENTED MAGNETIC
GUIDE SYSTEM




MINIMALIST BOTTOM
DOOR GUIDE


FUNCTIONAL INNOVATIONS



ULTRA
CLEAR
DOOR
SEALS




CUSHION
CLOSE
DAMPENER
SYSTEM



CURVED
RADIUS
DETAILING
THROUGHOUT





















IDEA
CONCEPT
PROTOTYPE
ORO









VISIONARY
DETAILS

 <p>2000mm HEIGHT</p>	2 METRES HIGH	 <p>SEAMLESS INTERIOR COVER STRIPS</p>	CONCEALED INTERIOR FIXATION POINTS
 <p>8mm TOUGHENED SAFETY GLASS</p>	8mm TOUGHENED SAFETY GLASS TO EN12150	 <p>ULTRA CLEAR SEALS</p>	INNOVATIVE ULTRA CLEAR SEALS
 <p>CLEARVUE GLASS COATING</p>	CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE	 <p>SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION</p>	SUITABLE FOR SHOWER TRAY OR WETROOM FLOOR INSTALLATION
 <p>CRAFTED HANDLE DESIGN</p>	UNIQUELY CRAFTED CHROME PLATED HANDLE	 <p>LIFETIME GUARANTEE</p>	LIFETIME GUARANTEE

THE ORO® COLLECTION

 <p>SLIDER DOOR</p>	 <p>SLIDING QUADRANT DOOR</p>	 <p>SLIDING OFFSET QUADRANT DOOR</p>
12	14	16
 <p>HINGED QUADRANT DOOR</p>	 <p>HINGED OFFSET QUADRANT DOOR</p>	 <p>BIFOLD DOOR</p>
18	20	22
 <p>HINGE DOOR</p>	 <p>HINGE & INLINE DOOR</p>	
	24	26

THE ORO® ULTRA
FRAMELESS COLLECTION

 <p>BIFOLD DOOR / ULTRA FRAMELESS</p>	 <p>HINGE DOOR / ULTRA FRAMELESS</p>	 <p>HINGE & INLINE / ULTRA FRAMELESS</p>
28	30	32
 <p>GEMSTONE SHOWER TRAYS</p>	 <p>COMMERCIAL PROJECTS</p>	 <p>QUALITY GUARANTEED</p>
39	56	58

SLIDER DOOR

A delightful choice, the ORO Slider Door glides along with smooth perfection. The patented magnetic guide on the bottom of the door is the first of its kind on the market and ensures the functional perfection of this slider offering 8mm toughened safety glass offers a tactile feeling of strength and quality.

The **floating top rail design** is a signature characteristic of the ORO range. With a **seamless interior cover cap**, the top rail also cleverly conceals the roller system. The finishing touch is the **unique handle design** – beautifully formed and a pleasure to use.

DOOR SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Door 1100mm Left Hand	1060mm	1100mm	430mm	OROSA110LSC
Sliding Door 1100mm Right Hand	1060mm	1100mm	430mm	OROSA110RSC
Sliding Door 1200mm Left Hand	1160mm	1200mm	465mm	OROSA120LSC
Sliding Door 1200mm Right Hand	1160mm	1200mm	465mm	OROSA120RSC
Sliding Door 1400mm Left Hand	1360mm	1400mm	565mm	OROSA140LSC
Sliding Door 1400mm Right Hand	1360mm	1400mm	565mm	OROSA140RSC
Sliding Door 1500mm Left Hand	1460mm	1500mm	615mm	OROSA150LSC
Sliding Door 1500mm Right Hand	1460mm	1500mm	615mm	OROSA150RSC
Sliding Door 1600mm Left Hand	1560mm	1600mm	665mm	OROSA160LSC
Sliding Door 1600mm Right Hand	1560mm	1600mm	665mm	OROSA160RSC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	670mm	690mm	OROSP70SC
Side Panel 760mm	730mm	750mm	OROSP76SC
Side Panel 800mm	770mm	790mm	OROSP80SC
Side Panel 900mm	870mm	890mm	OROSP90SC
Side Panel 1000mm	970mm	990mm	OROSP100SC
Side Panel 1200mm	1170mm	1190mm	OROSP120SC
20mm Compensating Wall Profile			OROCB20SC



ORO
RIGHT HAND
SLIDER DOOR (Alcove)



8mm
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

OVERALL
40mm
PROFILE
ADJUSTMENT

10mm
ULTRA LOW
BOTTOM RAIL

CLEARVUE
GLASS COATING

SEAMLESS
INTERIOR
COVER STRIPS

ULTRA CLEAR
SEALS

CUSHION CLOSE
DAMPENER
MECHANISM

PATENTED
MAGNETIC
GUIDE SYSTEM

LIFETIME
GUARANTEE

ORO LEFT HAND SLIDER DOOR INSTALLED WITH FRAMELESS
SIDE PANEL AND POLISHED CORNER SILVER PROFILE

SLIDING QUADRANT DOOR

Creative engineering has shaped the unique ORO Sliding Quadrant. The top floating rail design ingeniously encloses the roller system to give the door a sleek polished look. Practically speaking, the concealed rollers ensure reduced cleaning time.


Functional distinction continues with the **patented magnetic guide system** – this design innovation guarantees the smoothest motion as the door glides around the bottom rail. The final detail is the **crafted handle design**, befitting for the overall elegance of this door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Quadrant 900mm Left Hand	870mm	890mm	500mm	OROSQ90LSC
Sliding Quadrant 900mm Right Hand	870mm	890mm	500mm	OROSQ90RSC
Sliding Quadrant 1000mm Left Hand	970mm	990mm	500mm	OROSQ100LSC
Sliding Quadrant 1000mm Right Hand	970mm	990mm	500mm	OROSQ100RSC

ACCESSORIES

PRODUCT DESCRIPTION	CODE
20mm Compensating Wall Profile	OROCB20SC



8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

20mm
PROFILE ADJUSTMENT

10mm
ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

PATENTED MAGNETIC GUIDE SYSTEM

CUSHION CLOSE DAMPENER MECHANISM

CLEARVUE GLASS COATING

LIFETIME GUARANTEE



ORO RIGHT HAND SLIDING QUADRANT



ORO RIGHT HAND OFFSET SLIDING QUADRANT
(to suit right hand offset quadrant shower tray)

MATTE BLACK
COMING SOON

SLIDING OFFSET QUADRANT DOOR

Generously proportioned, the ORO Sliding Offset Quadrant is designed to impress in your bathroom. The signature floating rail design cleverly encloses the rollers to give the door a sleek appearance.

Design excellence continues with the **patented magnetic guide system** ensuring the smoothest of motion as the door glides around the bottom rail. The **crafted chrome handles** have perfect symmetry, in line with the overall elegance of the door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Offset Quadrant 1000 x 800mm Left Hand	770-970mm	790-990mm	470mm	OROSQ80XI00LSC
Sliding Offset Quadrant 1000 x 800mm Right Hand	770-970mm	790-990mm	470mm	OROSQ80XI00RSC
Sliding Offset Quadrant 1000 x 900mm Left Hand	870-970mm	890-990mm	470mm	OROSQ90XI00LSC
Sliding Offset Quadrant 1000 x 900mm Right Hand	870-970mm	890-990mm	470mm	OROSQ90XI00RSC
Sliding Offset Quadrant 1200 x 800mm Left Hand	770-1170mm	790-1190mm	500mm	OROSQ80XI20LSC
Sliding Offset Quadrant 1200 x 800mm Right Hand	770-1170mm	790-1190mm	500mm	OROSQ80XI20RSC
Sliding Offset Quadrant 1200 x 900mm Left Hand	870-1170mm	890-1190mm	500mm	OROSQ90XI20LSC
Sliding Offset Quadrant 1200 x 900mm Right Hand	870-1170mm	890-1190mm	500mm	OROSQ90XI20RSC

ACCESSORIES

PRODUCT DESCRIPTION	CODE
20mm Compensating Wall Profile	OROCB20SC

LEFT HAND DOOR

L

RIGHT HAND DOOR

R

8mm TOUGHENED SAFETY GLASS

2000mm HEIGHT

20mm PROFILE ADJUSTMENT

10mm ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

PATENTED MAGNETIC GUIDE SYSTEM

SEAMLESS INTERIOR COVER STRIPS

CUSHION CLOSE DAMPENER MECHANISM

CLEARVUE GLASS COATING

LIFETIME GUARANTEE

HANDED PRODUCT
PLEASE SELECT THE CORRECT
DOOR OPENING FOR YOUR SPACE

HINGED QUADRANT DOOR

A hallmark of elegance, the ORO Hinged Quadrant will add a touch of class to your bathroom.


The frameless curved glass is supported by 2 stainless steel stabilising bars that blend seamlessly into the door silhouette. Flush to glass interior **counter sunk hinges** allows you to easily wipe the shower glass clean. Precise in its action, this curved hinge door is secured by **ultra clear magnetic seals** that deliver the perfect positive close action every time.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Hinged Quadrant 900mm Left Hand	870mm	890mm	570mm	OROHQ90LSC
Hinged Quadrant 900mm Right Hand	870mm	890mm	570mm	OROHQ90RSC
Hinged Quadrant 1000mm Left Hand	970mm	990mm	570mm	OROHQ100LSC
Hinged Quadrant 1000mm Right Hand	970mm	990mm	570mm	OROHQ100RSC

ACCESSORIES

PRODUCT DESCRIPTION	CODE
20mm Compensating Wall Profile	OROCB20SC



8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

20mm
PROFILE ADJUSTMENT

COUNTERSUNK INTERIOR HINGES

10mm
ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

STAINLESS STEEL ANGLED STABILISING BARS

CLEARVUE GLASS COATING

LIFETIME GUARANTEE



ORO RIGHT HAND HINGED QUADRANT

MATTE BLACK
COMING SOON

HINGED OFFSET QUADRANT DOOR

Setting the standard in frameless design, the ORO Offset Hinged Quadrant is a shower door of sheer beauty and elegance for your bathroom. The curved frameless glass is supported by 2 minimalist stainless steel stabilising bars. Flush to glass interior counter sunk hinges allow you to easily wipe the shower glass clean.

Precise in its action, the curved hinge door is secured by **ultra clear magnetic seals** that give the perfect close on the shower enclosure.



DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinged Offset Quadrant 1000 x 800mm Left Hand	770-970mm	790-990mm	570mm	OROHQ80X100LSC
Hinged Offset Quadrant 1000 x 800mm Right Hand	770-970mm	790-990mm	570mm	OROHQ80X100RSC
Hinged Offset Quadrant 1000 x 900mm Left Hand	870-970mm	890-990mm	570mm	OROHQ90X100LSC
Hinged Offset Quadrant 1000 x 900mm Right Hand	870-970mm	890-990mm	570mm	OROHQ90X100RSC
Hinged Offset Quadrant 1200 x 800mm Left Hand	770-1170mm	790-1190mm	570mm	OROHQ80X120LSC
Hinged Offset Quadrant 1200 x 800mm Right Hand	770-1170mm	790-1190mm	570mm	OROHQ80X120RSC
Hinged Offset Quadrant 1200 x 900mm Left Hand	870-1170mm	890-1190mm	570mm	OROHQ90X120LSC
Hinged Offset Quadrant 1200 x 900mm Right Hand	870-1170mm	890-1190mm	570mm	OROHQ90X120RSC

ACCESSORIES

PRODUCT DESCRIPTION	CODE
20mm Compensating Wall Profile	OROCB20SC

LEFT HAND DOOR

RIGHT HAND DOOR

L

R

HANDED PRODUCT
PLEASE SELECT THE CORRECT
DOOR OPENING FOR YOUR SPACE

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

20mm

PROFILE ADJUSTMENT

COUNTERSUNK INTERIOR HINGES

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

10mm

ULTRA LOW BOTTOM RAIL

STAINLESS STEEL ANGLED STABILISING BARS

CLEARVUE GLASS COATING

LIFETIME GUARANTEE

ORO RIGHT HAND OFFSET HINGED QUADRANT
(to suit right hand offset quadrant shower tray)

BIFOLD DOOR

The ingenious design of the ORO Bifold Door makes it a firm favourite amongst this 8mm shower door range.

The innovative 180 degree hinge mechanism enables the door to open inwards and outwards, offering you total flexibility. A self stop hinge action prevents the door glass extending into contact with the shower wall or door hinges. The bifold hinge is meticulously engineered giving this frameless door exceptional stability. The signature ORO handle design adds the finishing touch to this bijoux beauty.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 700mm	660mm	700mm	488mm	OROBF70SC
Bifold Door 760mm	720mm	760mm	545mm	OROBF76SC
Bifold Door 800mm	760mm	800mm	563mm	OROBF80SC
Bifold Door 900mm	860mm	900mm	663mm	OROBF90SC
Bifold Door 1000mm	960mm	1000mm	763mm	OROBFI00SC


SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	670mm	690mm	OROSP70SC
Side Panel 760mm	730mm	750mm	OROSP76SC
Side Panel 800mm	770mm	790mm	OROSP80SC
Side Panel 900mm	870mm	890mm	OROSP90SC
Side Panel 1000mm	970mm	990mm	OROSPI00SC
Side Panel 1200mm	1170mm	1190mm	OROSPI20SC
20mm Compensating Wall Profile			OROCB20SC

STABILISING BAR

PRODUCT DESCRIPTION	CODE
Raised Stabilising Bar 1050mm	S-ORO105HSSB

Note - Stabilising Bar must be purchased with the Bi-Fold door & Frameless Side Panel with polished silver corner profile.



UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



ORO BI-FOLD & SIDE PANEL - LEFT HAND INSTALLATION



ORO BI-FOLD - LEFT HAND INSTALLATION

MATTE BLACK
COMING SOON

8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

OVERALL
40mm
PROFILE ADJUSTMENT

10mm
ULTRA LOW BOTTOM RAIL

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

CLEARVUE GLASS COATING

LIFETIME GUARANTEE

HINGE DOOR

Experience perfection with the 8mm ORO hinge door. Ideal for smaller spaces, this frameless door features curved radius detailing throughout. Interior fixation points are discreetly concealed by an innovative cover cap design. The countersunk interior hinges allow you to wipe the shower glass clean with ease.

Ultra clear magnetic seals give the hinge door a reassuring close action. The finishing touch is the crafted chrome handles – shaped to give a tactile feeling of smooth perfection.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	760mm	800mm	637mm	OROHD80SC
Hinge Door 900mm	860mm	900mm	737mm	OROHD90SC
Hinge Door 1000mm	960mm	1000mm	837mm	OROHD100SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	670mm	690mm	OROSP70SC
Side Panel 760mm	730mm	750mm	OROSP76SC
Side Panel 800mm	770mm	790mm	OROSP80SC
Side Panel 900mm	870mm	890mm	OROSP90SC
Side Panel 1000mm	970mm	990mm	OROSP100SC
Side Panel 1200mm	1170mm	1190mm	OROSP120SC
20mm Compensating Wall Profile			OROCB20SC

STABILISING BAR


PRODUCT DESCRIPTION	CODE
Straight Stabilising Bar 1050mm	S-ORO105SSB

Note - Stabilising Bar must be purchased with the Hinge Door & Frameless Side Panel with polished silver corner profile



ORO HINGE DOOR
LEFT HAND INSTALLATION

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



STAINLESS STEEL
STRAIGHT STABILISING BAR

8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

OVERALL
40mm
PROFILE ADJUSTMENT

10mm
ULTRA LOW BOTTOM RAIL

CLEARVUE
GLASS COATING

CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

SEAMLESS
INTERIOR
COVER STRIPS

UNIVERSAL
LEFT OR RIGHT
HAND OPENING

LIFETIME
GUARANTEE



ORO HINGE DOOR & SIDE PANEL -
LEFT HAND INSTALLATION WITH POLISHED SILVER CORNER PROFILE

MATTE BLACK
COMING SOON

MATTE BLACK
COMING SOON

HINGE & INLINE DOOR

Striking in its appearance, the ORO Hinge and Inline door is a statement piece for your bathroom.

The **gently curved hinges** have a countersunk interior design and can be wiped clean with ease. The **T-bar stabiliser** has concealed fixings and its sleek construction blends subtly into the products profile. Ultra clear magnetic seals giving a superior close action. The finishing touch is the **crafted chrome handles**, their perfect symmetry complementing the overall elegance of the door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge and Inline Door 1100mm Left Hand	1060mm	1100mm	723mm	OROHD110LSC
Hinge and Inline Door 1100mm Right Hand	1060mm	1100mm	723mm	OROHD110RSC
Hinge and Inline Door 1200mm Left Hand	1160mm	1200mm	723mm	OROHD120LSC
Hinge and Inline Door 1200mm Right Hand	1160mm	1200mm	723mm	OROHD120RSC
Hinge and Inline Door 1400mm Left Hand	1360mm	1400mm	723mm	OROHD140LSC
Hinge and Inline Door 1400mm Right Hand	1360mm	1400mm	723mm	OROHD140RSC
Hinge and Inline Door 1600mm Left Hand	1560mm	1600mm	723mm	OROHD160LSC
Hinge and Inline Door 1600mm Right Hand	1560mm	1600mm	723mm	OROHD160RSC

Angled stabilising bar included with each door.

SIDE PANEL OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	670mm	690mm	OROSP70SC
Side Panel 760mm	730mm	750mm	OROSP76SC
Side Panel 800mm	770mm	790mm	OROSP80SC
Side Panel 900mm	870mm	890mm	OROSP90SC
Side Panel 1000mm	970mm	990mm	OROSP100SC
Side Panel 1200mm	1170mm	1190mm	OROSP120SC
20mm Compensating Wall Profile			OROCB20SC

STABILISING BAR & T PIECE

PRODUCT DESCRIPTION	CODE
Straight Stabilising Bar 1600mm with T Piece	S-ORO160SSB+TB



T-BAR STABILISER



Note - Stabilising Bar must be purchased with the Hinge & Inline Door & Frameless Side Panel with polished silver corner profile. Stabilising Bar is standard 1600mm and can be resized to suit all door sizes.



ORO HINGE & INLINE DOOR WITH SIDE PANEL - RIGHT HAND INSTALLATION



ORO LEFT HAND HINGE AND INLINE DOOR (alcove)

8mm
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

OVERALL
40mm
PROFILE
ADJUSTMENT

10mm
ULTRA LOW
BOTTOM RAIL

CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

SEAMLESS
INTERIOR
COVER STRIPS

CLEARVUE
GLASS COATING

LIFETIME
GUARANTEE

BIFOLD DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

The ORO Bifold and ultra frameless corner side panel is a truly versatile shower door choice. Designed to open both inwards and outwards, the self stop hinge mechanism prevents the bifold door from folding into contact with the glass panels. The **raised stabilising bar** is engineered to accompany the **frameless corner side panel** and with its extra height, allows the door to fold inwards without restriction.

STEP 1 - SELECT SIZE OF DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE
Bifold Door 700mm	660mm	700mm	488mm	OROBF70SC
Bifold Door 760mm	720mm	760mm	454mm	OROBF76SC
Bifold Door 800mm	760mm	800mm	563mm	OROBF80SC
Bifold Door 900mm	860mm	900mm	663mm	OROBF90SC
Bifold Door 1000mm	960mm	1000mm	763mm	OROBFI00SC


STEP 2 - SELECT SIZE OF ULTRA FRAMELESS SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT	CODE
Ultra Frameless Modular Corner Side Panel 700mm	660 - 680mm	OROCSP70SC
Ultra Frameless Modular Corner Side Panel 760mm	720 - 740mm	OROCSP76SC
Ultra Frameless Modular Corner Side Panel 800mm	760 - 780mm	OROCSP80SC
Ultra Frameless Modular Corner Side Panel 900mm	860 - 880mm	OROCSP90SC
Ultra Frameless Modular Corner Side Panel 1000mm	960 - 980mm	OROCSP100SC


STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

PRODUCT DESCRIPTION	CODE
Corner Inline Panel 100mm Kit	OROKIT1
Corner Inline Panel 200mm Kit	OROKIT2
Corner Inline Panel 300mm Kit	OROKIT3
Corner Inline Panel 400mm Kit	OROKIT4


NOTE - BIFOLD DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.
Each corner inline panel kit includes the following components:
Inline panel, bottom barrier bar and stabilising bar with fixing brackets.
Ultra clear seal or 3M tape option supplied for corner inline panel fixation.




8mm
TOUGHENED
SAFETY
GLASS




2000mm
HEIGHT




20mm
CORNER
SIDE PANEL
ADJUSTMENT




20mm
DOOR
ADJUSTMENT




10mm
ULTRA LOW
BOTTOM RAIL




SUITABLE FOR
SHOWER TRAY
INSTALLATION
ONLY




CRAFTED
HANDLE DESIGN




ULTRA CLEAR
SEALS




SEAMLESS
INTERIOR
COVER STRIPS




UNIVERSAL
LEFT OR RIGHT
HAND OPENING



CLEARVUE
GLASS COATING



LIFETIME
GUARANTEE



ORO BIFOLD DOOR AND ULTRA FRAMELESS
CORNER SIDE PANEL (LEFT HAND INSTALLATION)

MATTE BLACK
COMING SOON

HINGE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

The ORO Hinge Door and ultra frameless corner side panel radiates style and contemporary elegance.

This **corner side panel system** is modular, giving you flexibility with your door and inline panel sizing to suit your shower tray. Minimally designed but with durability in mind, the corner side panel is supported by a **sleek chrome stabilising bar**.

STEP 1 - SELECT SIZE OF DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	760mm	800mm	637mm	OROHD80SC
Hinge Door 900mm	860mm	900mm	737mm	OROHD90SC
Hinge Door 1000mm	960mm	1000mm	837mm	OROHD100SC

STEP 2 - SELECT SIZE OF ULTRA FRAMELESS SIDE PANEL


PRODUCT DESCRIPTION	ADJUSTMENT	CODE
Ultra Frameless Modular Corner Side Panel 700mm	660 - 680mm	OROCSP70SC
Ultra Frameless Modular Corner Side Panel 760mm	720 - 740mm	OROCSP76SC
Ultra Frameless Modular Corner Side Panel 800mm	760 - 780mm	OROCSP80SC
Ultra Frameless Modular Corner Side Panel 900mm	860 - 880mm	OROCSP90SC
Ultra Frameless Modular Corner Side Panel 1000mm	960 - 980mm	OROCSP100SC

STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE


PRODUCT DESCRIPTION	CODE
Corner Inline Panel 100mm Kit	OROKIT1
Corner Inline Panel 200mm Kit	OROKIT2
Corner Inline Panel 300mm Kit	OROKIT3
Corner Inline Panel 400mm Kit	OROKIT4

NOTE - HINGE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.


Each corner inline panel kit includes the following components:
inline panel, bottom barrier bar and stabilising bar with fixing brackets.
Ultra clear seal or 3M tape option supplied for corner inline panel fixation.




8mm
TOUGHENED
SAFETY
GLASS




2000mm
HEIGHT




20mm
CORNER
SIDE PANEL
ADJUSTMENT




20mm
DOOR
ADJUSTMENT




10mm
ULTRA LOW
BOTTOM RAIL




SUITABLE FOR
SHOWER TRAY
INSTALLATION
ONLY




CRAFTED
HANDLE DESIGN




ULTRA CLEAR
SEALS




SEAMLESS
INTERIOR
COVER STRIPS




UNIVERSAL
LEFT OR RIGHT
HAND OPENING



CLEARVUE
GLASS COATING



LIFETIME
GUARANTEE



ORO HINGE DOOR AND ULTRA FRAMELESS
CORNER SIDE PANEL (LEFT HAND INSTALLATION)

MATTE BLACK
COMING SOON

HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

Setting the standard in frameless design, the ORO Hinge and Inline door with ultra frameless corner side panel will make a real style statement in your bathroom.


A generously proportioned shower enclosure, this modular design is ideal for larger showering spaces. With durability in mind, the corner side panel is supported by a minimalist chrome stabilising bar.

STEP 1 - SELECT SIZE OF DOOR

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Hinge and Inline Door 1100mm Left Hand	1060mm	1100mm	723mm	OROHD110LSC
Hinge and Inline Door 1100mm Right Hand	1060mm	1100mm	723mm	OROHD110RSC
Hinge and Inline Door 1200mm Left Hand	1160mm	1200mm	723mm	OROHD120LSC
Hinge and Inline Door 1200mm Right Hand	1160mm	1200mm	723mm	OROHD120RSC

STEP 2 - SELECT SIZE OF ULTRA FRAMELESS SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT	CODE
Ultra Frameless Modular Corner Side Panel 700mm	660 - 680mm	OROCSP70SC
Ultra Frameless Modular Corner Side Panel 760mm	720 - 740mm	OROCSP76SC
Ultra Frameless Modular Corner Side Panel 800mm	760 - 780mm	OROCSP80SC
Ultra Frameless Modular Corner Side Panel 900mm	860 - 880mm	OROCSP90SC
Ultra Frameless Modular Corner Side Panel 1000mm	960 - 980mm	OROCSP100SC




STEP 3 - SELECT CORNER INLINE PANEL KIT SIZE

PRODUCT DESCRIPTION	CODE
Corner Inline Panel 100mm Kit	OROKIT5
Corner Inline Panel 200mm Kit	OROKIT6
Corner Inline Panel 300mm Kit	OROKIT7
Corner Inline Panel 400mm Kit	OROKIT8


NOTE - HINGE AND INLINE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.

*Tolerance of 20mm in the inline panel measurement reflecting the 20mm profile adjustment.

Each corner inline panel kit includes the following components:
inline panel, bottom barrier bar and stabilising bar with fixing brackets.
Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



ORO LEFT HAND HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL



ORO[®] DOOR STYLES & HANDED DOOR GUIDE


SLIDER DOOR

Please select carefully the ORO Slider Door that is the correct hand opening for your space.




SLIDING QUADRANT DOOR

Please select carefully the ORO Sliding Quadrant that is the correct hand opening for your space.




SLIDING OFFSET QUADRANT DOOR

Please select carefully the ORO Sliding Offset Quadrant that is the correct shape for your offset shower tray.




HINGED QUADRANT DOOR

Please select carefully the ORO Hinged Quadrant that is the correct hand opening for your space.




HINGED OFFSET QUADRANT DOOR

Please select carefully the ORO Hinged Offset Quadrant that is the correct shape for your offset shower tray.




BI-FOLD DOOR

The ORO Bi-Fold Door is universal, so it can be adapted at installation to suit either left or right hand installation.




HINGED DOOR

The ORO Hinged Door is universal, so it can be adapted at installation to suit either left or right hand installation.



HINGED AND INLINE DOOR

Please select carefully the ORO Hinge and Inline Door that is the correct hand opening for your space.




ORO[®] WATER RETENTION GUIDE

ORO Sliding Doors have an award winning design that reduces the need for invasive seals or large bottom rails allowing the customer a unique frameless showering experience.

As standard, ORO Sliding Doors come with a minimalist bottom barrier bar that does not include the use of an invasive seal or large bottom rail as part of the frameless design.

The ORO enclosure range is tested and certified for water retention in accordance with EN14428 where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions.

However, in unconventional showering practices, to further improve water retention and minimise any water escaping from the shower enclosure we have designed additional water retention solutions for optional use by customers.



A - Sliding Door Glass
B - Minimal Barrier Bar


OPTION 1 THRESHOLD SEAL

The ORO Threshold seal is a minimal 15mm high silver profile with a discreet clear seal that can be easily fitted on top of the barrier bar during or after installation.


The Threshold seal will provide an increased level of water retention and protect against large surges of water escaping from the shower area. ORO Threshold seals are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:

S-OROSA110TSS, S-OROSA120TSS,
S-OROSA140-160TSS, S-OROSQTSS



A - Sliding Door Glass
B - Minimal Barrier Bar
I - Threshold Seal



OPTION 2 THRESHOLD BARRIER BAR


The ORO Threshold Barrier Bar is a larger 27mm high barrier bar which can be easily fitted on top of the barrier bar during or after installation.

The Threshold Barrier Bar offers the highest level of water retention available in the ORO Frameless Sliding Door's design.

ORO Threshold Barrier Bars are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:

S-OROSA110TBS, S-OROSA120TBS,
S-OROSA140-160TBS, S-OROSQTBS



A - Sliding Door Glass
B - Minimal Barrier Bar
2 - Threshold Bar



CREATING
PERFECT
HARMONY

GEMSTONE

GEMSTONE SLATE TEXTURED TRAYS

The Gemstone brand is synonymous with quality and style. This extensive selection of slate textured shower trays compliment the most beautiful of bathroom designs. With an ultra minimal height of 25 to 30mm, each tray is anti-slip rated and available in 4 colour options - Onyx Black*, Graphite Black, Flint Grey or White

Choose from square or linear shape waste options, with both chrome or colour matched grille finishes available depending on customer preference. Both visually appealing and sensual to touch, a Gemstone shower tray will work perfectly in a wide variety of bathroom applications, be they classic, modern or contemporary in design.

*Onyx Black only available in 25mm height, Square waste.





FLINT GREY TRAY WITH LINEAR WASTE

GEMSTONE TRAYS

KEY FEATURES

- Slate texture – a natural stone resin composite with gel coat finish
- Anti slip rated – Grade 3 Rating UNE ENV 12633:2003
- Available in 4 colours – Onyx Black, White, Graphite Black & Flint Grey
- Minimalist stainless steel waste cover in Square or Linear version
- Colour matched interior waste trap (Onyx Black, Graphite Black or Flint Grey tray = Grey interior waste / White tray = White interior waste)
- Supplied with 90mm McAlpine high flow waste

GRADE 3 ANTI SLIP RATED

ANTIBACTERIAL WITH NON POROUS SURFACE

CHEMICAL RESISTANCE IN ACCORDANCE WITH UNE EN 12527

MAY BE CUT WITH A DIAMOND CUTTING WHEEL

EASY TRANSPORT / DURABLE PACKAGING

2 YEAR MANUFACTURER WARRANTY

CE APPROVED

25mm or 30mm TRAY DEPTH

90mm HI-FLOW WASTE

GEMSTONE TRAY COLOUR OPTIONS

WHITE

GRAPHITE BLACK

FLINT GREY

ONYX BLACK

Note: Gemstone tray colours are reproduced as accurately as the printing process will allow. There is no guarantee of exact colour match - this brochure is a visual aid only.

GEMSTONE



WHITE TRAY WITH SQUARE WASTE

WASTE DESIGN -
SQUARE WASTE

25mm
TRAY
DEPTH



SQUARE WASTE GRILL OPTION

- Available in Rectangle, Square, Quadrant and Offset Quadrant shapes

WASTE DESIGN -
LINEAR WASTE

30mm
TRAY
DEPTH

LINEAR WASTE
GRILL OPTION

- Defined gradient on linear tray
- On trend to create the minimalist wetroom look
- Rectangular shower tray shape only



COLOUR MATCHED
GRILL OPTIONS




COLOUR MATCHED GRILL OPTION

- Choose to match your shower tray grill to the precise colour of your tray. Available in White, Graphite Black and Flint Grey



SQUARE WASTE

RECTANGLE TRAY



PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1000 x 800mm - Square Waste	White	GEM10080RWS
Rectangular Tray 1000 x 800mm - Square Waste	Graphite Black	GEM10080RBS
Rectangular Tray 1000 x 800mm - Square Waste	Flint Grey	GEM10080RGS
Rectangular Tray 1000 x 800mm - Square Waste	Onyx Black	GEM10080ROS
Rectangular Tray 1000 x 900mm - Square Waste	White	GEM10090RWS
Rectangular Tray 1000 x 900mm - Square Waste	Graphite Black	GEM10090RBS
Rectangular Tray 1000 x 900mm - Square Waste	Flint Grey	GEM10090RGS
Rectangular Tray 1000 x 900mm - Square Waste	Onyx Black	GEM10090ROS
Rectangular Tray 1100 x 800mm - Square Waste	White	GEM11080RWS
Rectangular Tray 1100 x 800mm - Square Waste	Graphite Black	GEM11080RBS
Rectangular Tray 1100 x 800mm - Square Waste	Flint Grey	GEM11080RGS
Rectangular Tray 1100 x 900mm - Square Waste	White	GEM11090RWS
Rectangular Tray 1100 x 900mm - Square Waste	Graphite Black	GEM11090RBS
Rectangular Tray 1100 x 900mm - Square Waste	Flint Grey	GEM11090RGS
Rectangular Tray 1200 x 800mm - Square Waste	White	GEM12080RWS
Rectangular Tray 1200 x 800mm - Square Waste	Graphite Black	GEM12080RBS
Rectangular Tray 1200 x 800mm - Square Waste	Flint Grey	GEM12080RGS
Rectangular Tray 1200 x 800mm - Square Waste	Onyx Black	GEM12080ROS
Rectangular Tray 1200 x 900mm - Square Waste	White	GEM12090RWS
Rectangular Tray 1200 x 900mm - Square Waste	Graphite Black	GEM12090RBS
Rectangular Tray 1200 x 900mm - Square Waste	Flint Grey	GEM12090RGS
Rectangular Tray 1200 x 900mm - Square Waste	Onyx Black	GEM12090ROS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	White	GEM120100RWS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Graphite Black	GEM120100RBS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Flint Grey	GEM120100RGS
Rectangular Tray 1200 x 1000mm - Square Waste NEW	Onyx Black	GEM120100ROS
Rectangular Tray 1400 x 800mm - Square Waste	White	GEM14080RWS
Rectangular Tray 1400 x 800mm - Square Waste	Graphite Black	GEM14080RBS
Rectangular Tray 1400 x 800mm - Square Waste	Flint Grey	GEM14080RGS
Rectangular Tray 1400 x 800mm - Square Waste	Onyx Black	GEM14080ROS
Rectangular Tray 1400 x 900mm - Square Waste	White	GEM14090RWS
Rectangular Tray 1400 x 900mm - Square Waste	Graphite Black	GEM14090RBS
Rectangular Tray 1400 x 900mm - Square Waste	Flint Grey	GEM14090RGS
Rectangular Tray 1400 x 900mm - Square Waste	Onyx Black	GEM14090ROS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	White	GEM140100RWS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Graphite Black	GEM140100RBS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Flint Grey	GEM140100RGS
Rectangular Tray 1400 x 1000mm - Square Waste NEW	Onyx Black	GEM140100ROS
Rectangular Tray 1500 x 800mm - Square Waste	White	GEM15080RWS
Rectangular Tray 1500 x 800mm - Square Waste	Graphite Black	GEM15080RBS
Rectangular Tray 1500 x 800mm - Square Waste	Flint Grey	GEM15080RGS

SQUARE WASTE

RECTANGLE TRAY



PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1500 x 900mm - Square Waste	White	GEM15090RWS
Rectangular Tray 1500 x 900mm - Square Waste	Graphite Black	GEM15090RBS
Rectangular Tray 1500 x 900mm - Square Waste	Flint Grey	GEM15090RGS
Rectangular Tray 1600 x 800mm - Square Waste	White	GEM16080RWS
Rectangular Tray 1600 x 800mm - Square Waste	Graphite Black	GEM16080RBS
Rectangular Tray 1600 x 800mm - Square Waste	Flint Grey	GEM16080RGS
Rectangular Tray 1600 x 800mm - Square Waste	Onyx Black	GEM16080ROS
Rectangular Tray 1600 x 900mm - Square Waste	White	GEM16090RWS
Rectangular Tray 1600 x 900mm - Square Waste	Graphite Black	GEM16090RBS
Rectangular Tray 1600 x 900mm - Square Waste	Flint Grey	GEM16090RGS
Rectangular Tray 1600 x 900mm - Square Waste	Onyx Black	GEM16090ROS
Rectangular Tray 1700 x 700mm - Square Waste	White	GEM17070RWS
Rectangular Tray 1700 x 700mm - Square Waste	Graphite Black	GEM17070RBS
Rectangular Tray 1700 x 700mm - Square Waste	Flint Grey	GEM17070RGS
Rectangular Tray 1700 x 800mm - Square Waste	White	GEM17080RWS
Rectangular Tray 1700 x 800mm - Square Waste	Graphite Black	GEM17080RBS
Rectangular Tray 1700 x 800mm - Square Waste	Flint Grey	GEM17080RGS
Rectangular Tray 1700 x 800mm - Square Waste	Onyx Black	GEM17080ROS
Rectangular Tray 1700 x 900mm - Square Waste	White	GEM17090RWS
Rectangular Tray 1700 x 900mm - Square Waste	Graphite Black	GEM17090RBS
Rectangular Tray 1700 x 900mm - Square Waste	Flint Grey	GEM17090RGS
Rectangular Tray 1700 x 900mm - Square Waste	Onyx Black	GEM17090ROS
Rectangular Tray 1800 x 800mm - Square Waste	White	GEM18080RWS
Rectangular Tray 1800 x 800mm - Square Waste	Graphite Black	GEM18080RBS
Rectangular Tray 1800 x 800mm - Square Waste	Flint Grey	GEM18080RGS
Rectangular Tray 1800 x 900mm - Square Waste	White	GEM18090RWS
Rectangular Tray 1800 x 900mm - Square Waste	Graphite Black	GEM18090RBS
Rectangular Tray 1800 x 900mm - Square Waste	Flint Grey	GEM18090RGS



WHITE GEMSTONE TRAY, COUNTERSUNK WITH A FLUSH TO FLOOR FINISH

SQUARE TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Square Tray 800mm - Square Waste NEW	White	GEM80SWS
Square Tray 800mm - Square Waste NEW	Graphite Black	GEM80SBS
Square Tray 800mm - Square Waste NEW	Flint Grey	GEM80SGS
Square Tray 800mm - Square Waste NEW	Onyx Black	GEM80SOS
Square Tray 900mm - Square Waste	White	GEM90SWS
Square Tray 900mm - Square Waste	Graphite Black	GEM90SBS
Square Tray 900mm - Square Waste	Flint Grey	GEM90SGS
Square Tray 900mm - Square Waste	Onyx Black	GEM90SOS
Square Tray 1000mm - Square Waste	White	GEM100SWS
Square Tray 1000mm - Square Waste	Graphite Black	GEM100SBS
Square Tray 1000mm - Square Waste	Flint Grey	GEM100SGS

QUADRANT TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Quadrant Tray 900mm - Square Waste	White	GEM90QWS
Quadrant Tray 900mm - Square Waste	Graphite Black	GEM90QBS
Quadrant Tray 900mm - Square Waste	Flint Grey	GEM90QGS
Quadrant Tray 900mm - Square Waste	Onyx Black	GEM90QOS
Quadrant Tray 1000mm - Square Waste	White	GEM100QWS
Quadrant tray 1000mm - Square Waste	Graphite Black	GEM100QBS
Quadrant Tray 1000mm - Square Waste	Flint Grey	GEM100QGS

OFFSET QUADRANT TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	White	GEM10080QWSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	White	GEM10080QWSR
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	Graphite Black	GEM10080QBSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	Graphite Black	GEM10080QBSR
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	Flint Grey	GEM10080QGSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	Flint Grey	GEM10080QGSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	White	GEM12080QWSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	White	GEM12080QWSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Graphite Black	GEM12080QBSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Graphite Black	GEM12080QBSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Flint Grey	GEM12080QGSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Flint Grey	GEM12080QGSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Onyx Black	GEM12080QOSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Onyx Black	GEM12080QOSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	White	GEM12090QWSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	White	GEM12090QWSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Graphite Black	GEM12090QBSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Graphite Black	GEM12090QBSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Flint Grey	GEM12090QGSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Flint Grey	GEM12090QGSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Onyx Black	GEM12090QOSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Onyx Black	GEM12090QOSR



LINEAR WASTE



RECTANGLE TRAY

PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1200 x 800mm - Linear Waste	White	GEM12080RWL
Rectangular Tray 1200 x 800mm - Linear Waste	Graphite Black	GEM12080RBL
Rectangular Tray 1200 x 800mm - Linear Waste	Flint Grey	GEM12080RGL
Rectangular Tray 1200 x 900mm - Linear Waste	White	GEM12090RWL
Rectangular Tray 1200 x 900mm - Linear Waste	Graphite Black	GEM12090RBL
Rectangular Tray 1200 x 900mm - Linear Waste	Flint Grey	GEM12090RGL
Rectangular Tray 1200 x 1000mm - Linear Waste	White	GEM120100RWL
Rectangular Tray 1200 x 1000mm - Linear Waste	Graphite Black	GEM120100RBL
Rectangular Tray 1200 x 1000mm - Linear Waste	Flint Grey	GEM120100RGL
Rectangular Tray 1400 x 800mm - Linear Waste	White	GEM14080RWL
Rectangular Tray 1400 x 800mm - Linear Waste	Graphite Black	GEM14080RBL
Rectangular Tray 1400 x 800mm - Linear Waste	Flint Grey	GEM14080RGL
Rectangular Tray 1400 x 900mm - Linear Waste	White	GEM14090RWL
Rectangular Tray 1400 x 900mm - Linear Waste	Graphite Black	GEM14090RBL
Rectangular Tray 1400 x 900mm - Linear Waste	Flint Grey	GEM14090RGL
Rectangular Tray 1500 x 800mm - Linear Waste	White	GEM15080RWL
Rectangular Tray 1500 x 800mm - Linear Waste	Graphite Black	GEM15080RBL
Rectangular Tray 1500 x 800mm - Linear Waste	Flint Grey	GEM15080RGL
Rectangular Tray 1500 x 900mm - Linear Waste	White	GEM15090RWL
Rectangular Tray 1500 x 900mm - Linear Waste	Graphite Black	GEM15090RBL
Rectangular Tray 1500 x 900mm - Linear Waste	Flint Grey	GEM15090RGL
Rectangular Tray 1600 x 800mm - Linear Waste	White	GEM16080RWL
Rectangular Tray 1600 x 800mm - Linear Waste	Graphite Black	GEM16080RBL
Rectangular Tray 1600 x 800mm - Linear Waste	Flint Grey	GEM16080RGL
Rectangular Tray 1600 x 900mm - Linear Waste	White	GEM16090RWL
Rectangular Tray 1600 x 900mm - Linear Waste	Graphite Black	GEM16090RBL
Rectangular Tray 1600 x 900mm - Linear Waste	Flint Grey	GEM16090RGL
Rectangular Tray 1700 x 700mm - Linear Waste	White	GEM17070RWL
Rectangular Tray 1700 x 700mm - Linear Waste	Graphite Black	GEM17070RBL
Rectangular Tray 1700 x 700mm - Linear Waste	Flint Grey	GEM17070RGL
Rectangular Tray 1700 x 800mm - Linear Waste	White	GEM17080RWL
Rectangular Tray 1700 x 800mm - Linear Waste	Graphite Black	GEM17080RBL
Rectangular Tray 1700 x 800mm - Linear Waste	Flint Grey	GEM17080RGL
Rectangular Tray 1700 x 900mm - Linear Waste	White	GEM17090RGL

Flow rate 24 l/min when tested under a constant 15mm head of water, in accordance with clause 5 of BS EN 274-2:2002



GRAPHITE BLACK TRAY WITH LINEAR WASTE

COLOUR MATCHED WASTE GRILLS

COLOURED GRILLS

PRODUCT DESCRIPTION	COLOUR	CODE
Gemstone Grill 70mm - Linear	Graphite Black	GEMG70LB
Gemstone Grill 70mm - Linear	Chrome	GEMG70LC
Gemstone Grill 70mm - Linear	Flint Grey	GEMG70LG
Gemstone Grill 70mm - Linear	White	GEMG70LW
Gemstone Grill 70mm - Linear	Onxy Black	GEMG70LOB
Gemstone Grill 80mm - Linear	Graphite Black	GEMG80LB
Gemstone Grill 80mm - Linear	Chrome	GEMG80LC
Gemstone Grill 80mm - Linear	Flint Grey	GEMG80LG
Gemstone Grill 80mm - Linear	White	GEMG80LW
Gemstone Grill 90mm - Linear	Graphite Black	GEMG90LB
Gemstone Grill 90mm - Linear	Chrome	GEMG90LC
Gemstone Grill 90mm - Linear	Flint Grey	GEMG90LG
Gemstone Grill 90mm - Linear	White	GEMG90LW
Gemstone Grill Square	Graphite Black	GEMGSB
Gemstone Grill Square	Chrome	GEMGSC
Gemstone Grill Square	Flint Grey	GEMGSG
Gemstone Grill Square	White	GEMGSW
Gemstone Grill Square	Onyx Black	GEMGSOB



GEMSTONE INFORMATION

GUARANTEE

Your Gemstone tray must be inspected 100% before installation. Fitting of tray is acceptance of quality. Please read fitting instructions fully before installation.

Before tiling and placing the screen or any other fixed material on the shower tray, please make sure that the perimeters of your tray are 100% level in all directions.

The guarantee only covers the replacement or repair of the product and excludes any other compensation, assembly or travel costs.

Gemstone Trays are guaranteed for 2 years, in accordance with current European regulations.

The following are excluded from the guarantee:

- Damage caused by misuse
- Damage caused by the use of unsuitable cleaning materials (do not use products containing acids, alcohol, chlorine or solvents, do not spill drain cleaners onto the shower tray, do not use metallic or scouring pads)
- Damage caused by improper installation
- Damage caused by the improper handling of the product

Our products must be installed by qualified personnel to be eligible for the product guarantee. An installation guide will be delivered with the tray for its proper placement.

Before installing the tray you should make sure that:

- The tray drains well and is 100% level
- It has no anomalies
- The tray has been stored in a horizontal position, on a flat surface, until installation

CLEANING

- Routine: rinse and leave to dry
- Thorough: rub with a soft cloth with neutral liquid detergent; for limescale prevention use an anti-lime product

Please note, Gemstone Trays are manufactured from a natural stone resin composition. You must allow for a tray thickness tolerance of 2 - 3mm.

CHEMICAL TESTS

Chemical resistance tested in accordance with UNE-EN 12527 - No deterioration.

CHEMICAL TESTING COMPOSITION

Acetyl acid (10%), sodium hydroxide (10%), ethanol (70%), bleach, methylene blue (1%).

CLEANING SOLVENT (PRODUCT)	EXPOSURE TIME (DAYS)	RESULT OF VISUAL INSPECTION
Don Limpio Neutral PH	4	No Visible Effect
Perfumed Home Bleach	4	Slight Bleaching
Ace	4	Slight Bleaching
Perfumed Ammonia	4	No Visible Effect
Viakal	4	Slight Bleaching
Cillit Bang	4	No Visible Effect
KH-7 Anti-lime	4	No Visible Effect
White Wine Vinegar	4	No Visible Effect
Povidone Iodine	4	No Visible Effect
Hydrochloric Acid	4	No Visible Effect
Hydrogen Peroxide	4	No Visible Effect
Cleaning Solvent	4	No Visible Effect
Methylated Spirits	4	No Visible Effect
Acetone	4	No Visible Effect
Nail Polish Remover	4	No Visible Effect

PACKAGING AND STORAGE

The products are delivered packed in individual boxes with expanded polystyrene reinforcements, including the drainage grate. Gemstone trays must be stored in a horizontal position on a flat surface until installation. This prevents the tray from losing shape.

FAQ

Can it be cut?
Yes, with a diamond cutting wheel.

Note - Maximum trim of 200mm on rectangular waste trays. Maximum trim of 100mm on linear waste trays, with the cut applied to opposite end to the linear drain.

Can it be repaired?
Although they are highly resistant to any impact, we have a repair kit available to the customer. Please contact us on 01279 443 644 to order your Gemstone Tray repair kit. Lead time applies.

How should the product be cleaned?
We recommend cleaning with water and neutral soap, applied with a sponge, never with scouring products or tools.

What material should I use to install the products?
Your Gemstone tray must be installed on a fully level glue-cement or mortar base. For sealing the product, it is recommended to use MS flexible polyurethane sealant and / or a neutral silicone.

QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair Shower doors and wetrooms are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150.

Flair products are performance tested to EN14428. Shower doors and rotating wetroom panels have been subject to lifetime shower door cycle testing consisting of 20,000 functional cycles.

Flair Shower doors and rotating wetroom panels have also been tested for their durability, stability, and water retention properties to ensure that they meet the highest possible industry standards. Water is maintained where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions. Please note - Due to the weight of certain products, they may require a two man lift.

Images shown in this catalogue are for illustrative purposes only. All descriptions contained in this catalogue are for the purpose of explaining each product more clearly and do not form part of any contract with the company.

Guarantee

ORO & ETO Shower Doors are covered by a lifetime guarantee against manufacturer defect. A lifetime guarantee constitutes a term of 20 years. AYO Wetrooms and Bathscreens are covered by a 20 year guarantee against manufacturer defect. Shower Trays are subject to manufacturer guarantee. All guarantees are valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. This guarantee is for domestic use only.

***Note: Non glass and detachable parts such as seals and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase. Glass shattering is not subject to Lifetime guarantee.**

We ask our customers to register their guarantee online at flaishowers.com or return the guarantee card that comes with every Flair product.

After-sales & Spare Parts service

Flair Showers are 100% committed to customer service excellence. For ultimate peace of mind, a comprehensive range of spare parts is available for all Flair product ranges. If you would like to talk to an aftercare specialist about your Flair product, please contact us on 0800 180 8050.

Return Policy

Flair will not accept return of any product that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice price will be charged.

Cleaning Guidelines

- Glass: Use a soft cloth and warm soapy water; rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water; rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with warm soapy water.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit / dirt which may have collected over time.

Installation

Full installation instructions are provided with each product to ensure correct installation. All Shower doors and wetroom panels are adjustable between the dimensions stated. All dimensions are approximate.

Shower Tray Installation

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

Conditions of Sale

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



DESIGNED FOR LIFE



SINCE
1952

flair

CELEBRATING 70 YEARS

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer innovative designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



COMMERCIAL PROJECTS



GRAND CENTRAL, BELFAST

The Grand Central Hotel is at the heart of Belfast City. Set in the Linen Quarter with 300 bedrooms designed for absolute comfort and relaxation.



MARIANELLA, DUBLIN

Marianella is a flagship development of the finest new apartments and houses in stunningly landscaped grounds in Rathgar, Dublin.



RADISSON BLU HOTEL, ATHLONE

A fantastic waterfront hotel, with scenic views over the river and town. Raddison Blu Hotels are designed to ensure that guests enjoy a truly memorable experience.



ARBUTUS, MONTENOTTE, CORK

Perched on a south-facing hillside site, Arbutus Montenotte makes the most of its defining feature; sweeping, panoramic views over the cityscape laid out below. From this vantage point on high you can enjoy the best of both worlds – an escape from the crowded city streets, with all their amenities still within easy reach.



GRAND CENTRAL HOTEL,
BELFAST

QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All ORO Shower Doors are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150.

Flair products are performance tested to EN14428. This means that ORO Shower Enclosures have been subject to lifetime shower cycle testing consisting of 20,000 functional cycles, water tests, impact tests and 10,000 corrosion cycle tests for all components. ORO Doors are also tested for their durability, stability and water retention properties to ensure that they meet the highest possible industry standards. Please note - Due to the weight of this product it requires a two man lift.

INSTALLATION

Full installation instructions are provided with each ORO product to ensure correct installation. ORO Shower Doors and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.

ORO Lifetime Guarantee.

ORO Shower Doors are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. ***Note: Non glass and detachable parts such as rollers, seals, door dampeners and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every ORO door.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

Aftersales & Spare Parts service

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



HAND CRAFTED ORO
HANDLE DESIGN



APRIL 2022

DESIGNED FOR LIFE

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com

CELEBRATING **75** YEARS



Connect with us



FLAIRSHOWERS.COM