
CREATING
PERFECT
HARMONY

ORO

flair



CREATING
PERFECT
HARMONY



PRODUCT DESIGN AWARD WINNER 2018

Flair are proud to have received three design accolades, in recognition of the ORO frameless shower door collection.

The Good Design Award, RedDot Award, and iF Design Award are seals of global design excellence and a testimony to our passion for product quality and innovation.



THE ORO[®] COLLECTION

At Flair we understand that our customers have an ever demanding daily routine. Be it first thing in the morning or as you finish the day, a shower has the power to lift your spirits, calm the mind and invigorate.

In creating the ORO range, our aim is to enrich lives with beautifully designed products for living and giving, that are a pleasure to use.

With a graceful aesthetic, the award winning ORO collection is a union of design innovation and functional perfection. The hand crafted ORO door handles are one of a kind and distinctly individual. Elegance shines through the curved profile and hinge detailing. Each ORO component is carefully considered to enhance your experience every day.

As you explore the ORO catalogue, we hope you are captivated by every detail.



VISIONARY INNOVATIONS

COUNTERSUNK INTERIOR HINGES
WITH FLUSH TO GLASS FINISH




CURVED HINGE
DETAILING



SIGNATURE
HANDLE
DESIGN



UNIQUELY CRAFTED
BI-FOLD HANDLE



PATENTED MAGNETIC
GUIDE SYSTEM




MINIMALIST BOTTOM
DOOR GUIDE


FUNCTIONAL INNOVATIONS



ULTRA
CLEAR
DOOR
SEALS




CUSHION
CLOSE
DAMPENER
SYSTEM



CURVED
RADIUS
DETAILING
THROUGHOUT





IDEA
CONCEPT
PROTOTYPE
ORO



VISIONARY DETAILS

	2 METRES HIGH		CONCEALED INTERIOR FIXATION POINTS
	8mm TOUGHENED SAFETY GLASS TO EN12150		INNOVATIVE ULTRA CLEAR SEALS
	CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE		SUITABLE FOR SHOWER TRAY OR WETROOM FLOOR INSTALLATION
	UNIQUELY CRAFTED CHROME PLATED HANDLE		

THE ORO[®] COLLECTION

SLIDER DOOR 12	SLIDER DOOR WITH FRAMELESS SIDE PANEL 14	HINGE DOOR 16
HINGE DOOR WITH FRAMELESS SIDE PANEL 18	HINGE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL 20	HINGE & INLINE DOOR 22
HINGE & INLINE DOOR WITH FRAMELESS SIDE PANEL 24	HINGE & INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL 26	BIFOLD DOOR 28
BIFOLD DOOR WITH FRAMELESS SIDE PANEL 30	BIFOLD DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL 32	HINGED QUADRANT DOOR 34
HINGED OFFSET QUADRANT DOOR 36	SLIDING QUADRANT DOOR 38	SLIDING OFFSET QUADRANT DOOR 40


SLIDER DOOR

A delightful choice, the ORO Slider Door glides along with smooth perfection. The patented magnetic guide on the bottom of the door is the first of its kind on the market. 8mm toughened safety glass offers a tactile feeling of strength and quality.

The **floating top rail design** is a signature characteristic of the ORO range. With a **seamless interior cover cap**, the top rail also cleverly conceals the roller system. The finishing touch is the **unique handle design** – beautifully formed and a pleasure to use.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Sliding Door 1100mm Left Hand	1060mm	1100mm	430mm	OROSA110LSC
Sliding Door 1100mm Right Hand	1060mm	1100mm	430mm	OROSA110RSC
Sliding Door 1200mm Left Hand	1160mm	1200mm	465mm	OROSA120LSC
Sliding Door 1200mm Right Hand	1160mm	1200mm	465mm	OROSA120RSC
Sliding Door 1400mm Left Hand	1360mm	1400mm	565mm	OROSA140LSC
Sliding Door 1400mm Right Hand	1360mm	1400mm	565mm	OROSA140RSC
Sliding Door 1500mm Left Hand	1460mm	1500mm	615mm	OROSA150LSC
Sliding Door 1500mm Right Hand	1460mm	1500mm	615mm	OROSA150RSC
Sliding Door 1600mm Left Hand	1560mm	1600mm	665mm	OROSA160LSC
Sliding Door 1600mm Right Hand	1560mm	1600mm	665mm	OROSA160RSC



ORO RIGHT HAND SLIDER DOOR (Alcove)

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

40mm

PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

SEAMLESS INTERIOR COVER STRIPS

PATENTED MAGNETIC GUIDE SYSTEM

CUSHION CLOSE DAMPENER MECHANISM

CLEARVUE GLASS COATING



ORO LEFT HAND SLIDER DOOR
INSTALLED WITH FRAMELESS SIDE PANEL

SLIDER DOOR WITH FRAMELESS SIDE PANEL

The ORO Slider Door installed with frameless side panel is a distinctly stylish option for your bathroom.

The **patented magnetic guide system** is a key feature, allowing the door to glide smoothly along the bottom rail. The polished chrome corner post gives the slider door and side panel a robust construction, with no requirement for additional stabilising bar support. With a **seamless interior cover cap**, the floating top rail cleverly conceals the roller system internally. The finishing touch is the **uniquely designed handle**, beautifully formed to give a feeling of smooth perfection.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Door 1100mm Left Hand	1060mm	1100mm	430mm	OROSA110LSC
Sliding Door 1100mm Right Hand	1060mm	1100mm	430mm	OROSA110RSC
Sliding Door 1200mm Left Hand	1160mm	1200mm	465mm	OROSA120LSC
Sliding Door 1200mm Right Hand	1160mm	1200mm	465mm	OROSA120RSC
Sliding Door 1400mm Left Hand	1360mm	1400mm	565mm	OROSA140LSC
Sliding Door 1400mm Right Hand	1360mm	1400mm	565mm	OROSA140RSC
Sliding Door 1500mm Left Hand	1460mm	1500mm	615mm	OROSA150LSC
Sliding Door 1500mm Right Hand	1460mm	1500mm	615mm	OROSA150RSC
Sliding Door 1600mm Left Hand	1560mm	1600mm	665mm	OROSA160LSC
Sliding Door 1600mm Right Hand	1560mm	1600mm	665mm	OROSA160RSC

FRAMELESS SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	670mm	690mm	OROSP70SC
Frameless Side Panel 760mm	730mm	750mm	OROSP76SC
Frameless Side Panel 800mm	770mm	790mm	OROSP80SC
Frameless Side Panel 900mm	870mm	890mm	OROSP90SC
Frameless Side Panel 1000mm	970mm	990mm	OROSP100SC
Frameless Side Panel 1200mm	1170mm	1190mm	OROSP120SC

8mm
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

40mm
PROFILE
ADJUSTMENT

10mm
ULTRA LOW
BOTTOM RAIL


SEAMLESS
INTERIOR
COVER STRIPS

ULTRA CLEAR
SEALS

CUSHION CLOSE
DAMPENER
MECHANISM

PATENTED
MAGNETIC
GUIDE SYSTEM

CLEARVUE
GLASS COATING






ORO HINGE DOOR - RIGHT HAND INSTALLATION

HINGE DOOR

Experience perfection with the 8mm ORO hinge door. Ideal for smaller spaces, this frameless door features curved radius detailing throughout. Interior fixation points are discreetly concealed by an innovative cover cap design. The countersunk interior hinges allow you to wipe the shower glass clean with ease.

Ultra clear magnetic seals give the hinge door a reassuring close action. The finishing touch is the **crafted chrome handles** – shaped to give a tactile feeling of smooth perfection.



DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	760mm	800mm	637mm	OROHD80SC
Hinge Door 900mm	860mm	900mm	737mm	OROHD90SC
Hinge Door 1000mm	960mm	1000mm	837mm	OROHD100SC

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING

LEFT HAND DOOR

L

RIGHT HAND DOOR

R

DOOR CAN BE ADJUSTED BY INSTALLER TO SUIT LEFT OR RIGHT HAND FIXING

8mm TOUGHENED SAFETY GLASS

10mm ULTRA LOW BOTTOM RAIL

SEAMLESS INTERIOR COVER STRIPS

2000mm HEIGHT

CRAFTED HANDLE DESIGN

UNIVERSAL LEFT OR RIGHT HAND OPENING

40mm PROFILE ADJUSTMENT

ULTRA CLEAR SEALS

CLEARVUE GLASS COATING

HINGE DOOR WITH FRAMELESS SIDE PANEL

The ORO hinge door accompanied by a frameless side panel radiates style and contemporary elegance. Designed with durability in mind, each side panel is complemented by a minimalist chrome stabilising bar that boasts discreet fixation points and a streamlined aesthetic.

The **countersunk interior hinges** allows you to wipe the shower glass clean with ease. Pioneering **ultra clear seals** are a feature throughout, with a magnetic door seal providing a reassuring close on the door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	760mm	800mm	637mm	OROHD80SC
Hinge Door 900mm	860mm	900mm	737mm	OROHD90SC
Hinge Door 1000mm	960mm	1000mm	837mm	OROHD100SC

FRAMELESS SIDE PANEL OPTIONS



PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	670mm	690mm	OROSP70SC
Frameless Side Panel 760mm	730mm	750mm	OROSP76SC
Frameless Side Panel 800mm	770mm	790mm	OROSP80SC
Frameless Side Panel 900mm	870mm	890mm	OROSP90SC
Frameless Side Panel 1000mm	970mm	990mm	OROSP100SC
Frameless Side Panel 1200mm	1170mm	1190mm	OROSP120SC

STABILISING BAR

PRODUCT DESCRIPTION	CODE
Straight Stabilising Bar 1050mm	S-ORO105SSB

Note - Stabilising Bar must be purchased with the Hinge Door & Frameless Side Panel.

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



STAINLESS STEEL STRAIGHT STABILISING BAR

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

40mm

PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

CLEARVUE GLASS COATING



ORO HINGE DOOR & FRAMELESS SIDE PANEL - LEFT HAND INSTALLATION

HINGE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

The ORO Hinge Door and ultra frameless corner side panel radiates style and contemporary elegance.

This **corner side panel system** is modular, giving you flexibility with your door and inline panel sizing to suit your shower tray. Minimally designed but with durability in mind, the corner side panel is supported by a **sleek chrome stabilising bar**.

STEP 1 - SELECT ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT	CODE
Ultra Frameless Corner Side Panel 700mm	660 - 680mm	OROCSP70SC
Ultra Frameless Corner Side Panel 760mm	720 - 740mm	OROCSP76SC
Ultra Frameless Corner Side Panel 800mm	760 - 780mm	OROCSP80SC
Ultra Frameless Corner Side Panel 900mm	860 - 880mm	OROCSP90SC
Ultra Frameless Corner Side Panel 1000mm	960 - 880mm	OROCSP100SC

**HINGE DOOR SIZE PLUS CORNER INLINE PANEL SIZE
WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.**

STEP 2 - SELECT HINGE DOOR


PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE
Hinge Door 800mm	760mm	780mm	637mm	OROHD80SC
Hinge Door 900mm	860mm	880mm	737mm	OROHD90SC
Hinge Door 1000mm	960mm	980mm	837mm	OROHD100SC

STEP 3 - CHOOSE CORNER INLINE PANEL KIT

PRODUCT DESCRIPTION	CODE
Corner Inline Panel 100mm Kit	OROKIT1
Corner Inline Panel 200mm Kit	OROKIT2
Corner Inline Panel 300mm Kit	OROKIT3
Corner Inline Panel 400mm Kit	OROKIT4

NOTE - Each corner inline panel kit includes 3 components - inline panel, bottom barrier bar and corner stabilising bar with fixing brackets.


**** Ultra clear seal or 3M tape option supplied for corner inline panel fixation.**




8 E
TOUGHENED
SAFETY
GLASS



2000mm
HEIGHT



20mm
CORNER
SIDE PANEL
ADJUSTMENT



20mm
DOOR
ADJUSTMENT




10mm
ULTRA LOW
BOTTOM RAIL




SUITABLE FOR
SHOWER TRAY
INSTALLATION
ONLY




CRAFTED
HANDLE DESIGN




ULTRA CLEAR
SEALS




SEAMLESS
INTERIOR
COVER STRIPS



UNIVERSAL
LEFT OR RIGHT
HAND OPENING



CLEARVUE
GLASS COATING



ORO HINGE DOOR AND FRAMELESS
CORNER SIDE PANEL (LEFT HAND INSTALLATION)


HINGE AND INLINE DOOR

Striking in its appearance, the ORO Hinge and Inline door is a statement piece for your bathroom. This door exudes charm with its crafted chrome handle and hinge design.


The **interior countersunk hinges** make cleaning the door hassle free. The **angled stabilising bar** blends subtly into the products profile. With **ultra clear magnetic seals** giving a superior close action, this door offers the perfect mix of style and practicality.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Hinge and Inline Door 1100mm Left Hand	1060mm	1100mm	723mm	OROHD110LSC
Hinge and Inline Door 1100mm Right Hand	1060mm	1100mm	723mm	OROHD110RSC
Hinge and Inline Door 1200mm Left Hand	1160mm	1200mm	723mm	OROHD120LSC
Hinge and Inline Door 1200mm Right Hand	1160mm	1200mm	723mm	OROHD120RSC
Hinge and Inline Door 1400mm Left Hand	1360mm	1400mm	723mm	OROHD140LSC
Hinge and Inline Door 1400mm Right Hand	1360mm	1400mm	723mm	OROHD140RSC
Hinge and Inline Door 1600mm Left Hand	1560mm	1600mm	723mm	OROHD160LSC
Hinge and Inline Door 1600mm Right Hand	1560mm	1600mm	723mm	OROHD160RSC



STAINLESS STEEL
ANGLED STABILISING BAR



ORO LEFT HAND HINGE AND INLINE DOOR (alcove)

8E

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

40E

PROFILE ADJUSTMENT

10E

ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

STAINLESS STEEL ANGLED STABILISING BAR

CLEARVUE GLASS COATING



ORO HINGE & INLINE DOOR WITH FRAMELESS SIDE PANEL - RIGHT HAND INSTALLATION

HINGE & INLINE DOOR WITH FRAMELESS SIDE PANEL


This impressive ensemble of ORO Hinge and Inline door, frameless side panel and T-bar stabiliser is engineered with the utmost attention to detail.

The **gently curved hinges** have a countersunk interior design and can be wiped clean with ease. The **T-bar stabiliser** has concealed fixings and its sleek construction blends subtly into the product design. The finishing touch is the **crafted chrome handles**, their perfect symmetry complementing the overall elegance of the door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge and Inline Door 1100mm Left Hand	1060mm	1100mm	723mm	OROHD110LSC
Hinge and Inline Door 1100mm Right Hand	1060mm	1100mm	723mm	OROHD110RSC
Hinge and Inline Door 1200mm Left Hand	1160mm	1200mm	723mm	OROHD120LSC
Hinge and Inline Door 1200mm Right Hand	1160mm	1200mm	723mm	OROHD120RSC
Hinge and Inline Door 1400mm Left Hand	1360mm	1400mm	723mm	OROHD140LSC
Hinge and Inline Door 1400mm Right Hand	1360mm	1400mm	723mm	OROHD140RSC
Hinge and Inline Door 1600mm Left Hand	1560mm	1600mm	723mm	OROHD160LSC
Hinge and Inline Door 1600mm Right Hand	1560mm	1600mm	723mm	OROHD160RSC

Angled stabilising bar included with each door.



FRAMELESS SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	670mm	690mm	OROSP70SC
Frameless Side Panel 760mm	730mm	750mm	OROSP76SC
Frameless Side Panel 800mm	770mm	790mm	OROSP80SC
Frameless Side Panel 900mm	870mm	890mm	OROSP90SC
Frameless Side Panel 1000mm	970mm	990mm	OROSP100SC
Frameless Side Panel 1200mm	1170mm	1190mm	OROSP120SC

STABILISING BAR & T PIECE

PRODUCT DESCRIPTION	CODE
Straight Stabilising Bar 1600mm with T Piece	S-ORO160SSB+TB

Note - Stabilising Bar must be purchased with the Hinge & Inline Door & Frameless Side Panel.



T-BAR STABILISER

8 TOUGHENED SAFETY GLASS

2000mm HEIGHT

40 PROFILE ADJUSTMENT

10 ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

CLEARVUE GLASS COATING

HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

Setting the standard in frameless design, the Hinge and Inline door with ultra frameless corner side panel will make a real style statement in your bathroom.

A **generously proportioned shower enclosure**, this modular design is ideal for larger showering spaces. With durability in mind, the **corner side panel** is supported by a minimalist chrome stabilising bar.

STEP 1 - SELECT ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT	CODE
Ultra Frameless Corner Side Panel 700mm	660 - 680mm	OROCSP70SC
Ultra Frameless Corner Side Panel 760mm	720 - 740mm	OROCSP76SC
Ultra Frameless Corner Side Panel 800mm	760 - 780mm	OROCSP80SC
Ultra Frameless Corner Side Panel 900mm	860 - 880mm	OROCSP90SC
Ultra Frameless Corner Side Panel 1000mm	960 - 980mm	OROCSP100SC

HINGE AND INLINE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.

STEP 2 - SELECT HINGE AND INLINE DOOR



PRODUCT DESCRIPTION	ADJUSTMENT MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Hinge and Inline Door 1100mm Left Hand	1060mm	1080mm	723mm	OROHD110LSC
Hinge and Inline Door 1100mm Right Hand	1060mm	1080mm	723mm	OROHD110RSC
Hinge and Inline Door 1200mm Left Hand	1160mm	1180mm	723mm	OROHD120LSC
Hinge and Inline Door 1200mm Right Hand	1160mm	1180mm	723mm	OROHD120RSC

STEP 3 - CHOOSE CORNER INLINE PANEL KIT

PRODUCT DESCRIPTION	CODE
Corner Inline Panel 100mm Kit	OROKIT5
Corner Inline Panel 200mm Kit	OROKIT6
Corner Inline Panel 300mm Kit	OROKIT7
Corner Inline Panel 400mm Kit	OROKIT8

NOTE - Each corner inline panel kit includes 3 components - inline panel, bottom barrier bar and corner stabilising bar with fixing brackets.

**** Ultra clear seal or 3M tape option supplied for corner inline panel fixation.**



ORO LEFT HAND HINGE AND INLINE DOOR WITH FRAMELESS CORNER SIDE PANEL

8€
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

20€
CORNER SIDE PANEL ADJUSTMENT

20€
DOOR ADJUSTMENT

10€
ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

SUITABLE FOR SHOWER TRAY INSTALLATION ONLY

CLEARVUE GLASS COATING



ORO BI-FOLD -
RIGHT HAND INSTALLATION

BIFOLD DOOR

The ingenious design of the ORO Bifold Door makes it a firm favourite amongst this 8mm shower door range.

The **innovative 360 degree hinge mechanism** enables the door to open inwards and outwards, offering you total flexibility. A **self stop hinge action** prevents the door glass extending into contact with the shower wall or door hinges. The bifold hinge is meticulously engineered giving this frameless door exceptional stability. The **signature ORO handle design** adds the finishing touch to this bijoux beauty.

DOOR SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 800mm	760mm	800mm	563mm	OROBF80SC
Bifold Door 900mm	860mm	900mm	663mm	OROBF90SC
Bifold Door 1000mm	960mm	1000mm	763mm	OROBF100SC



CRAFTED
CHROME
HANDLES

INNOVATIVE
FOLDING
HINGE
DESIGN

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



8mm
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

40mm
PROFILE
ADJUSTMENT

SEAMLESS
INTERIOR
COVER STRIPS

CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

UNIVERSAL
LEFT OR RIGHT
HAND OPENING

CLEARVUE
GLASS COATING

10mm
ULTRA LOW
BOTTOM RAIL

BIFOLD DOOR WITH FRAMELESS SIDE PANEL

The versatility of the ORO Bifold Door and side panel is firmly appreciated by all. Designed to open both inwards and outwards, an innovative self stop hinge mechanism prevents the bifold door from folding into contact with the glass panels or shower wall.

The raised stabilising bar is designed to accompany a frameless side panel and with its extra height, it allows the door to fold inwards without restriction. The **crafted handle and curved hinge detailing** accentuate the beauty of this bifold door and side panel offering.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Bifold Door 800mm	760mm	800mm	563mm	OROBF80SC
Bifold Door 900mm	860mm	900mm	663mm	OROBF90SC
Bifold Door 1000mm	960mm	1000mm	763mm	OROBFI00SC


FRAMELESS SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE
Frameless Side Panel 700mm	670mm	690mm	OROSP70SC
Frameless Side Panel 760mm	730mm	750mm	OROSP76SC
Frameless Side Panel 800mm	770mm	790mm	OROSP80SC
Frameless Side Panel 900mm	870mm	890mm	OROSP90SC
Frameless Side Panel 1000mm	970mm	990mm	OROSP100SC
Frameless Side Panel 1200mm	1170mm	1190mm	OROSP120SC

STABILISING BAR

PRODUCT DESCRIPTION	CODE
Raised Stabilising Bar 1050mm	S-ORO105HSSB

Note - Stabilising Bar must be purchased with the Bi-Fold door & Frameless Side Panel.



UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



ORO BI-FOLD AND FRAMELESS SIDE PANEL - LEFT HAND INSTALLATION

8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

20mm
PROFILE ADJUSTMENT

10mm
ULTRA LOW BOTTOM RAIL

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

CLEARVUE GLASS COATING

BIFOLD DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

The ORO Bifold and ultra frameless corner side panel is a truly versatile shower door choice. Designed to open both inwards and outwards, the self stop hinge mechanism prevents the bifold door from folding into contact with the glass panels. The **raised stabilising bar** is engineered to accompany the **frameless corner side panel** and with its extra height, allows the door to fold inwards without restriction.

STEP 1 - SELECT ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT DESCRIPTION	ADJUSTMENT	CODE
Ultra Frameless Corner Side Panel 700mm	660 - 680mm	OROCSP70SC
Ultra Frameless Corner Side Panel 760mm	720 - 740mm	OROCSP76SC
Ultra Frameless Corner Side Panel 800mm	760 - 780mm	OROCSP80SC
Ultra Frameless Corner Side Panel 900mm	860 - 880mm	OROCSP90SC
Ultra Frameless Corner Side Panel 1000mm	960 - 880mm	OROCSP100SC

**BIFOLD DOOR SIZE PLUS CORNER INLINE PANEL SIZE
WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.**

STEP 2 - SELECT BI-FOLD DOOR


PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE
Bifold Door 800mm	760mm	780mm	563mm	OROBF80SC
Bifold Door 900mm	860mm	880mm	663mm	OROBF90SC
Bifold Door 1000mm	960mm	980mm	763mm	OROBFI00SC

STEP 3 - CHOOSE CORNER INLINE PANEL KIT


PRODUCT DESCRIPTION	CODE
Corner Inline Panel 100mm Kit	OROKIT1
Corner Inline Panel 200mm Kit	OROKIT2
Corner Inline Panel 300mm Kit	OROKIT3
Corner Inline Panel 400mm Kit	OROKIT4

NOTE - Each corner inline panel kit includes 3 components - inline panel, bottom barrier bar and corner stabilising bar with fixing brackets.


**** Ultra clear seal or 3M tape option supplied for corner inline panel fixation.**




8mm
TOUGHENED
SAFETY
GLASS




2000mm
HEIGHT




20mm
CORNER
SIDE PANEL
ADJUSTMENT




20mm
DOOR
ADJUSTMENT




10mm
ULTRA LOW
BOTTOM RAIL




CRAFTED
HANDLE DESIGN




ULTRA CLEAR
SEALS




SEAMLESS
INTERIOR
COVER STRIPS




UNIVERSAL
LEFT OR RIGHT
HAND OPENING



CLEARVUE
GLASS COATING



SUITABLE FOR
SHOWER TRAY
INSTALLATION
ONLY



ORO BIFOLD DOOR AND FRAMELESS
CORNER SIDE PANEL (LEFT HAND INSTALLATION)


HINGED QUADRANT DOOR

A hallmark of elegance, the ORO Hinged Quadrant will add a touch of class to your bathroom.

The frameless curved glass is supported by 2 stainless steel stabilising bars that blend seamlessly into the door silhouette. Flush to glass interior **counter sunk hinges** allows you to easily wipe the shower glass clean. Precise in its action, the curved hinge door is secured by **ultra clear magnetic seals** that give the perfect close on this enclosure.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ORO Hinged Quadrant 900mm Left Hand	870mm	890mm	570mm	OROHQ90LSC
ORO Hinged Quadrant 900mm Right Hand	870mm	890mm	570mm	OROHQ90RSC
ORO Hinged Quadrant 1000mm Left Hand	970mm	990mm	570mm	OROHQ100LSC
ORO Hinged Quadrant 1000mm Right Hand	970mm	990mm	570mm	OROHQ100RSC



8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

20mm
PROFILE ADJUSTMENT

COUNTERSUNK INTERIOR HINGES

10mm
ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

STAINLESS STEEL ANGLED STABILISING BARS

CLEARVUE GLASS COATING



ORO RIGHT HAND HINGED QUADRANT




ORO RIGHT HAND OFFSET HINGED QUADRANT
(to suit right hand offset quadrant shower tray)


HINGED OFFSET QUADRANT DOOR

Setting the standard in frameless design, the ORO Offset Hinged Quadrant is a shower door of sheer beauty and elegance for your bathroom. The curved frameless glass is supported by 2 minimalist stainless steel stabilising bars. Flush to glass interior counter sunk hinges allow you to easily wipe the shower glass clean.

Precise in its action, the curved hinge door is secured by **ultra clear magnetic seals** that give the perfect close on the shower enclosure.



CRAFTED
HANDLE
DESIGN



STAINLESS
STEEL
STABILISING
BAR WITH
CONCEALED
FIXINGS

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Hinged Quadrant 1000 x 800mm Left Hand	770-970mm	790-990mm	570mm	OROHQ80X100LSC
Offset Hinged Quadrant 1000 x 800mm Right Hand	770-970mm	790-990mm	570mm	OROHQ80X100RSC
Offset Hinged Quadrant 1000 x 900mm Left Hand	870-970mm	890-990mm	570mm	OROHQ90X100LSC
Offset Hinged Quadrant 1000 x 900mm Right Hand	870-970mm	890-990mm	570mm	OROHQ90X100RSC
Offset Hinged Quadrant 1200 x 800mm Left Hand	770-1170mm	790-1190mm	570mm	OROHQ80X120LSC
Offset Hinged Quadrant 1200 x 800mm Right Hand	770-1170mm	790-1190mm	570mm	OROHQ80X120RSC
Offset Hinged Quadrant 1200 x 900mm Left Hand	870-1170mm	890-1190mm	570mm	OROHQ90X120LSC
Offset Hinged Quadrant 1200 x 900mm Right Hand	870-1170mm	890-1190mm	570mm	OROHQ90X120RSC

LEFT HAND
DOOR



L

RIGHT HAND
DOOR



R

HANDED PRODUCT
PLEASE SELECT THE CORRECT
DOOR OPENING FOR YOUR SPACE

8mm

TOUGHENED
SAFETY
GLASS

2000mm

HEIGHT

20mm

PROFILE
ADJUSTMENT

COUNTERSUNK
INTERIOR
HINGES

10mm

ULTRA LOW
BOTTOM RAIL

CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

SEAMLESS
INTERIOR
COVER STRIPS

STAINLESS
STEEL ANGLED
STABILISING
BARS

CLEARVUE
GLASS COATING


SLIDING QUADRANT DOOR

Creative engineering has shaped the unique ORO Sliding Quadrant. The top floating rail design ingeniously encloses the roller system to give the door a sleek polished look. Practically speaking, the concealed rollers ensure reduced cleaning time.

Functional distinction continues with the **patented magnetic guide system** – this design innovation guarantees the smoothest motion as the door glides around the bottom rail. The final detail is the **crafted handle design**, befitting for the overall elegance of this door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Quadrant 900mm Left Hand	870mm	890mm	500mm	OROSQ90LSC
Sliding Quadrant 900mm Right Hand	870mm	890mm	500mm	OROSQ90RSC
Sliding Quadrant 1000mm Left Hand	970mm	990mm	500mm	OROSQ100LSC
Sliding Quadrant 1000mm Right Hand	970mm	990mm	500mm	OROSQ100RSC



8mm
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

20mm
PROFILE
ADJUSTMENT

10mm
ULTRA LOW
BOTTOM RAIL

CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

PATENTED
MAGNETIC
GUIDE SYSTEM

CUSHION CLOSE
DAMPENER
MECHANISM

CLEARVUE
GLASS COATING



ORO RIGHT HAND SLIDING QUADRANT



ORO RIGHT HAND OFFSET SLIDING QUADRANT
(to suit right hand offset quadrant shower tray)


SLIDING OFFSET QUADRANT DOOR

Generously proportioned, the ORO Sliding Offset Quadrant is designed to impress in your bathroom. The signature floating rail design cleverly encloses the rollers to give the door a sleek appearance.

Design excellence continues with the **patented magnetic guide system** ensuring the smoothest of motion as the door glides around the bottom rail. The **crafted chrome handles** have perfect symmetry, in line with the overall elegance of the door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Offset Sliding Quadrant 1000 x 800mm Left Hand	770-970mm	790-990mm	470mm	OROSQ80X100LSC
Offset Sliding Quadrant 1000 x 800mm Right Hand	770-970mm	790-990mm	470mm	OROSQ80X100RSC
Offset Sliding Quadrant 1000 x 900mm Left Hand	870-970mm	890-990mm	470mm	OROSQ90X100LSC
Offset Sliding Quadrant 1000 x 900mm Right Hand	870-970mm	890-990mm	470mm	OROSQ90X100RSC
Offset Sliding Quadrant 1200 x 800mm Left Hand	770-1170mm	790-1190mm	500mm	OROSQ80X120LSC
Offset Sliding Quadrant 1200 x 800mm Right Hand	770-1170mm	790-1190mm	500mm	OROSQ80X120RSC
Offset Sliding Quadrant 1200 x 900mm Left Hand	870-1170mm	890-1190mm	500mm	OROSQ90X120LSC
Offset Sliding Quadrant 1200 x 900mm Right Hand	870-1170mm	890-1190mm	500mm	OROSQ90X120RSC



8E
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

20E
PROFILE
ADJUSTMENT

10E
ULTRA LOW
BOTTOM RAIL

CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

PATENTED
MAGNETIC
GUIDE SYSTEM

SEAMLESS
INTERIOR
COVER STRIPS

CUSHION CLOSE
DAMPENER
MECHANISM

CLEARVUE
GLASS COATING

COMMERCIAL PROJECTS



GRAND CENTRAL, BELFAST

The Grand Central Hotel is at the heart of Belfast City. Set in the Linen Quarter with 300 bedrooms designed for absolute comfort and relaxation.



MARIANELLA, DUBLIN

Marianella is a flagship development of the finest new apartments and houses in stunningly landscaped grounds in Rathgar, Dublin.



RADISSON BLU HOTEL, ATHLONE

A fantastic waterfront hotel, with scenic views over the river and town. Raddison Blu Hotels are designed to ensure that guests enjoy a truly memorable experience.



MARIANELLA,
DUBLIN




GRAND CENTRAL HOTEL,
BELFAST

ORO[®] DOOR STYLES & HANDED DOOR GUIDE


HINGED QUADRANT DOOR

Please select carefully the ORO Hinged Quadrant that is the correct hand opening for your space.




HINGED OFFSET QUADRANT DOOR

Please select carefully the ORO Hinged Offset Quadrant that is the correct shape for your offset shower tray.




SLIDING QUADRANT DOOR

Please select carefully the ORO Sliding Quadrant that is the correct hand opening for your space.




SLIDING OFFSET QUADRANT DOOR

Please select carefully the ORO Sliding Offset Quadrant that is the correct shape for your offset shower tray.




SLIDER DOOR

Please select carefully the ORO Slider Door that is the correct hand opening for your space.




HINGED DOOR

The ORO Hinged Door is universal, so it can be adapted at installation to suit either left or right hand installation.




HINGED AND INLINE DOOR

Please select carefully the ORO Hinge and Inline Door that is the correct hand opening for your space.



BI-FOLD DOOR

The ORO Bi-Fold Door is universal, so it can be adapted at installation to suit either left or right hand installation.




ORO[®] WATER RETENTION GUIDE

ORO Sliding Doors have a new award winning design that reduces the need for invasive seals or large bottom rails allowing the customer a unique frameless showering experience.

As standard, ORO Sliding Doors come with a minimalist bottom barrier bar that does not include the use of an invasive seal or large bottom rail as part of the frameless design.

The ORO enclosure range is tested and certified for water retention in accordance with EN14428 where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions.

However, in unconventional showering practices, to further improve water retention and minimise any water escaping from the shower enclosure we have designed additional water retention solutions for optional use by customers.



A - Sliding Door Glass
B - Minimal Barrier Bar


OPTION 1 THRESHOLD SEAL

The ORO Threshold seal is a minimal 15mm high silver profile with a discreet clear seal that can be easily fitted on top of the barrier bar during or after installation.


The Threshold seal will provide an increased level of water retention and protect against large surges of water escaping from the shower area. ORO Threshold seals are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:

S-OROSA110TSS, S-ORO120TSS,
S-OROSA140-160TSS, S-OROSQTSS



A - Sliding Door Glass
B - Minimal Barrier Bar
I - Threshold Seal



OPTION 2 THRESHOLD BARRIER BAR


The ORO Threshold Barrier Bar is a larger 27mm high barrier bar which can be easily fitted on top of the barrier bar during or after installation.

The Threshold Barrier Bar offers the highest level of water retention available in the ORO Frameless Sliding Door's design.

ORO Threshold Barrier Bars are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:

S-OROSA110TBS, S-ORO120TBS,
S-OROSA140-160TBS, S-OROSQTBS



A - Sliding Door Glass
B - Minimal Barrier Bar
2 - Threshold Bar



DESIGNED =OR LIFE



SINCE
1952

flair
—

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer our customers innovative designs that bring a new sense of enrichment to their bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All ORO Shower Doors are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150.

Flair products are performance tested to EN14428. This means that ORO Shower Enclosures have been subject to lifetime shower cycle testing consisting of 20,000 functional cycles, water tests, impact tests and 10,000 corrosion cycle tests for all components. ORO Doors are also tested for their durability, stability and water retention properties to ensure that they meet the highest possible industry standards. Please note - Due to the weight of this product it requires a two man lift.

INSTALLATION

Full installation instructions are provided with each ORO product to ensure correct installation. ORO Shower Doors and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.

ORO Lifetime Guarantee.

ORO Shower Doors are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. ***Note: Non glass and detachable parts such as rollers, seals, door dampeners and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every ORO door.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.


Aftersales & Spare Parts service

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



HAND CRAFTED ORO
HANDLE DESIGN

2020

DESIGNED FOR LIFE

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flaishowers.com

Connect with us



FLAIRSHOWERS.COM