TRUST **FLAIR**TRUST **PRO**

THE **ULTIMATE** EASY FIT SHOWERING SOLUTIONS

ROI - MAY 2025





ESSENTIAL COLLECTIONS
TECHNICAL
FLAIRSHOWERS.COM







HAVE YOU CLICKED YET?





EXCEPTIONAL EVERYDAY.

Flair has been designing showering solutions for over 70 years and perfecting them since. Our products are beautifully designed and expertly engineered to stand the test of time in the busiest of bathrooms. At Flair our vision is to produce beautifully designed, expertly crafted showering solutions for every customer, every budget, style & space.

The tradition of design excellence continues with the launch of our Flair PRO Essential Collections; an extensive portfolio of shower enclosures, wetrooms, and bathscreens that are tailored to meet the exacting demands of trade professionals.

Flair PRO Essential Collections are engineered for quick installation without having to compromise on quality, look and feel. We are trusted for our commitment to delivering innovative solutions that make your job quicker and easier.

All backed by Flair's 20 year guarantee.



TRUST **FLAIR**TRUST **PRO**

THE **ULTIMATE** EASY FIT SHOWERING SOLUTIONS

Easy to fit

Flair's professional grade showering solutions have been developed to be quick and easy to fit. Our innovative installation designs mean that frames can be quickly put into place. We also provide user-friendly instructions and generous adjustments.

Built to last

We invest in product design, materials and quality control to make sure our products stand the test of time and provide a true fit-and-forget solution.

Unrivalled choice

Our showering collections have something for every customer, every budget, style and space.

Exceptional customer support

The success of Flair has been built upon exceptional service and support. From advising on product selection to quickly finding spare parts, our friendly team are here to help.






CLICK FIT >>>>> PRO

Scan the code to visit our YouTube channel and view the Installation Videos

CONTENTS

VERVE PRO	12
VERVE WETROOMS	30
VERVE BATHSCREENS	36
HYDRO EXPRESS	46
	70
FLAIR FRAMELESS	58
SLIMLINE CAPELLA	70
	70
SOUL Premium Grab Bar Collection	83
SHOWER TRAYS	90
SPECIFICATION COMPARISON	106







"With the Installer at the forefront of our minds, we set out to create the ultimate easy fit shower door... Click Fit Pro by Flair."

RONÁN O'GRADY FLAIR PRODUCT DESIGNER

THE FLAIR PRO BLUEPRINT...

Easy to fit

Flair's professional grade showering solutions have been developed to be quick and easy to fit. Our innovative installation designs mean that frames can be quickly put into place. We also provide user-friendly instructions and generous adjustments.

■ Built to last

We invest in product design, materials and quality control to make sure our products stand the test of time and provide a true fit-and-forget solution.

Unrivalled choice

Our showering range has something for every customer, every budget, style and space.

Exceptional customer support

The success of Flair has been built upon exceptional service and support. From advising on product selection to quickly finding spare parts, our friendly team are here to help.

TRUST **FLAIR** TRUST **PRO**



Scan the code to visit our YouTube channel and view the Installation Videos



EXCEPTIONAL EVERYDAY.



FIND YOUR FLAIR.


■ Step 1

Align the horizontal profile and vertical shower door profiles together so they are in a straight upward position.



■ Step 2

Slide the pre-assembled click-fit PRO bracket into place on the vertical profile so the snap hook smoothly locks into the snap fit access port, connecting the two profiles and forming a secure screw-free joint.







SCREW-FREE ASSEMBLY SYSTEM

FOR QUICK & EASY INSTALLATION.



Horizontal Profile

Click Fit Pro Bracket

Snap Hook

Snap Fit Access Port

Vertical Profile







Verve PRO collection – a trusted favourite featuring durable 6mm glass, designed to deliver exceptional performance for everyday projects.

Engineered with the Verve Click Fit PRO assembly system, it ensures quick and hassle-free installation, making it the installers choice.

Available in timeless Silver and Matte Black, Verve PRO combines practicality with effortless style, making it a staple for every bathroom space.

Proven and dependable, Verve PRO is the perfect balance of quality and efficiency for trade professionals.

FINISHES:

SILVER

MATTE BLACK

KEY FEATURES:

6E TOUGHENED SAFETY GLASS

1900mm

50[§] PRODUCT ADJUSTMENT



















1 DOOR QUADRANT & 1 DOOR OFFSET QUADRANT



FINISHES:

SILVER

MATTE BLACK



1 DOOR QUADRANT (RIGHT HAND) - MATTE BLACK

QUICK RELEASE CHROME DOUBLE WHEEL ROLLERS



VERVE PRO – 1 DOOR QUADRANT

SIZE (mm)	ADJUSTMEN MIN (mm)	T SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE BLACK
800	770	795	435	VOCQ80SC	VOCQ80BC
900	870	895	490	VOCQ90SC	VOCQ90BC
1000	970	995	490	VOCQ100SC	VOCQ100BC

VERVE PRO – 1 DOOR OFFSET QUADRANT

SIZE (mm)	ADJUSTMEN MIN (mm)	T SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE BLACK	_	
760 × 900	870-895	970-995	490	VOCQ76X90SC	VOCQ76X90BC		
800 × 900	770-795	870-895	490	VOCQ80X90SC	_	_	-
800 × 1000	770-795	970-995	490	VOCQ80X100SC	VOCQ80X100BC		
900 × 1000	870-895	970-995	490	VOCQ90X100SC	_	_	-
800 × 1200	770-795	1170-1195	490	VOCQ80X120SC	VOCQ80X120BC		
900 x 1200	870-895	1170-1195	490	VOCQ90X120SC	VOCQ90X120BC		

14





2 DOOR QUADRANT & 2 DOOR OFFSET QUADRANT



FINISHES:

SILVER





2 DOOR OFFSET QUADRANT - SILVER


VERVE PRO – 2 DOOR QUADRANT

SIZE (mm)	ADJUSTMEN MIN (mm)	IT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	
800	770	795	390	VCQ80SC	
900	870	895	540	VCQ90SC	

VERVE PRO – 2 DOOR OFFSET QUADRANT

SIZE (mm)	ADJUSTMEN MIN (mm)		ACCESS (mm)	CODE SILVER
800 x 1000	770-795	970-995	470	VCQ80X100SC
800 x 1100	770-795	1070-1095	470	VCQ80X110SC
800 x 1200	770-795	1170-1195	470	VCQ80X120SC
900 x 1100	870-895	1070-1095	540	VCQ90X110SC
900 x 1200	870-895	1170-1195	540	VCQ90X120SC

*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.



TRVE PRO

VERVE PROSLIDING DOOR



FINISHES:

SILVER

MATTE BLACK





VERVE PRO - SLIDING DOOR

SIZE (mm)	ADJUSTMEN MIN (mm)	IT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE BLACK
1000	950	1000	375	VSA100SC	VSA100BC
1100	1050	1100	425	VSA110SC	VSA110BC
1200	1150	1200	475	VSA120SC	VSA120BC
1300	1250	1300	525	VSA130SC	VSA130BC
1400	1350	1400	575	VSA140SC	VSA140BC
1500	1450	1500	575	VSA150SC	VSA150BC
1600	1550	1600	575	VSA160SC	VSA160BC
1700	1650	1700	575	VSA170SC	VSA170BC
1800	1750	1800	575	VSA180SC	


VERVE PRO - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)		CODE SILVER	CODE BLACK
700	670	695	VSP70SC	VSP70BC
760	730	755	VSP76SC	VSP76BC
800	770	795	VSP80SC	VSP80BC
900	870	895	VSP90SC	VSP90BC
1000	970	995	VSP100SC	VSP100BC

30mm compensating wall profile included with every Verve Side Panel Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE PRO - PROFILE EXTENSION

DESCRIPTION	CODE SILVER	CODE BLACK
30mm Compensating Wall Profile	VCB30SC	VCB30BC



LEVEL ACCESS SLIDING DOOR



FINISHES:

SILVER

VERVE PRO - LEVEL ACCESS SLIDING DOOR

VERVE PRO) - LEVE	L ACCE	:55 SLIL	DING DOOR
SIZE (mm)	ADJUSTMEN MIN (mm)	T SIZE MAX (mm)	ACCESS (mm)	CODE SILVER
1000 - Left Hand	950	1000	380	VSASS100LSC
1000 - Right Hand	950	1000	380	VSASS100RSC
I 100 - Left Hand	1050	1100	430	VSASS110LSC
I I 00 - Right Hand	1050	1100	430	VSASS110RSC
1200 - Left Hand	1150	1200	480	VSASS120LSC
1200 - Right Hand	1150	1200	480	VSASS120RSC
1300 - Left Hand	1250	1300	530	VSASS130LSC
1300 - Right Hand	1250	1300	530	VSASS130RSC
1400 - Left Hand	1350	1400	580	VSASS140LSC
1400 - Right Hand	1350	1400	580	VSASS140RSC
1500 - Left Hand	1450	1500	580	VSASS150LSC
1500 - Right Hand	1450	1500	580	VSASS150RSC
1600 - Left Hand	1550	1600	580	VSASS160LSC
1600 - Right Hand	1550	1600	580	VSASS160RSC
1700 - Left Hand	1650	1700	580	VSASS170LSC
1700 - Right Hand	1650	1700	580	VSASS170RSC
1800 - Left Hand	1750	1800	580	VSASS180LSC
1800 - Right Hand	1750	1800	580	VSASS180RSC

VERVE PRO - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)	IT SIZE MAX (mm)	CODE SILVER
700	670	695	VSP70SC
760	730	755	VSP76SC
800	770	795	VSP80SC
900	870	895	VSP90SC
1000	970	995	VSP100SC


30mm Compensating Wall Profile included with every Verve Side Panel Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE PRO - PROFILE EXTENSION

DESCRIPTION	CODE SILVER
30mm Compensating Wall Profile	VCB30SC



LEVEL ACCESS SLIDING DOOR (LEFT HAND) IN ALCOVE



VSASS FEATURES AN **ANTI-JUMP MECHANISM** ENSURING DOOR REMAINS SECURELY ON THE TRACKS





TRIPLE PANEL SLIDING DOOR

FINISHES:

SILVER



TRIPLE PANEL SLIDING DOOR IN ALCOVE

VERVE PRO - TRIPLE PANEL SLIDING DOOR

SIZE (mm)	ADJUSTMEN MIN (mm)	T SIZE MAX (mm)	ACCESS (mm)	CODE SILVER
900	850	900	430	V3SA90SC
1000	950	1000	497	V3SA100SC
1100	1050	1100	563	V3SATIOSC
1200	1150	1200	630	V3SA120SC

VERVE PRO - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)	T SIZE MAX (mm)	CODE SILVER
700	670	695	VSP70SC
760	730	755	VSP76SC
800	770	795	VSP80SC
900	870	895	VSP90SC
1000	970	995	VSP100SC

30mm compensating wall profile included with every Verve Side Panel Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE PRO - PROFILE EXTENSION

DESCRIPTION	CODE SILVER
30mm Compensating Wall Profile	VCB30SC



VERVE PROBIFOLD DOOR

FINISHES:

SILVER

MATTE BLACK



VERVE PRO - BIFOLD DOOR

SIZE (mm)	ADJUSTMEN MIN (mm)	NT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE BLACK
700	650	700	413	VBF70SC	VBF70BC
760	710	760	473	VBF76SC	_
800	750	800	513	VBF80SC	VBF80BC
900	850	900	613	VBF90SC	VBF90BC
1000	950	1000	713	VBF100SC	VBF100BC

VERVE PRO - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)		CODE SILVER	CODE BLACK
700	670	695	VSP70SC	VSP70BC
760	730	755	VSP76SC	VSP76BC
800	770	795	VSP80SC	VSP80BC
900	870	895	VSP90SC	VSP90BC
1000	970	995	VSP100SC	VSP100BC


30mm compensating wall profile included with every Verve Side Panel Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE PRO - INLINE PANELS

SIZE (mm)	CODE SILVER	CODE BLACK
200	VIL20SC	VIL20BC
300	VIL30SC	VIL30BC
400	VIL40SC	VIL40BC
500	VIL50SC	VIL50BC

VERVE PRO - PROFILE EXTENSION

DESCRIPTION	CODE SILVER	CODE BLACK
30mm Compensating Wall Profile	VCB30SC	VCB30BC



VERVE PROCORNER ENTRY



FINISHES:

SILVER

MATTE BLACK





VERVE PRO	- CORNER	FNTRY

SIZE (mm)	ADJUSTMEN MIN (mm)	NT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE BLACK
700	670	695	340	VCE70SSC	_
760	730	755	382	VCE76SSC	_
800	770	795	410	VCE80SSC	VCE80SBC
900	870	895	481	VCE90SSC	VCE90SBC
1000	970	995	551	VCE100SSC	_
1200	1170	1195	551	VCE120SSC	_



VERVE PROPIVOT DOOR

FINISHES:

SILVER





PIVOT DOOR WITH INLINE PANEL CLOSING ONTO SEMI FRAMED SIDE PANEL - SILVER

VERVE PRO - PIVOT DOOR

SIZE (mm)	ADJUSTMEN MIN (mm)	NT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE BLACK	_	
700	650	700	417	VPD70SC	-	-	-
760	710	760	477	VPD76SC	_	_	-
800	750	800	517	VPD80SC	VPD80BC		
900	850	900	617	VPD90SC	VPD90BC		
1000	950	1000	717	VPD100SC	VPD100BC		

VERVE PRO - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)	NT SIZE MAX (mm)	CODE SILVER	CODE BLACK
700	670	695	VSP70SC	VSP70BC
760	730	755	VSP76SC	VSP76BC
800	770	795	VSP80SC	VSP80BC
900	870	895	VSP90SC	VSP90BC
1000	970	995	VSP100SC	VSP100BC

30mm compensating wall profile included with every Verve Side Panel Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

VERVE PRO - INLINE PANELS

SIZE (mm)	CODE SILVER	CODE BLACK
200	VIL20SC	VIL20BC
300	VIL30SC	VIL30BC
400	VIL40SC	VIL40BC
500	VIL50SC	VIL50BC

VERVE PRO - PROFILE EXTENSION

DESCRIPTION	CODE SILVER	CODE BLACK
30mm Compensating Wall Profile	VCB30SC	VCB30BC





WETROOM SCREENS

FINISHES:

SILVER

DISCONTINUED ONCE STOCK IS SOLD

KEY FEATURES













VERVE PRO - SILVER FINISH - WETROOMS

DESCRIPTION (mm)	ADJUSTMEN MIN (mm)	IT SIZE MAX (mm)	CODE SILVER
700 Wetroom	675	690	VWR70SC
800 Wetroom	775	790	VWR80SC
900 Wetroom	875	890	VWR90SC
1000 Wetroom	975	990	VWR100SC
1200 Wetroom	1175	1190	VWR120SC
1400 Wetroom	1375	1390	VWR140SC

Supplied with IM straight stabilising bar

VERVE PRO - SILVER FINISH - ROTATING WETROOM PANELS


32

DESCRIPTION	CODE SILVER
300mm Rotating Wetroom Panel	VRP30SC

VERVE PRO - T-PIECE STABILISING BAR

DESCRIPTION	CODE SILVER
T-Piece	S-VWRTS

Purchased separately if fitted with a side panel



VERVE PRO WETROOM SCREENS

FINISHES:

GUNMETAL GREY MATTE BLACK

DISCONTINUED ONCE STOCK IS SOLD

KEY FEATURES













NEW - VERVE - GUNMETAL GREY WETROOM PROFILE KIT

DESCRIPTION	ADJUSTMENT SIZE MIN MAX	CODE - GUNNMETAL GREY
900mm Wetroom Profile Kit	875mm 890mm	VWRGMKIT
300mm Rotating Return Panel	875mm 890mm	VRP30GMC

 $900 mm \, We troom \, Profile \, Kit \, supplied \, with \, \, Im \, straight \, stabilising \, bar$

NEW - VERVE - T-PIECE STABILISING BAR

DI	escription	CODE - GUNNMETAL GREY
Ţ.	-Piece	S-VWRTGM

Purchased separately if fitted with a side panel

VERVE - MATTE BLACK WETROOM PROFILE KIT

DESCRIPTION	ADJUSTMEN MIN	IT SIZE MAX	CODE - MATTE BLACK
900mm Wetroom Profile Kit	875mm	890mm	VWRBLACK KIT

Supplied with 1M straight stabilising bar

VERVE - T-PIECE STABILISING BAR

DESCRIPTION	CODE - MATTE BLACK
T-Piece	S-VWRTBLK

Purchased separately if fitted with a side panel

Please note: VERVE matte black or gunmetal grey wetroom kit is not suitable for installation with return panel.





8MM BATHSCREENS

FINISHES:

SILVER

MATTE BLACK



8mm 2 PANEL BATHSCREEN (1 FIXED PANEL / 1 ROTATING PANEL - SQUARE EDGE) - MATTE BLACK



8mm 2 PANEL BATHSCREEN (1 FIXED PANEL / 1 ROTATING PANEL - SQUARE EDGE) - BRUSHED BRASS

VERVE PRO - 8MM BATHSCREENS

DESCRIPTION	HEIGHT MIN (mm)	WIDTH MAX (mm)	COLOUR	CODE
8mm 2 Panel Bathscreen - I Fixed Panel / Rotating Panel - Square Edge	1500	900	Silver	VBS13SC
8mm 2 Panel Bathscreen - I Fixed Panel / Rotating Panel - Square Edge	1500	900	Matte Black	VBS13BC
8mm 2 Panel Bathscreen - I Fixed Panel / Rotating Panel - Square Edge	1500	900	Brushed Brass	VBS13BRBC
8mm 2 Panel Bathscreen - I Fixed Panel / Rotating Panel - Square Edge	1500	900	Brushed Nickel	VBS13BRNC

KEY FEATURES


















- IMPORTANT NOTE:

 These Bathscreens are a water deflector and splash proof only.

 It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.



6MM CURVED BATHSCREENS

FINISHES:

SILVER

MATTE BLACK

BRUSHED BRASS



6мм SAIL BATHSCREEN WITH TOWEL RAIL - VBS12SC



6мм 1 FIXED & 1 ROTATING PANEL CURVED EDGE - VBS7SC



6MM ROTATING BATHSCREEN CURVED EDGE WITH TOWEL RAIL - VBS3SC

VERVE PRO - CURVED BATHSCREENS

DESCRIPTION	HEIGHT MIN (mm)	WIDTH MAX (mm)	COLOUR	CODE
6mm Rotating Bathscreen - Curved Edge	1400	800	Silver	VBSISC
6mm Rotating Bathscreen - Curved Edge	1400	800	Matte Black	VBSIBC
6mm Rotating Bathscreen - Curved Edge	1400	800	Brushed Brass	VBSIBRBC
6mm Rotating Bathscreen - Curved Edge with Towel Rail	1500	800	Silver	VBS3SC
6mm Fixed & Rotating Panel - Curved Edge	1500	900	Silver	VBS7SC
6mm Sail Bathscreen with Towel Rail	1500	800	Silver	VBS12SC
6mm 2 Panel Rotating Bathscreen - Curved Edge	1500	900	Silver	VBS5SC

















IMPORTANT NOTE:

- These Bathscreens are a water deflector and splash proof only.
 It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.



6MM SQUARE BATHSCREENS

FINISHES:

SILVER



6мм 2 PANEL BATHSCREEN -1 FIXED & 1 ROTATING PANEL - VBS8SC



6MM FIXED BATHSCEEN DEFLECTOR 300mm - VBSG30SC



6_{MM} FIXED BATHSCEEN WITH CHROME ANGLED SUPPORT BAR - VBS I OSC

VERVE PRO - SQUARE BATHSCREENS

DESCRIPTION	HEIGHT MIN (mm)	WIDTH MAX (mm)	COLOUR	CODE
6mm 2 Panel Bathscreen - Fixed & Rotating Panel	1500	900	Silver	VBS8SC
6mm Rotating Bathscreen - Square Edge	1400	800	Silver	VBS2SC
6mm Rotating Bathscreen - Square Edge	1400	800	Brushed Brass	VBS2BRBC
6mm Fixed Bathsceen with Chrome Angled Support Bar	1400	850	Silver	VBS10SC
6mm Rotating Bathscreen - Square Edge with Towel Rail	1500	800	Silver	VBS4SC
6mm 2 Panel Bathscreen - Both Panels Rotating	1500	900	Silver	VBS6SC
6mm Fixed Bathsceen Deflector 300mm	1430	300	Silver	VBSG30SC

KEY FEATURES















IMPORTANT NOTE:

- These Bathscreens are a water deflector and splash proof only.
 It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.



4 & 5 PANEL BATHSCREENS



HYDRO - BATHSCREENS

DESCRIPTION	HEIGHT	WIDTH	COLOUR	CODE
4 Panel Bathscreen	1400mm	850mm	Silver	PBSG4SC
5 Panel Bathscreen	1400mm	1050mm	Silver	PBSG5SC

BATH PANELS

High gloss acrylic white bath panels.


BATH PANELS

DESCRIPTION	HEIGHT	WIDTH	COLOUR	CODE
Front Bath Panel	533mm	1700mm	White	BP5FWH
End Bath Panel	533mm	711mm	White	BP5EWH



IMPORTANT NOTE:

- These Bathscreens are a water deflector and splash proof only.
 It is advised that all Bathscreens are fitted to the inside edge of the bath to ensure maximum effectiveness.



EXCEPTIONAL EVERYDAY.







HYDRO EXPRESS

Hydro Express is an exciting remodel of Hydro a tried and trusted brand brought to you by Flair Showers. Hydro's new design is crisp and contemporary with sleek modern handles and minimalist silver profiles.

Each door is 1850mm high and features up to 6mm toughened safety glass. Quick release rollers ensure easy cleaning while magnetic seals provide a watertight close.

This innovative range also boasts an Express Fit mechanism that is a firm favourite with Installers.

Hydro Express - designed to suit your space and budget.

FINISHES:

SILVER

KEY FEATURES:

UP TO **6**E TOUGHENED



50^E PRODUCT













2 DOOR QUADRANT & OFFSET QUADRANT

FINISHES:

SILVER



2 DOOR OFFSET QUADRANT



HYDRO EXPRESS - 2 DOOR QUADRANT

DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE - SILVER
800mm	770mm	795mm	395mm	HYCQ80SC
900mm	870mm	895mm	545mm	HYCQ90SC

HYDRO EXPRESS - OFFSET QUADRANT

DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE - SILVER
800 x 1000mm	770-795mm	970-995mm	475mm	HYCQ80X100SC
800 x 1200mm	770-795mm	1170-1195mm	475mm	HYCQ80X120SC
900 x 1200mm	870-895mm	1170-1195mm	545mm	HYCQ90X120SC



SLIDING DOOR

FINISHES:

SILVER







QUICK RELEASE BOTTOM ROLLERS

HYDRO EXPRESS - SLIDING DOOR

DESCRIPTION	ADJUSTMENT SI	ZE MAX	ACCESS	CODE - SILVER
I000mm	950mm	1000mm	376mm	HYSA100SC
I I 00mm	1050mm	1100mm	426mm	HYSAI 10SC
I 200mm	1150mm	1200mm	476mm	HYSA120SC

HYDRO EXPRESS - SEMI FRAMED SIDE PANELS

DESCRIPTION	ADJUSTMENT S MIN	MAX	CODE - SILVER
700mm	670mm	695mm	HYSP70SC
760mm	730mm	755mm	HYSP76SC
800mm	770mm	795mm	HYSP80SC
900mm	870mm	895mm	HYSP90SC
1000mm	970mm	995mm	HYSP100SC

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

HYDRO EXPRESS - PROFILE EXTENSION

CODE - SILVER
HYCB30SC



CORNER ENTRY

FINISHES:

SILVER



CONTEMPORARY HAN-DLE DESIGN



HYDRO EXPRESS - CORNER ENTRY

DESCRIPTION	ADJUSTMENT MIN	SIZE MAX	ACCESS	CODE - SILVER
760mm	730mm	755mm	387mm	HYCE76SC
800mm	770mm	795mm	415mm	HYCE80SC
900mm	870mm	895mm	486mm	HYCE90SC



BIFOLD DOOR

FINISHES:

SILVER



BIFOLD DOOR WITH SIDE PANEL

HYDRO EXPRESS - BIFOLD DOOR

DESCRIPTION	ADJUSTMENT S MIN	IZE MAX	ACCESS	CODE - SILVER
700mm	650mm	700mm	475mm	HYBF70SC
760mm	710mm	760mm	475mm	HYBF76SC
800mm	750mm	800mm	515mm	HYBF80SC
900mm	850mm	900mm	615mm	HYBF90SC
1000mm	950mm	1000mm	715mm	HYBF100SC

HYDRO EXPRESS - SEMI FRAMED SIDE PANELS

DESCRIPTION	ADJUSTMENT S MIN	MAX	CODE - SILVER
700mm	670mm	695mm	HYSP70SC
760mm	730mm	755mm	HYSP76SC
800mm	770mm	795mm	HYSP80SC
900mm	870mm	895mm	HYSP90SC
1000mm	970mm	995mm	HYSP100SC

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

HYDRO EXPRESS - PROFILE EXTENSION

DESCRIPTION	CODE - SILVER
30mm Compensating Wall Profile	HYCB30SC



FINISHES:

SILVER





PIVOT DOOR WITH SEMI FRAMED SIDE PANEL

HYDRO EXPRESS - PIVOT DOOR

DESCRIPTION	ADJUSTMENT SI MIN	ZE MAX		CODE - SILVER
760mm	710mm	760mm	477mm	HYPD76SC
800mm	750mm	800mm	517mm	HYPD80SC
900mm	850mm	900mm	617mm	HYPD90SC

HYDRO EXPRESS - SEMI FRAMED SIDE PANELS

DESCRIPTION	ADJUSTMENT S MIN	IZE MAX	CODE - SILVER
700mm	670mm	695mm	HYSP70SC
760mm	730mm	755mm	HYSP76SC
800mm	770mm	795mm	HYSP80SC
900mm	870mm	895mm	HYSP90SC
1000mm	970mm	995mm	HYSP100SC

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

HYDRO EXPRESS - PROFILE EXTENSION

DESCRIPTION	CODE - SILVER
30mm Compensating Wall Profile	HYCB30SC



EXCEPTIONAL EVERYDAY.







FLAIR FRAMELESS

Flair Frameless delivers an affordable 6mm glass solution without compromising on quality. Featuring a rising-butt hinge, it ensures smooth opening and closing while preventing seals from dragging or wearing against the floor - perfect for long-term durability.

This cleverly designed collection is suitable for both wetroom and shower tray application.

FINISHES:



MATTE BLACK

KEY FEATURES



TOUGHENED SAFETY GLASS



50^E PRODUCT ADJUSTMENT



















FLAIR FRAMELESS SALOON DOOR

FINISHES:

SILVER

MATT BLACK



FLAIR FRAMELESS - SALOON DOOR

SIZE (mm)	ADJUSTMEN MIN (mm)	IT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE BLACK
800	750	800	594	FFSD80SC	FFSD80BC
900	850	900	694	FFSD90SC	FFSD90BC
1000	950	1000	794	FFSD100SC	FFSD100BC
1200	1150	1200	994	FFSD120SC	FFSD120BC

FLAIR FRAMELESS - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)	NT SIZE MAX (mm)	CODE SILVER	CODE BLACK
700	665	690	FFSP70SC	FFSP70BC
760	725	750	FFSP76SC	
800	765	790	FFSP80SC	FFSP80BC
900	865	890	FFSP90SC	FFSP90BC
1000	965	990	FFSP100SC	FFSP100BC
1200	1165	1190	FFSP120SC	FFSP120BC

FLAIR FRAMELESS - INLINE PANELS

SIZE (mm)	CODE SILVER	CODE BLACK
200	FFIL20SC	FFIL20BC
300	FFIL30SC	FFIL30BC
400	FFIL40SC	FFIL40BC

FLAIR FRAMELESS - PROFILE EXTENSION

DESCRIPTION	CODE SILVER	CODE BLACK
10mm Compensating Wall Profile	FFCB10SC	FFCB10BG
25mm Compensating Wall Profile	FFCB25SC	FFCB25BG





FLAIR FRAMELESSPIVOT DOOR

FINISHES:

SILVER

MATT BLACK



FLAIR FRAMELESS - PIVOT DOOR

SIZE (mm)	ADJUSTMENT MIN (mm)	T SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE BLACK
700	650	700	513	FFPD70SC	FFPD70BC
800	750	800	613	FFPD80SC	FFPD80BC
900	850	900	713	FFPD90SC	FFPD90BC
1000	950	1000	813	FFPD100SC	FFPD100BC

FLAIR FRAMELESS - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)		CODE SILVER	CODE BLACK
700	665	690	FFSP70SC	FFSP70BC
760	725	750	FFSP76SC	=
800	765	790	FFSP80SC	FFSP80BC
900	865	890	FFSP90SC	FFSP90BC
1000	965	990	FFSP100SC	FFSP100BC
1200	1165	1190	FFSP120SC	FFSP120BC


FLAIR FRAMELESS - INLINE PANELS

SIZE (mm)	CODE SILVER	CODE BLACK
200	FFIL20SC	FFIL20BC
300	FFIL30SC	FFIL30BC
400	FFIL40SC	FFIL40BC

FLAIR FRAMELESS - PROFILE EXTENSION

DESCRIPTION	CODE SILVER	CODE BLACK
10mm Compensating Wall Profile	FFCB10SC	FFCB10BG
25mm Compensating Wall Profile	FFCB25SC	FFCB25BG





FLAIR FRAMELESS

CORNER PIVOT DOOR

FINISHES:

SILVER



FLAIR FRAMELESS - CORNER PIVOT DOOR

SIZE (mm)	ADJUSTMENT MIN (mm)	SIZE MAX (mm)	ACCESS (mm)	CODE SILVER
800	765	790	935	FFCPD80SC
900	865	890	1076	FFCPD90SC
1000	965	990	1217	FFCPD100SC



FLAIR FRAMELESS

HINGED ROTATING WETROOM PANEL

FINISHES:

SILVER



FLAIR FRAMELESS - CURVED HINGED WETROOM PANEL

SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	CODE SILVER
900	875 900	FFCRR90SC



FLAIR FRAMELESS

HINGED ROTATING WETROOM PANEL

FINISHES:

SILVER



FLAIR FRAMELESS - HINGED ROTATING WETROOM PANEL

SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	CODE SILVER
300	300 325	FFPD30SC
450	450 475	FFPD45SC
600	600 625	FFPD60SC



EXCEPTIONAL EVERYDAY.





SLIMLINE CAPELLA

Slimline Capella is the ultimate solution to making installation simple. With a selection of doors that boasts a total adjustment of up to 100mm, Slimline Capella offers flexibility with adjustable wall profiles allowing the shower enclosure to fit perfectly even when the walls are not completely plum.

With adjustable wall profiles for a perfect fit and a silent roller mechanism for smooth, quiet operation, the collection is a dependable, and the hassle-free solution.

FINISHES:

SILVER

KEY FEATURES:

6E TOUGHENED SAFETY GLASS

NED 1950mm

100 E
PRODUCT
ADJUSTMENT















SLIMLINE CAPELLA

PIVOT DOOR

FINISHES:







SLIMLINE CAPELLA - PIVOT DOOR

SIZE (mm)	ADJUSTMEN MIN (mm)	IT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER
800	700	800	422	STPD80SC
900	800	900	522	STPD90SC
1000	900	1000	622	STPD100SC
1200	1100	1200	622	STPD120SC

SLIMLINE CAPELLA - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)	IT SIZE MAX (mm)	CODE SILVER
700	670	690	STSP70SC
760	730	750	STSP76SC
800	770	790	STSP80SC
900	870	890	STSP90SC
1000	970	990	STSP100SC
1100	1070	1090	STSP110SC
1200	1170	1190	STSP120SC

SLIMLINE CAPELLA - PROFILE EXTENSION

DESCRIPTION	CODE SILVER
25mm Compensating Wall Profile	STPACKDSC





72



SLIMLINE CAPELLASLIDING DOOR

FINISHES:

SILVER





SLIMLINE CAPELLA - SLIDING DOOR

SIZE (mm)	ADJUSTMEN MIN (mm)	NT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER
1000	940	1000	365	STSA100SC
1100	1040	1100	428	STSA110SC
1200	1140	1200	478	STSA120SC
1300	1200	1300	528	STSA130SC
1400	1300	1400	578	STSA140SC
1500	1400	1500	628	STSA150SC

SLIMLINE CAPELLA - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTME MIN (mm)		CODE SILVER
700	670	690	STSP70SC
760	730	750	STSP76SC
800	770	790	STSP80SC
900	870	890	STSP90SC
1000	970	990	STSP100SC
1100	1070	1090	STSP110SC
1200	1170	1190	STSP120SC

SLIMLINE CAPELLA - PROFILE EXTENSION

DESCRIPTION	CODE SILVER
25mm Compensating Wall Profile	STPACKDSC





SLEEK POLISHED CHROME HANDLES



SLIMLINE CAPELLA

CORNER ENTRY & OFFSET CORNER ENTRY

FINISHES:





SLIMLINE CAPELLA - CORNER ENTRY

DESCRIPTION	ADJUSTMENT SIZ MIN	E MAX	ACCESS	CODE - SILVER
700mm	650mm	700mm	325mm	STCE70SSC
800mm	740mm	800mm	383mm	STCE80SSC
900mm	840mm	900mm	454mm	STCE90SSC
1000mm	940mm	1000mm	524mm	STCE100SSC
1200mm	1140mm	1200mm	524mm	STCE120SSC

SLIMLINE CAPELLA - OFFSET CORNER ENTRY

DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE - SILVER
700 × 800mm	650-700mm	740-800mm	335mm	STCE70x80SSC
700 × 900mm	650-700mm	840-900mm	370mm	STCE70x90SSC
700 x 1000mm	650-700mm	940-1000mm	407mm	STCE70×100SSC
700 x 1200mm	650-700mm	1140-1200mm	425mm	STCE70×120SSC
800 x 900mm	740-800mm	840-900mm	405mm	STCE80x90SSC
800 x 1000mm	740-800mm	940-1000mm	442mm	STCE80×100SSC
800 x 1200mm	740-800mm	1140-1200mm	462mm	STCE80×120SSC
900 x 1000mm	840-900mm	940-1000mm	493mm	STCE90×100SSC
900 x 1200mm	840-900mm	1140-1200mm	493mm	STCE90x120SSC



SLEEK POLISHED CHROME HANDLES



OFFSET CORNER ENTRY



SLIMLINE CAPELLABIFOLD DOOR

FINISHES:

SILVER



SLIMLINE CAPELLA - BIFOLD DOOR

SIZE (mm)	ADJUSTMEN MIN (mm)	IT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER
700	630	700	358	STBF70SC
800	730	800	428	STBF80SC
900	800	900	498	STBF90SC
1000	900	1000	578	STBF100SC
1100	1000	1100	578	STBF110SC
1200	1100	1200	578	STBF120SC

SLIMLINE CAPELLA - SEMI FRAMED SIDE PANELS

SIZE (mm)	ADJUSTMEN MIN (mm)		CODE SILVER
700	670	690	STSP70SC
760	730	750	STSP76SC
800	770	790	STSP80SC
900	870	890	STSP90SC
1000	970	990	STSP100SC
1100	1070	1090	STSP110SC
1200	1170	1190	STSP120SC

SLIMLINE CAPELLA - PROFILE EXTENSION

DESCRIPTION	CODE SILVER
25mm Compensating Wall Profile	STPACKDSC







SLIMLINE CAPELLA

2 DOOR QUADRANT & OFFSET QUADRANT

FINISHES:







SLIMLINE CAPELLA -2 DOOR QUADRANT

SLIMLINE CAPELLA - 2 DOOR QUADRANT

DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE - SILVER	
800mm	750mm	800mm	370mm	STCQ80SC	
900mm	850mm	900mm	514mm	STCQ90SC	
I000mm	950mm	1000mm	514mm	STCQ100SC	

SLIMLINE CAPELLA - 2 DOOR OFFSET QUADRANT

DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE - SILVER
900 x 800mm	750-800mm	850-900mm	446mm	STCQ80x90SC
1000 x 800mm	750-800mm	950-1000mm	446mm	STCQ80×100SC
1200 x 800mm	750-800mm	1150-1200mm	460mm	STCQ80×120SC
1200 x 900mm	850-900mm	1150-1200mm	514mm	STCQ90×120SC



MINIMALIST CHROME PLATED PROFILES



SOULPREMIUM **GRAB BAR**COLLECTION

A stylish collection of chrome plated stainless steel grab bars to complement your bathroom.







GREY RUBBER GRIP OPTION

KEY FEATURES:
















SOUL


STRAIGHT GRAB BARS - CHROME PLATED STAINLESS STEEL




STRAIGHT GRAB BARS

WITH RUBBER GRIP OPTION (25MM DIAMETER)


CHROME GRAB BAR 30CM - with choice of Black or Grey Rubber Grip



CHROME GRAB BAR 45CM - with choice of Black or Grey Rubber Grip




CHROME GRAB BAR 60CM - with choice of Black or Grey Rubber Grip



DESCRIPTION	CODE - CHROME
Grab Bar 30cm – with Black Rubber Grip	SOGBS30SB
Grab Bar 30cm – with Grey Rubber Grip	SOGBS30SG
Grab Bar 45cm – with Black Rubber Grip	SOGBS45SB
Grab Bar 45cm – with Grey Rubber Grip	SOGBS45SG
Grab Bar 60cm – with Black Rubber Grip	SOGBS60SB
Grab Bar 60cm – with Grey Rubber Grip	SOGBS60SG

SOUL

135° ANGLED BARS - CHROME PLATED STAINLESS STEEL



135° ANGLED BARS

WITH RUBBER GRIP OPTION (25MM DIAMETER)

LEFT HAND – with Black Rubber Grip

RIGHT HAND – with Black Rubber Grip







LEFT HAND - with Grey Rubber Grip

RIGHT HAND – with Grey Rubber Grip









DESCRIPTION	CODE - CHROME
135° Grab Bar – Left Hand with Black Rubber Grip	SOGB135LSB
135° Grab Bar – Right Hand with Black Rubber Grip	SOGB135RSB
135° Grab Bar – Left Hand with Grey Rubber Grip	SOGB135LSG
135° Grab Bar – Right Hand with Grey Rubber Grip	SOGB135RSG

OUL PREMIUM GRAB BAR COLLECTION

SOUL

90° ANGLED BARS - CHROME PLATED STAINLESS STEEL

LEFT HAND **RIGHT HAND** S304 AINLESS STEE 200KG LOAD TEST 25_{MM} DIAMETER 90° ANGLED GRAB BARS CODE - CHROME DESCRIPTION 90° Grab Bar - Left Hand (32mm Diameter) SOGB90LS Ø 90° Grab Bar - Right Hand (32mm Diameter) SOGB90RS 25_{MM} DIAMETER 90° ANGLED GRAB BARS वागाम 90° Grab Bar - Left Hand (32mm Diameter) SOGB3290LS 90° Grab Bar - Right Hand (32mm Diameter) SOGB3290RS

90° ANGLED BARS


WITH RUBBER GRIP OPTION (25MM DIAMETER)


LEFT HAND

RIGHT HAND









DESCRIPTION	CODE - CHROME
90° Grab Bar – Left Hand with Black Rubber Grip	SOGB90LSB
90° Grab Bar – Right Hand with Grey Rubber Grip	SOGB90RSB
90° Grab Bar – Left Hand with Black Rubber Grip	SOGB90LSG
90° Grab Bar – Right Hand with Grey Rubber Grip	SOGB90RSG

TRAYS

Extensive selection of shower tray shapes and sizes to complement your bathroom.

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting.

Fitting of Shower Tray is acceptance of quality.

KEY FEATURES
















EXCEPTIONAL EVERYDAY.

SLIMLINE SHOWER TRAYS



Extensive selection of shower tray shapes and sizes to complement your bathroom.

- Strong and rigid construction
- Manufactured to British Standard BS6340/5
- Tough high gloss ABS acrylic capped surface finish
- Easy-to-clean and maintain



NOTE: It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.













OFFSET QUADRANT LEFT HAND

OFFSET QUADRANT RIGHT HAND

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Please note: Silicone sealants, foams, mastics, installation compound adhesive etc. must not be used as a substitute for cement. Ensure shower tray is installed 100% level and water test to ensure it is draining correctly. Fitting of Shower Tray is acceptance of quality.

SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
800 x 700mm Slimline Rectangle Tray	TSL8070R
900 x 700mm Slimline Rectangle Tray	TSL9070R
900 x 760mm Slimline Rectangle Tray	TSL9076R
900 x 800mm Slimline Rectangle Tray	TSL9080R
1000 x 700mm Slimline Rectangle Tray	TSL10070R
1000 x 760mm Slimline Rectangle Tray	TSL10076R
1000 x 800mm Slimline Rectangle Tray	TSL10080R
1000 x 900mm Slimline Rectangle Tray	TSL10090R
1100 x 700mm Slimline Rectangle Tray	TSL11070R
1100 x 760mm Slimline Rectangle Tray	TSL11076R
1100 x 800mm Slimline Rectangle Tray	TSL11080R
1100 x 900mm Slimline Rectangle Tray	TSLI1090R
1200 x 700mm Slimline Rectangle Tray	TSL12070R
1200 x 760mm Slimline Rectangle Tray	TSL12076R
1200 x 800mm Slimline Rectangle Tray	TSL12080R
1200 x 900mm Slimline Rectangle Tray	TSL12090R
1200 × 1000mm Slimline Rectangle Tray	TSL120100R
1300 x 800mm Slimline Rectangle Tray	TSL13080R
1300 × 900mm Slimline Rectangle Tray	TSL13090R
1400 × 700mm Slimline Rectangle Tray	TSL14070R
1400 × 760mm Slimline Rectangle Tray	TSL14076R
1400 × 800mm Slimline Rectangle Tray	TSL14080R
1400 × 900mm Slimline Rectangle Tray	TSL14090R
1500 x 700mm Slimline Rectangle Tray	TSL15070R
1500 x 760mm Slimline Rectangle Tray	TSL15076R
1500 × 800mm Slimline Rectangle Tray	TSL15080R
1500 × 900mm Slimline Rectangle Tray	TSL15090R
1600 x 700mm Slimline Rectangle Tray	TSL16070R
1600 × 800mm Slimline Rectangle Tray	TSL16080R
1600 x 900mm Slimline Rectangle Tray	TSL16090R
1700 × 700mm Slimline Rectangle Tray	TSL17070R
1700 x 750mm Slimline Rectangle Tray	TSL17075R
1700 x 800mm Slimline Rectangle Tray	TSL17080R
1700 x 900mm Slimline Rectangle Tray	TSL17090R
1800 × 800mm Slimline Rectangle Tray	TSL18080R
1800 × 900mm Slimline Rectangle Tray	TSL18090R
2000 x 900mm Slimline Rectangle Tray	TSL20090R

SLIMLINE SHOWER TRAYS

SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
700 x 700mm Slimline Square Tray	TSL70S
760 x 760mm Slimline Square Tray	TSL76S
800 × 800mm Slimline Square Tray	TSL80S
900 x 900mm Slimline Square Tray	TSL90S
1000 × 1000mm Slimline Square Tray	TSL100S
1200 × 1200mm Slimline Square Tray	TSL120S

SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
800 x 800mm Slimline Quadrant Tray	TSL80Q
900 × 900mm Slimline Quadrant Tray	TSL90Q
1000 × 1000mm Slimline Quadrant Tray	TSL100Q

SLIMLINE OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
900 x 760mm Offset Quadrant Tray - Left	TSL9076LOQ
900×760 mm Offset Quadrant Tray - Right	TSL9076ROQ
900×800 mm Offset Quadrant Tray - Left	TSL9080LOQ
900 x 800mm Offset Quadrant Tray - Right	TSL9080ROQ
1000 × 800mm Offset Quadrant Tray - Left	TSL10080LOQ
1000 × 800mm Offset Quadrant Tray - Right	TSL10080ROQ
1000 x 900mm Offset Quadrant Tray - Left	TSL10090LOQ
1000 x 900mm Offset Quadrant Tray - Right	TSL10090ROQ
I I 00 × 800mm Offset Quadrant Tray - Left	TSL11080LOQ
I I 00 x 800mm Offset Quadrant Tray - Right	TSL11080ROQ
I I 00 × 900mm Offset Quadrant Tray - Left	TSL11090LOQ
I I 00 x 900mm Offset Quadrant Tray - Right	TSL11090ROQ
1200 x 800mm Offset Quadrant Tray - Left	TSL12080LOQ
I 200 × 800mm Offset Quadrant Tray - Right	TSL12080ROQ
1200 x 900mm Offset Quadrant Tray - Left	TSL12090LOQ
1200 × 900mm Offset Quadrant Tray - Right	TSL12090ROQ

94







INCLUDING SHOWER WASTE (right hand illustrated)



SLIMLINE OFFSET QUADRANT TRAY INCLUDING SHOWER WASTE (left hand illustrated)




QUADRANT

LEFT HAND



QUADRANT RIGHT HAND





SLIMLINE CORNER SHOWER TRAY WASTES

PRODUCT DESCRIPTION	CODE
800 x 800mm Slimline Quadrant Tray - Corner Waste	CTSL80Q
900 x 900mm Slimline Quadrant Tray - Corner Waste	CTSL90Q
1000 x 1000mm Slimline Quadrant Tray - Comer Waste	CTSL100Q
800 x 800mm Slimline Square Tray - Corner Waste	CTSL80S
900 x 900mm Slimline Square Tray - Corner Waste	CTSL90S
1000 x 1000mm Slimline Square Tray - Corner Waste	CTSL100S
900 x 800mm Slimline Rectangle Tray - Corner Waste	CTSL9080R
1000 x 800mm Slimline Rectangle Tray - Corner Waste	CTSL10080R
1200 x 800mm Slimline Rectangle Tray - Corner Waste	CTSL12080R
1200 x 900mm Slimline Rectangle Tray - Corner Waste	CTSL12090R

SHOWER TRAY INSTALLATION

SHOWER TRAY INSTALLATION
All shower trays must be installed as per
instructions supplied. Please note: Silicone sealants,
foams, mastics, installation compound adhesive
etc. must not be used as a substitute for cement.
Ensure shower tray is installed 100% level and
water test to ensure it is draining correctly.
Fitting of Shower Tray is acceptance of quality.

NOTE: It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

ANTI-SLIP SHOWER TRAYS

NOTE: It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

ANTI-SLIP SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Rectangle Tray 1000 x 800mm	ASTSL10080R
Anti-Slip Slimline Rectangle Tray 1000 x 900mm	ASTSL10090R
Anti-Slip Slimline Rectangle Tray $$ I $$ 100 \times 800mm	ASTSL11080R
Anti-Slip Slimline Rectangle Tray $$ I $$ 100 \times 900mm	ASTSL11090R
Anti-Slip Slimline Rectangle Tray 1200×700 mm	ASTSL12070R
Anti-Slip Slimline Rectangle Tray $1200 \times 760 \text{mm}$	ASTSL12076R
Anti-Slip Slimline Rectangle Tray 1200×800 mm	ASTSL12080R
Anti-Slip Slimline Rectangle Tray 1200×900 mm	ASTSL12090R
Anti-Slip Slimline Rectangle Tray $1400 \times 700 \text{mm}$	ASTSL14070R
Anti-Slip Slimline Rectangle Tray $1400 \times 800 \text{mm}$	ASTSL14080R
Anti-Slip Slimline Rectangle Tray 1400×900 mm	ASTSL14090R
Anti-Slip Slimline Rectangle Tray $1500 \times 700 \text{mm}$	ASTSL15070R
Anti-Slip Slimline Rectangle Tray $$ 1500 \times 800mm	ASTSL15080R
Anti-Slip Slimline Rectangle Tray 1500×900 mm	ASTSL15090R
Anti-Slip Slimline Rectangle Tray $$ I 600 \times 700mm	ASTSL16070R
Anti-Slip Slimline Rectangle Tray $$ I 600 \times 800mm	ASTSL16080R
Anti-Slip Slimline Rectangle Tray $$ I 600 \times 900mm	ASTSL16090R
Anti-Slip Slimline Rectangle Tray $$ 1700 \times 700mm	ASTSL17070R
Anti-Slip Slimline Rectangle Tray $$ 1700 \times 800mm	ASTSL17080R
Anti-Slip Slimline Rectangle Tray 1700 x 900mm	ASTSL17090R

ANTI-SLIP SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Square Tray 800mm	ASTSL80S
Anti-Slip Slimline Square Tray 900mm	ASTSL90S
Anti-Slip Slimline Square Tray 1000mm	ASTSL100S

ANTI-SLIP SLIMLINE QUAD

PRODUCT DESCRIPTION	CODE	
Anti-Slip Slimline Quadrant Tray 800mm	ASTSL80Q	
Anti-Slip Slimline Quadrant Tray 900mm	ASTSL90Q	
Anti-Slip Slimline Quadrant Tray 1000mm	ASTSL100Q	

- Anti-slip coating for extra safety in the showering space
- Pendulum slip tested, in accordance with British Standard BS7976:2
- Classified as low slip potential



SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Please note: Silicone sealants, foams, mastics, installation compound adhesive etc. must not be used as a substitute for cement. Ensure shower tray is installed 100% level and water test to ensure it is draining correctly. Fitting of Shower Tray is acceptance of quality.



ANTI-SLIP OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left	ASTSL10080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Right	ASTSL10080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left	ASTSL10090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right	ASTSL10090ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left	ASTSL12080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right	ASTSL12080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200×900 mm - Left	ASTSL12090LOQ
Anti-Slip Slimline Offset Quadrant Tray 200 x 900mm - Right	ASTSL12090ROQ

ANTI-SLIP SLIMLINE - TRAYS WITH CORNER WASTE

PRODUCT DESCRIPTION	CODE
900 x 900mm - Quadrant Tray - Inc. Corner Waste	CASTSL90Q
1000 x 1000mm Quadrant Tray - Inc. Corner Waste	CASTSL100Q
900 x 900mm - Square Tray - Inc. Corner Waste	CASTSL90S
1000 x 1000mm - Square Tray - Inc. Corner Waste	CASTSL100S
1000 x 800mmm - Rectangle Tray - Inc. Corner Waste	CASTSL10080R
1200 x 800mm - Rectangle Tray - Inc. Corner Waste	CASTSL12080R
1200 × 900mm - Rectangle Tray - Inc. Corner Waste	CASTSL12090R



RECTANGLE TRAY CORNER WASTE



SQUARE TRAY CORNER WASTE



900mm QUADRANT TRAY CORNER WASTE



800mm QUADRANT TRAY CORNER WASTE

FRAYS

25MM ULTRA SLIM SHOWER TRAYS

25MM ANTI-SLIP ULTRA SLIM SHOWER TRAYS

RECTANGLE

PRODUCT DESCRIPTION	CODE
Ultra Slim Rectangle Tray 1000 x 800mm - Inc. Waste & White Grill	USL10080R
Ultra Slim Rectangle Tray 1000×900 mm - Inc. Waste & White Grill	USL10090R
Ultra Slim Rectangle Tray $$ 1200 \times 800mm - Inc. Waste & White Grill	USL12080R
Ultra Slim Rectangle Tray $$ I 200 \times 900mm - Inc. Waste $\&$ White Grill	USL12090R
Ultra Slim Rectangle Tray $$ I 400 \times 800mm - Inc. Waste $\&$ White Grill	USL14080R
Ultra Slim Rectangle Tray $$ I 400 \times 900mm - Inc. Waste $\&$ White Grill	USL14090R
Ultra Slim Rectangle Tray $$ I 500 \times 800mm - Inc. Waste & White Grill	USL15080R
Ultra Slim Rectangle Tray $$ I 500 \times 900mm - Inc. Waste $\&$ White Grill	USL15090R
Ultra Slim Rectangle Tray $$ I 600 \times 800mm - Inc. Waste $\&$ White Grill	USL16080R
Ultra Slim Rectangle Tray $$ I 600 \times 900mm - Inc. Waste $\&$ White Grill	USL16090R
Ultra Slim Rectangle Tray $$ 1700 \times 800mm - Inc. Waste & White Grill	USL17080R
Ultra Slim Rectangle Tray $$ 1700 \times 900mm - Inc. Waste & White Grill	USL17090R
Ultra Slim Rectangle Tray 1800×800 mm - Inc. Waste & White Grill	USL18080R
Ultra Slim Rectangle Tray $1800\times900\text{mm}$ - Inc.Waste & White Grill	USL18090R

SQUARE

PRODUCT DESCRIPTION	CODE
Ultra Slim Square Tray 900 × 900mm - Inc.Waste & White Grill	USL90S

QUADRANT & OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Ultra Slim Quadrant Tray 900 x 900mm	USL90Q
Ultra Slim Offset Quadrant Tray 1200 x 800mm Left Hand - Inc.Waste & White Grill	USL12080LOQ
Ultra Slim Offset Quadrant Tray 1200 x 800mm Right Hand - Inc.Waste & White Grill	USL12080ROQ
Ultra Slim Offset Quadrant Tray 1200 x 900mm Left Hand - Inc.Waste & White Grill	USL12090LOQ
Ultra Slim Offset Quadrant Tray 1200 x 900mm Right Hand - Inc. Waste & White Grill	USL12090ROQ

NEW - ULTRA SLIM TRAY GRILLS

PRODUCT DESCRIPTION	CODE
Ultra Slim Tray Grill - Brushed Brass	USLTGBB
Ultra Slim Tray Grill - Matte Black	USLTGMB
Ultra Slim Tray Grill - White	USLTGW


RECTANGLE

PRODUCT DESCRIPTION	CODE
Anti-Slip Ultra Slim Rectangle Tray 1000 × 800mm - Inc.Waste & White Grill	AUSL10080R
Anti-Slip Ultra Slim Rectangle Tray 1200 x 800mm - Inc. Waste & White Grill	AUSL12080R
Anti-Slip Ultra Slim Rectangle Tray 1200 × 900mm - Inc. Waste & White Grill	AUSL12090R
Anti-Slip Ultra Slim Rectangle Tray 1400 x 800mm - Inc. Waste & White Grill	AUSL14080R
Anti-Slip Ultra Slim Rectangle Tray 1400 × 900mm - Inc. Waste & White Grill	AUSL14090R
Anti-Slip Ultra Slim Rectangle Tray 1500 x 800mm - Inc.Waste & White Grill	AUSL15080R
Anti-Slip Ultra Slim Rectangle Tray 1600 x 800mm - Inc.Waste & White Grill	AUSL16080R
Anti-Slip Ultra Slim Rectangle Tray 1600 x 900mm - Inc.Waste & White Grill	AUSL16090R
Anti-Slip Ultra Slim Rectangle Tray 1700 x 800mm - Inc.Waste & White Grill	AUSL17080R
Anti-Slip Ultra Slim Rectangle Tray 1700 × 900mm - Inc.Waste & White Grill	AUSL17090R

SQUARE

PRODUCT DESCRIPTION	CODE
Anti-Slip Ultra Slim Square Tray 900 x 900mm - Inc.Waste & White Grill	AUSL90S





SLIMLINE SHOWER TRAYS WITH TILING UPSTAND

SLIMLINE -SQUARE TRAY WITH UPSTAND

SIZE	CODE
760 x 760mm - Inc.Waste	TSL76SU
800 x 800mm - Inc. Waste	TSL80SU
900 x 900mm - Inc. Waste	TSL90SU

SLIMLINE - RECTANGLE TRAY WITH UPSTAND

SIZE	CODE
900 x 760mm - Inc.Waste	TSL9076RU
1000 x 760mm - Inc.Waste	TSL10076RU
1000 x 800mm - Inc.Waste	TSL10080RU
1200 × 760mm - Inc.Waste	TSL12076RU
1200 × 800mm - Inc.Waste	TSL12080RU
1200 x 900mm - Inc.Waste	TSL12090RU
1400 × 800mm - Inc.Waste	TSL14080RU
1400 x 900mm - Inc.Waste	TSL14090RU
1700 x 750mm - Inc.Waste	TSL17075RU

SLIMLINE - QUADRANT TRAY WITH UPSTAND

SIZE	CODE
800 × 800mm - Inc.Waste	TSL80QU
900 x 900mm - Inc. Waste	TSL90OU

SLIMLINE - TRAYS WITH CORNER WASTE

SIZE	CODE
800 x 800mm - Quadrant Tray - Inc. ComerWaste	CTSL80Q
900 x 900mm - Quadrant Tray - Inc. ComerWaste	CTSL90Q
1000 x 1000mm - Quadrant Tray - Inc. Corner Waste	CTSL100Q
800 x 800mm - Square Tray - Inc. Corner Waste	CTSL80S
900 x 900mm - Square Tray - Inc. Corner Waste	CTSL90S
1000 x 1000mm - Square Tray - Inc. Corner Waste	CTSL100S
900 x 800mm - Rectangle Tray - Inc. Corner Waste	CTSL9080R
1000 x 800mm - Rectangle Tray - Inc. Corner Waste	CTSL10080R
1200 x 800mm - Rectangle Tray - Inc. Comer Waste	CTSL12080R
1200 x 900mm - Rectangle Tray - Inc. Corner Waste	CTSL12090R

EASY PLUMB KIT SUITS ALL SLIMLINE SHOWER TRAYS

Slimline easy plumb shower kits have adjustable legs to comply with building regulations to assist in installation and for maintenance of waste outlets if required after building settlement.

The slimline easy plumb kit provides this access without compromising on style in the bathroom.

An easy plumb tray can be made by using any of the Flair slimline trays and a kit. This will increase the height of the tray by 95mm.

Accessories are not to scale - for visual representation only.



DESCRIPTION	WEIGHT	CODE
Easy Plumb Riser Kit For All Square Trays & Rectangle Trays (Suitable for maximum tray size of I 200mm)	2kg	WD3
Easy Plumb Riser Kit For All Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm)	3kg	WD4
Easy Plumb Riser Kit For All Square Trays & Rectangle Trays (Suitable for maximum tray size of 2000mm)	2kg	WD5
Viva Shower Waste	lkg	TSLWASTE











WASTES

MCALPINE WASTES

PRODUCT DESCRIPTION	COLOUR	CODE
McAlpine 90mm Shower Waste with Plastic Dome	White	ST90WH10-70
McAlpine 90mm Shower Waste with Plastic Dome	Matte Black	ST90MB10-70







SHOWER TRAP WASTES

Further enhance the look of your shower tray with our NEW 90mm High Flow Shower Waste featuring a modern and stylish finish.

Constructed from brass and plated in the following colours; Brushed Brass, Brushed Copper, Brushed Nickel, Matte Black and Matte White.

NEW - 90_{MM} SLIM TRAY WASTES

PRODUCT DESCRIPTION	COLOUR	CODE
90mm Slim Tray Waste	Brushed Brass	TSLWASTEBB
90mm Slim Tray Waste	Brushed Copper	TSLWASTEBC
90mm Slim Tray Waste	Brushed Nickel	TSLWASTEBN
90mm Slim Tray Waste	Matte Black	TSLWASTEMB
90mm Slim Tray Waste	White	TSLWASTEMW





Brushed Nickel Matte Black


PROSEAL WATERPROOF BARRIER SEAL

Flexible up-stand seal installed onto shower trays, baths and worktops eliminating the risk of water leakage.

PROSEAL

PRODUCT DESCRIPTION	CODE
ProSeal 2 metre Roll	PROS2.0M
ProSeal 2.5 metre Roll	PROS2.5M
ProSeal 3 metre Roll	PROS3.0M
ProSeal 3.5 metre Roll	PROS3.5M
ProSeal 4 metre Roll	PROS4.0M
ProSeal 10 metre Roll	PROS10.0M
ProSeal 20 metre Roll	PROS20.0M







SHOWER TRAY SHAPES

FIND YOUR PERFECT FIT





QUADRANT







OFFSET QUADRANT **RIGHT HAND**

SHOWER DOOR STYLES

DESIGNED TO FIT YOUR SPACE





SLIDING DOOR







OFFSET QUADRANT

PIVOT DOOR





QUADRANT

BIFOLD DOOR

AT A GLANCE METRIC CONVERTER

NOMINAL GUIDE ONLY

METRIC (MM)	FEET (FT)	INCHES (INS)
700	2 ft 3.5	27.5
760	2 ft 6.0	30
800	2 ft 7.5	31.5
900	2 ft 11.4	35.5
1000	3 ft 3.5	39.5
1100	3 ft 7.3	43.3
1200	3 ft 11.2	47.2


SHOWER DOOR **MEASURING GUIDE**


Note: Your measurements should be taken after tray installation and tiling. The space left after tiling will determine the shower door size required.

FOR A RECESS

Measurement at low point _ Measurement at high point _____

* Two measures relevant for uneven walls to ensure shower door caters for adjustment width needed






FOR A QUADRANT*

Radius Guide	
Distance 'C' (mm)	Radius (mm)
207	500
218	525
228	550

*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.

Timbers placed at right angles to determine C



Measurement







	X		
1			
			W.
		Massas	TOTAL CANADA
7	3		

	SLIMLINE CAPELLA	FLAIR FRAMELESS
GLASS THICKNESS	6mm	6mm
DOOR HEIGHT	1950mm	1950mm
HANDLE	Chrome Plated	Chrome / Black Plated
ROLLER WHEELS	Quick Release Double Wheel	
GLASS COATING	Clearvue	Clearvue
COVER CAPS / STRIPS	Chrome Plated	Chrome / Black Plated
PVC-CLEAR SEALS	YES	YES
ADJUSTMENT	Up to 100mm	Up to 50mm
FRAME COLOURS		
FITTING / ASSEMBLY	(Twist)	
SHOWER TRAY COMPATIBLE	YES	YES
WETROOM COMPATIBLE	W-CA	YES
GUARANTEE	20 Years	20 Years

SPECIFICATION COMPARISON...

A selection of our product features and specifications are summarised below to help you select the right collection for every installation.

	HYDRO EXPRESS	VERVE WETROOMS	VERVE PRO
GLASS THICKNESS	Up to 6mm	8mm	6mm
DOOR HEIGHT	1850mm	1900mm	1900mm
HANDLE	Chrome Plated ABS		Solid Chrome / Black Plated
ROLLER WHEELS	Single Wheel Quick Release		Quick Release Double Wheel
GLASS COATING	- 	Clean Easy	Clean Easy
COVER CAPS / STRIPS	<u> </u>	-	Chrome / Black Plated
PVC - CLEAR SEALS	YES	YES	YES
ADJUSTMENT	Up to 50mm	Up to 15mm	Up to 50mm
FRAME COLOURS			
FITTING / ASSEMBLY	EXPRESS EFIT	-	CLICK FIT
FITTING /	EXPRESS SET I DOCUMENT OF THE PROPERTY OF THE	- YES	CLICK FIT >>>>> PRO
FITTING / ASSEMBLY	CORD PER PERSONNEL	- YES	

QUALITY GUARANTEED

QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair products are CE approved and manufactured in accordance with ISO 9001:2015 Quality Assurance systems and ISO 14001:2015 Environmental Management systems.

All glass is toughened safety glass and produced to EN12150. Flair products are performance tested to EN14428, ensuring the highest industry criteria is met.



Essential Collections

Essential Collections are covered by a 20 year guarantee against manufacturer defect excluding Hydro Express.



Hydro Express is covered by a 10 year guarantee against manufacturer defect.

This guarantee is valid on condition that the goods are installed and maintained in accordance with the products fitting instructions and best practices.

Non glass and detachable parts such as rollers, seals etc. are subject to normal wear and tear during usage and are under guarantee for 24 months from time of purchase.

Please complete your product guarantee card included in the components box or register online at flairshowers.com/register.

Note: Proof of purchase is necessary to validate your guarantee so retain purchase receipt for your Flair product.

If a Flair shower enclosure is defective in materials or manufacture, please contact us on +353 42 966 8000.

CLEANEASY & CLEARVUE GLASS TREATMENT SYSTEM

Essential Collections shower doors, wetroom panels and bathscreens are supplied with a special glass coating designed to reduce limescale build up and make cleaning the glass easier.





WITHOUT TREATMENT

ENT WITH TREATMENT

AFTERSALES & SPARE PARTS SERVICE

Flair is 100% committed to customer service excellence.

We carry a full range of spare parts for each product range and have dedicated aftersales specialists to deal with any issues you may have.

If you have any queries, please contact Flair on +353 42 966 8000.

RETURN POLICY

Flair will not accept return of any product that has been opened.

We do not accept return of any product if the packaging has been damaged.

If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice will be charged.

SHOWER DOOR INSTALLATION ADVICE

BEFORE YOU INSTALL YOUR
SHOWER ENCLOSURE PLEASE READ
ALL INSTRUCTIONS. FAILURE TO DO
SO MAY LEAD TO INVALIDATION
OF YOUR GUARANTEE.

Flair Showers Ltd will not accept responsibility for any loss or damage, however caused, if the shower enclosure has not been installed as per the instructions.

- The shower tray MUST be fitted 100% level. The shower tray must be sealed correctly to prevent any water leakage.
- Glass edges are vulnerable and should be treated with care at all times.
 Contact with hard surfaces may result in glass breakage if due care is not taken.
- Check walls for electrical cabling or water pipes before drilling.
- Your shower enclosure, Bathscreen or wetroom must be inspected before installation. Check for all visual defects on the product before installation. Once the enclosure has been installed no claims of damage or defect will be accepted. Fitting of shower enclosure is acceptance of quality.
- The wall plugs supplied with the shower door are for use in solid walls.
 Timber frame, stud partition walls will require alternative fixings.
- Ensure vertical wall profiles are level and are an equal distance in from the tray.
- Shower Doors, Wetroom Screens, Bathscreens and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.
- Ensure adjustment at wall profiles are equal at both sides and that all screws are fully tightened.
- Ensure hinges are level and securely fitted to the glass.
- Ensure magnets are the right orientation and are attracting rather than repelling.
- The shower enclosure should be sealed on the outside only using silicone sealant.

- Care must be taken during assembly.
 Flair will not accept responsibility where incorrect assembly results in undue stress being put on any components in this product.
- If there are any manufacturer defects, please call Flair Service Line on 0800 180 8050.
- Note: If a problem has been caused by incorrect installation, a call-out charge will apply for the Flair technical engineer's time. Subsequent charges will apply "to fix" a problem caused by incorrect installation.

BATHSCREEN INSTALLATION

The Bathscreen must be installed on a 100% level surface with the bath edge free from obstructions.

Bathscreens should not be used on a bath with roll top rim, stepped edge rim or where the bath handle void meets the Bathscreen seal. This will impact on the performance of the bathscreen and the guarantee will be void. The Bathscreen should be fitted to the inside edge of the bath only.

A Bathscreen acts as a water deflector and is not 100% waterproof. If used appropriately under normal showering conditions and installed to the inside edge of the bath, water will be deflected into the showering area. Bathscreens are not suitable for power showers.

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

NOTE: It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

CLEANING GUIDELINES

- Glass: Use a soft cloth and mild detergent, rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water. Rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads. Only use detergents, cleaners and limescale removers with a pH of 5-8.
- The constant use of detergents will degrade the finish of the product over time if not thoroughly rinsed off.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with the use of a mild limescale remover.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit/ dirt which may have collected over time.

CONDITIONS OF SALE

Unless otherwise stated, all quotations are subject to acceptance within 30 days of date of issue.

Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

As part of our continuing policy of product improvement, we reserve the right to amend specifications, colours and s without prior notice. Images are for illustrated purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all shower heads and shower wastes in the brochure is for illustrative purposes only.


*Errors and Omissions Exempt.





Stay updated on our latest locations and events. Get real-time updates and join us when we're in your area.













flair

Flair Showers

Ireland

+353 42 966 8000

sales@flairshowers.com





FLAIRSHOWERS.COM







