

---

CREATING  
PERFECT  
HARMONY



flair  

---

SINCE  
1952

CELEBRATING **70** YEARS



---

CREATING  
PERFECT  
HARMONY



## PRODUCT DESIGN AWARD WINNER

Flair are proud to have received the Good Design Award accolade in recognition of the ILI shower door collection.

The Good Design Award is a seal of global design excellence and a testimony to our passion for product quality and innovation.



Flair is Proudly Supported by  
The European Regional Development Fund

## THE ILI<sup>®</sup> COLLECTION

At Flair we understand that our customers have an ever demanding daily routine. Be it first thing in the morning or as you finish the day, a shower has the power to lift your spirits, calm the mind and invigorate.

Designed to fit perfectly into your bathroom routine, the robust design of the ILI collection is coupled with clever functional innovations that will ensure long lasting high performance. The uniquely crafted handle is beautifully precise and features a cleverly integrated towel hook. Smooth sleek handle curvature creates a truly ergonomic and tactile experience for the user. The minimalist profiles and curved hinges complement the ILI handle design, creating an elegantly contemporary aesthetic.

The stylish yet functional simplicity throughout the ILI range embodies **Design with Purpose**, a concept which lies at the heart of the ILI collection.

As you explore the ILI catalogue, we hope you are captivated by every detail.




# VISIONARY INNOVATIONS

DOUBLE WHEEL ROLLER, CHROME PLATED DOOR STOPS & SILENT ROLLER TRACK



DOUBLE WHEEL ROLLERS GLIDE ALONG AN INNOVATIVE SILENT WHEEL TRACK SYSTEM



UNIQUELY CRAFTED ILI HANDLE WITH INTEGRATED ROBE HOOK




EXTERIOR HINGE VIEW



INTERIOR HINGE VIEW

SOFTLY CURVED ILI HINGE DESIGN

## TECHNICAL INNOVATIONS



PATENTED CLICK FIT SYSTEM



ULTRA CLEAR PVC BOTTOM SEAL



SILENT WHEEL TRACK

# FUNCTIONAL DETAILS

- 

**1950mm**  
HEIGHT

1950MM HIGH SHOWER DOORS
- 

ULTRA CLEAR PVC SEALS

VISUALLY ATTRACTIVE ULTRA CLEAR PVC DOOR SEALS
- 

**6mm**  
TOUGHENED SAFETY GLASS

6MM TOUGHENED SAFETY GLASS THICKNESS, CERTIFIED TO EN12150
- 

SEAMLESS INTERIOR COVER STRIPS

SEAMLESS INTERIOR COVER STRIPS CONCEAL ALL FIXATION POINTS INTERNALLY
- 

**25mm**  
PROFILE ADJUSTMENT

25MM ADJUSTMENT ON EACH WALL PROFILE
- 

PRESS FIT SEAL DESIGN

INNOVATIVE PRESS FIT SEAL DESIGN FOR EASE OF INSTALLATION
- 

CHROME PLATED HANDLE

PRECISELY CRAFTED SOLID CHROME PLATED IJI HANDLES THAT FEATURE AN INTEGRATED ROBE HOOK DESIGN
- 

PRE-ASSEMBLED PROFILE FRAME

PRE ASSEMBLED DOOR FRAME ON BIFOLD & HINGE DOOR - FOR EASE OF INSTALLATION
- 

CLEARVUE GLASS COATING

CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE
- 

SUITABLE FOR SIDE PANEL INSTALLATION

SUITABLE FOR INSTALLATION WITH SIDE PANELS
- 

SILENT WHEEL ROLLER MECHANISM

SILENT WHEEL ROLLER MECHANISM
- 

CHROME PLATED ABS COVER CAPS

ULTRA SLIM COVER CAP DESIGN FOR A SLEEK AND MODERN DOOR AESTHETIC
- 

QUICK RELEASE DOUBLE WHEEL ROLLERS

SUPERIOR QUICK RELEASE DOUBLE WHEEL ROLLERS WITH STAINLESS STEEL BEARINGS
- 

LIFETIME GUARANTEE

LIFETIME GUARANTEE
- 

REVERSIBLE

ALL IJI DOOR STYLES ARE FULLY REVERSIBLE FOR LEFT OR RIGHT HAND INSTALLATION
- 

CLICK FIT ASSEMBLY SYSTEM  
PATENTED

SUITABLE FOR WETROOM AND SHOWER TRAY INSTALLATION



# DESIGN WITH PURPOSE



## MAGNETIC BIFOLD LINKAGE SYSTEM

The ILI Bifold door features an aesthetically pleasing functional magnetic system which ensure the smoothest of motion as the door functions. The beautifully curved hinge aligns with the design of ILI.

## CONCEALED LONG DOOR STOP

A concealed long door stop system gives ILI sliding doors a controlled and gentle closing action. Double rollers with stainless steel ball bearings deliver an effortless sliding experience as the door glides along an innovative silent wheel track system.



## PATENTED CLICK FIT ASSEMBLY SYSTEM

With our installers in mind, Flair have designed ILI with a patented "Click Fit" Assembly System.

This revolutionary assembly mechanism is screw free and ensures each door can be installed easily and securely.

The tapered dovetail joint locks securely into position, giving a seamless connection between the vertical and horizontal profiles. This pioneering installation system ensures maximum structural integrity within every door and makes ILI the shower door of choice for the busiest of bathrooms.

(European Patent No 3730017)



IDEA  
CONCEPT  
PROTOTYPE  
ILI



# THE ILI<sup>®</sup> COLLECTION

BIFOLD  
DOOR

14

SLIDER  
DOOR

16

HINGE  
DOOR

18

ONE DOOR  
SLIDING  
QUADRANT &  
OFFSET  
QUADRANT

20

ONE DOOR  
HINGED  
QUADRANT &  
OFFSET  
QUADRANT

22

BABY ILI  
COLLECTION  
1800MM

24

# BIFOLD DOOR

The space saving Ili Bifold door is perfect for use in smaller bathrooms or where space is restricted.

With flexibility in mind, the door opens in to create optimal access. The innovative magnetic closing mechanism creates seamless functionality. The Ili range comes with a reassuring lifetime guarantee.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 760mm	710mm	760mm	472mm	ILIBF76SC
Bifold Door 800mm	750mm	800mm	512mm	ILIBF80SC
Bifold Door 850mm	800mm	850mm	521mm	ILIBF85SC
Bifold Door 900mm	850mm	900mm	571mm	ILIBF90SC
Bifold Door 1000mm	950mm	1000mm	671mm	ILIBF100SC



## SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	665mm	690mm	ILISP70SC
Side Panel 760mm	725mm	750mm	ILISP76SC
Side Panel 800mm	765mm	790mm	ILISP80SC
Side Panel 900mm	865mm	890mm	ILISP90SC
Side Panel 1000mm	965mm	990mm	ILISP100SC

## COMPENSATING BAR

PRODUCT DESCRIPTION	COLOUR	CODE
Compensating Bar 25mm	Silver	ILICB25SC

### BIFOLD - DOOR OPEN POSITION MEASUREMENTS



BIFOLD DOOR WITH SIDE PANEL

BIFOLD DOOR ALCOVE INSTALLATION

- 1950mm HEIGHT
- 6mm TOUGHENED SAFETY GLASS
- 25mm PROFILE ADJUSTMENT
- CLEARVUE GLASS COATING
- ANODISED ALUMINIUM PROFILES
- REVERSIBLE
- 25MM WALL PROFILE EXTENSION AVAILABLE
- CHROME PLATED HANDLE
- ULTRA CLEAR PVC SEALS
- CHROME PLATED ABS COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- PRE-ASSEMBLED DOOR FRAME ON BIFOLD AND HINGE DOOR
- SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION
- SPACE SAVING SOLUTION
- MAGNETIC CLOSURE
- LIFETIME GUARANTEE

# SLIDER DOOR

ILI Sliding Doors have been designed to seamlessly blend form and function.

A soft close mechanism and silent wheel roller mechanism deliver smooth and gently controlled opening and closing. Slim profiles and 6mm toughened safety glass also combine to provide a sleek and contemporary finish.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1100mm	1050mm	1100mm	420mm	ILISA110SC
Slider Door 1200mm	1150mm	1200mm	470mm	ILISA120SC
Slider Door 1250mm	1200mm	1250mm	495mm	ILISA125SC
Slider Door 1300mm	1250mm	1300mm	520mm	ILISA130SC
Slider Door 1400mm	1350mm	1400mm	570mm	ILISA140SC
Slider Door 1500mm	1450mm	1500mm	570mm	ILISA150SC
Slider Door 1600mm	1550mm	1600mm	570mm	ILISA160SC
Slider Door 1700mm	1650mm	1700mm	570mm	ILISA170SC

## SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	665mm	690mm	ILISP70SC
Side Panel 760mm	725mm	750mm	ILISP76SC
Side Panel 800mm	765mm	790mm	ILISP80SC
Side Panel 900mm	865mm	890mm	ILISP90SC
Side Panel 1000mm	965mm	990mm	ILISP100SC

## COMPENSATING BAR

PRODUCT DESCRIPTION	COLOUR	CODE
Compensating Bar 25mm	Silver	ILICB25SC






SLIDER DOOR  
ALCOVE INSTALLATION

SLIDER DOOR  
WITH SIDE PANEL



# HINGE DOOR

The stylish yet functional simplicity of the Ili Hinge door enables it to enhance any bathroom.

Elegantly curved hinges and seamless cover strip create a sleek aesthetic to the door.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Hinge Door 760mm	710mm	760mm	600mm	ILIH76SC
Hinge Door 800mm	750mm	800mm	640mm	ILIH80SC
Hinge Door 850mm	800mm	850mm	690mm	ILIH85SC
Hinge Door 900mm	850mm	900mm	740mm	ILIH90SC
Hinge Door 1000mm	950mm	1000mm	840mm	ILIH100SC

## SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE
Side Panel 700mm	665mm	690mm	ILISP70SC
Side Panel 760mm	725mm	750mm	ILISP76SC
Side Panel 800mm	765mm	790mm	ILISP80SC
Side Panel 900mm	865mm	890mm	ILISP90SC
Side Panel 1000mm	965mm	990mm	ILISP100SC

## COMPENSATING BAR

PRODUCT DESCRIPTION	COLOUR	CODE
Compensating Bar 25mm	Silver	ILICB25SC



ELEGANTLY CRAFTED Ili HANDLE DESIGN



HINGE DOOR ALCOVE INSTALLATION



SOFTLY CURVED Ili HINGE DESIGN



HINGE DOOR WITH SIDE PANEL



# ONE DOOR SLIDING QUADRANT & OFFSET QUADRANT

The ILLI One Door Quadrant and Offset Quadrant are perfectly shaped to make the most out of a corner showering space.

Incorporating the visionary innovations that run throughout the ILLI range, quadrants provide incredibly smooth opening and closing thanks to our silent wheel roller mechanism.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
One Door Quadrant 900mm	870-895mm	870-895mm	485mm	ILICOQ90SC
One Door Offset Quadrant 800 x 1000mm	770-795mm	970-995mm	436mm	ILICOQ80X100SC
One Door Offset Quadrant 800 x 1200mm	770-795mm	1170-1195mm	436mm	ILICOQ80X120SC
One Door Offset Quadrant 900 x 1200mm	870-895mm	1170-1195mm	485mm	ILICOQ90X120SC



CRAFTED ILLI HANDLE WITH INTEGRATED ROBE HOOK FEATURE



ONE DOOR SLIDING QUADRANT

- 1950mm HEIGHT
- 6mm TOUGHENED SAFETY GLASS
- 25mm PROFILE ADJUSTMENT
- CHROME PLATED HANDLE
- CLEARVUE GLASS COATING
- ANODISED ALUMINIUM PROFILES
- REVERSIBLE
- SILENT WHEEL ROLLER MECHANISM
- ULTRA CLEAR PVC SEALS
- CHROME PLATED ABS COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- QUICK RELEASE DOUBLE WHEEL ROLLERS
- SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION
- 25MM WALL PROFILE EXTENSION AVAILABLE
- LIFETIME GUARANTEE
- CLICK FIT ASSEMBLY SYSTEM PATENTED



ONE DOOR OFFSET SLIDING QUADRANT



# HINGED QUADRANT & HINGED OFFSET QUADRANT

The ILI Hinged One Door Quadrant and Offset Quadrant incorporate sweeping glass to make the boldest of statements.


Cleaning is made easy with Clear-Vue coating on the glass, elegantly curved hinges and finished with a seamless cover strip.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Hinge Quadrant 900mm	870-895mm	870-895mm	585mm	ILIHQ90SC
Hinge Offset Quadrant 800 x 1200mm	770-795mm	1170-1195mm	585mm	ILIHQ80X120SC
Hinge Offset Quadrant 900 x 1200mm	870-895mm	1170-1195mm	585mm	ILIHQ90X120SC



EXTERIOR VIEW OF HINGE



CRAFTED ILI HANDLE WITH INTEGRATED ROBE HOOK FEATURE

HINGED OFFSET QUADRANT - OFFSET QUADRANT DOOR MUST HINGE FROM THE LONG SIDE



HINGED QUADRANT

- 1950mm HEIGHT
- 6mm TOUGHENED SAFETY GLASS
- 25mm PROFILE ADJUSTMENT
- CHROME PLATED HANDLE
- CLEARVUE GLASS COATING
- ANODISED ALUMINIUM PROFILES
- REVERSIBLE
- 25MM WALL PROFILE EXTENSION AVAILABLE
- ULTRA CLEAR PVC SEALS
- CHROME PLATED ABS COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION
- LIFETIME GUARANTEE
- CLICK FIT ASSEMBLY SYSTEM PATENTED

# BABY ILI

The Baby Ili collection is just 1800mm high, making it the ideal solution for loft conversions, low and sloping ceilings.



ONE DOOR OFFSET SLIDING QUADRANT

## BIFOLD DOOR – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 700mm	650mm	700mm	472mm	ILI180BF70SC
Bifold Door 800mm	750mm	800mm	512mm	ILI180BF80SC
Bifold Door 900mm	850mm	900mm	571mm	ILI180BF90SC
Bifold Door 1000mm	950mm	1000mm	671mm	ILI180BF100SC

## ONE DOOR SLIDING QUADRANT – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
One Door Sliding Quadrant 800mm	770mm	795mm	436mm	ILI180COQ80SC
One Door Sliding Quadrant 900mm	870mm	895mm	485mm	ILI180COQ90SC

## HINGE DOOR – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	750mm	800mm	640mm	ILI180HD80SC
Hinge Door 900mm	850mm	900mm	740mm	ILI180HD90SC

## SLIDING DOOR – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Door 1200mm	1150mm	1200mm	470mm	ILI180SA120SC

## SIDE PANEL – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	665mm	690mm	ILI180SP70SC
Side Panel 800mm	765mm	790mm	ILI180SP80SC
Side Panel 900mm	865mm	890mm	ILI180SP90SC
Side Panel 1000mm	965mm	990mm	ILI180SP100SC




SLIDER DOOR WITH SIDE PANEL



HINGE DOOR WITH SIDE PANEL

- 1800mm HEIGHT
- 6mm TOUGHENED SAFETY GLASS
- 25mm PROFILE ADJUSTMENT
- CHROME PLATED HANDLE
- CLEARVUE GLASS COATING
- ANODISED ALUMINIUM PROFILES
- REVERSIBLE
- ULTRA CLEAR PVC SEALS
- CHROME PLATED ABS COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- PRE-ASSEMBLED DOOR FRAME ON BIFOLD AND HINGE DOOR
- SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION
- LIFETIME GUARANTEE

# DESIGNED FOR LIFE



SINCE  
1952

flair  
—

CELEBRATING **70** YEARS

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer award winning designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



**AWARD WINNING  
PRODUCT DESIGN**

# QUALITY GUARANTEED

**At Flair we have an unwavering commitment to product quality**

All Ili Shower Doors are CE approved and quality tested to EN 14428:2015+A1:2018 - Shower enclosures - Functional requirements and test methods BS EN 14428:2015+A1:2018 - Shower enclosures - Functional requirements and test methods.

**Ili Shower Enclosures have been subject to lifetime shower door cycle testing consisting of 40,000 functional cycles, water tests, impact tests and corrosion tests for all components.**

Ili Doors are rigorously tested to ensure that they meet the highest possible industry standards. Transportation testing is also conducted so that the Ili product arrives to our customer in the best possible condition.

**INSTALLATION**

Full installation instructions are provided with each Ili product to ensure correct installation. Ili Shower Doors and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.

**Ili Lifetime Guarantee**

Ili Shower Doors are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. **\*Note: Non glass and detachable parts such as rollers, seals, door dampeners and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.**

We ask our customers to register their guarantee online at [www.flairshowers.com](http://www.flairshowers.com) or return the guarantee card that comes with every Ili door.

**Aftersales & Spare Parts service**

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

**CONDITIONS OF SALE**

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

**AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.**

\*Errors and Omissions Exempt.





BIFOLD DOOR  
WITH SIDE PANEL

STERLING / OCTOBER 2022

# DESIGNED FOR LIFE

Flair Showers Ltd.  
Rocks Road  
Kingscourt  
Co Cavan  
Ireland

T +353 42 966 8000  
E [sales@flairshowers.com](mailto:sales@flairshowers.com)

CELEBRATING **75** YEARS



Connect with us



FLAIRSHOWERS.COM