

CREATING
PERFECT
HARMONY



flair

SINCE
1952

OVER **70** YEARS



CREATING
PERFECT
HARMONY



PRODUCT DESIGN AWARD WINNER

Flair are proud to have received the Good Design Award accolade in recognition of the ILI shower door collection.

The Good Design Award is a seal of global design excellence and a testimony to our passion for product quality and innovation.



Flair is Proudly Supported by
The European Regional Development Fund

THE ILI[®] COLLECTION

At Flair we understand that our customers have an ever demanding daily routine. Be it first thing in the morning or as you finish the day, a shower has the power to lift your spirits, calm the mind and invigorate.

The newly launched ILI collection is the the result of Flair's focus on meaningful innovation that delivers what people really need in their bathroom. The range is incredibly functional and blends style with affordable practicality. Carefully considered design details make ILI a joy to use every day. The ergonomically crafted handles feature a cleverly integrated towel hook. The minimalist profiles and neatly curved hinges give simple, clean lines to the ILI door aesthetic. Each sliding door features a silent wheel track system while clearvue coating ensures the shower door glass remains sparkling clean. For complete flexibility, ILI is available in a variety of door styles, with some non-standard door widths and reduced height options also featuring in the range.

The stylish yet functional simplicity throughout the ILI range embodies **Design with Purpose**, a concept which lies at the heart of the ILI collection.

As you explore the ILI catalogue, we hope you are captivated by every detail.



VISIONARY INNOVATIONS



DOUBLE WHEEL
ROLLERS GLIDE
ALONG AN
INNOVATIVE
SILENT WHEEL
TRACK SYSTEM




UNIQUELY CRAFTED ILI HANDLE
WITH INTEGRATED ROBE HOOK




SOFTLY CURVED
ILI HINGE DESIGN


TECHNICAL INNOVATIONS



PATENTED
CLICK FIT SYSTEM








ULTRA CLEAR
PVC BOTTOM SEAL



SILENT WHEEL
TRACK

FUNCTIONAL DETAILS

 <p>1950mm HEIGHT</p>	1950mm HIGH SHOWER DOORS	 <p>ULTRA CLEAR PVC SEALS</p>	VISUALLY ATTRACTIVE ULTRA CLEAR PVC DOOR SEALS
 <p>6mm TOUGHENED SAFETY GLASS</p>	6mm TOUGHENED SAFETY GLASS THICKNESS, CERTIFIED TO EN12150	 <p>SEAMLESS INTERIOR COVER STRIPS</p>	SEAMLESS INTERIOR COVER STRIPS CONCEAL ALL FIXATION POINTS INTERNALLY
 <p>25mm PROFILE ADJUSTMENT</p>	25mm ADJUSTMENT ON EACH WALL PROFILE	 <p>PRESS FIT SEAL DESIGN</p>	INNOVATIVE PRESS FIT SEAL DESIGN FOR EASE OF INSTALLATION
 <p>CHROME PLATED HANDLE</p>	PRECISELY CRAFTED SOLID CHROME PLATED IJI HANDLES THAT FEATURE AN INTEGRATED ROBE HOOK DESIGN	 <p>PRE-ASSEMBLED PROFILE FRAME</p>	PRE ASSEMBLED DOOR FRAME ON BIFOLD & HINGE DOOR - FOR EASE OF INSTALLATION
 <p>CLEARVUE GLASS COATING</p>	CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE	 <p>SUITABLE FOR SIDE PANEL INSTALLATION</p>	SUITABLE FOR INSTALLATION WITH SIDE PANELS
 <p>SILENT WHEEL ROLLER MECHANISM</p>	SILENT WHEEL ROLLER MECHANISM	 <p>CHROME PLATED ABS COVER CAPS</p>	ULTRA SLIM COVER CAP DESIGN FOR A SLEEK AND MODERN DOOR AESTHETIC
 <p>QUICK RELEASE DOUBLE WHEEL ROLLERS</p>	SUPERIOR QUICK RELEASE DOUBLE WHEEL ROLLERS WITH STAINLESS STEEL BEARINGS	 <p>LIFETIME GUARANTEE</p>	LIFETIME GUARANTEE
 <p>REVERSIBLE</p>	ALL IJI DOOR STYLES ARE FULLY REVERSIBLE FOR LEFT OR RIGHT HAND INSTALLATION	 <p>CLICK FIT ASSEMBLY SYSTEM PATENTED</p>	SUITABLE FOR WETROOM AND SHOWER TRAY INSTALLATION




DESIGN WITH PURPOSE



MAGNETIC BIFOLD LINKAGE SYSTEM
The ILI Bifold door features an aesthetically pleasing functional magnetic system which ensure the smoothest of motion as the door functions. The beautifully curved hinge aligns with the design of ILI.

CONCEALED LONG DOOR STOP
A concealed long door stop system gives ILI sliding doors a controlled and gentle closing action. Double rollers with stainless steel ball bearings deliver an effortless sliding experience as the door glides along an innovative silent wheel track system.



PATENTED CLICK FIT ASSEMBLY SYSTEM
With our installers in mind, Flair have designed ILI with a patented "Click Fit" Assembly System. This revolutionary assembly mechanism is screw free and ensures each door can be installed easily and securely. The tapered dovetail joint locks securely into position, giving a seamless connection between the vertical and horizontal profiles. This pioneering installation system ensures maximum structural integrity within every door and makes ILI the shower door of choice for the busiest of bathrooms.
(European Patent No 3730017)



IDEA
CONCEPT
PROTOTYPE
ILI



ILI BIFOLD DOOR

THE ILI[®] COLLECTION

BIFOLD
DOOR

14

SLIDER
DOOR

16

HINGE
DOOR

18

ONE DOOR
SLIDING
QUADRANT &
OFFSET
QUADRANT

20

ONE DOOR
HINGED
QUADRANT &
OFFSET
QUADRANT

22

BABY ILI
COLLECTION
1800MM

24

BIFOLD DOOR

The space saving ILI Bifold door is perfect for use in smaller bathrooms or where space is restricted.

With flexibility in mind, the door opens inwards to create optimal access. The innovative magnetic bifold hinge creates seamless functionality as the door opens and closes. As is standard across the ILI collection, the bifold door comes with a reassuring lifetime guarantee for the ultimate peace of mind.

DOOR SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Bifold Door 760mm	710mm	760mm	472mm	ILIBF76SC
Bifold Door 800mm	750mm	800mm	512mm	ILIBF80SC
Bifold Door 850mm	800mm	850mm	521mm	ILIBF85SC
Bifold Door 900mm	850mm	900mm	571mm	ILIBF90SC
Bifold Door 1000mm	950mm	1000mm	671mm	ILIBF100SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE
Side Panel 700mm	665mm	690mm	ILISP70SC
Side Panel 760mm	725mm	750mm	ILISP76SC
Side Panel 800mm	765mm	790mm	ILISP80SC
Side Panel 900mm	865mm	890mm	ILISP90SC
Side Panel 1000mm	965mm	990mm	ILISP100SC

COMPENSATING BAR

PRODUCT DESCRIPTION	COLOUR	CODE
Compensating Bar 25mm	Silver	ILICB25SC



1950mm HEIGHT

6mm TOUGHENED SAFETY GLASS

25mm PROFILE ADJUSTMENT

CLEARVIEW GLASS COATING

ANODISED ALUMINIUM PROFILES

REVERSIBLE

25MM WALL PROFILE EXTENSION AVAILABLE

CHROME PLATED HANDLE

ULTRA CLEAR PVC SEALS

CHROME PLATED ABS COVER CAPS

SEAMLESS INTERIOR COVER STRIPS

PRE-ASSEMBLED DOOR FRAME ON BIFOLD AND HINGE DOOR

SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION

SPACE SAVING SOLUTION

MAGNETIC CLOSURE

LIFETIME GUARANTEE



BIFOLD DOOR WITH SIDE PANEL

SLIDER DOOR

The ILI Sliding Door features a unique silent wheel track system that delivers a gently controlled opening and closing action. The 6mm toughened safety glass is framed with ultra slim profiles to give the door a clean, contemporary aesthetic.

With 8 different sizes to chose from, including an ingenious 1250mm option, the ILI slider is ideal for a wide variety of applications.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Slider Door 1100mm	1050mm	1100mm	420mm	ILISA110SC
Slider Door 1200mm	1150mm	1200mm	470mm	ILISA120SC
Slider Door 1250mm	1200mm	1250mm	495mm	ILISA125SC
Slider Door 1300mm	1250mm	1300mm	520mm	ILISA130SC
Slider Door 1400mm	1350mm	1400mm	570mm	ILISA140SC
Slider Door 1500mm	1450mm	1500mm	570mm	ILISA150SC
Slider Door 1600mm	1550mm	1600mm	570mm	ILISA160SC
Slider Door 1700mm	1650mm	1700mm	570mm	ILISA170SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	665mm	690mm	ILISP70SC
Side Panel 760mm	725mm	750mm	ILISP76SC
Side Panel 800mm	765mm	790mm	ILISP80SC
Side Panel 900mm	865mm	890mm	ILISP90SC
Side Panel 1000mm	965mm	990mm	ILISP100SC

COMPENSATING BAR

PRODUCT DESCRIPTION	COLOUR	CODE
Compensating Bar 25mm	Silver	ILICB25SC





1950mm
HEIGHT



6mm
TOUGHENED
SAFETY
GLASS



25mm
PROFILE
ADJUSTMENT



CHROME PLATED
HANDLE



CLEARVUE
GLASS COATING



ANODISED
ALUMINIUM
PROFILES



REVERSIBLE



SILENT WHEEL
ROLLER
MECHANISM



PRESS FIT
SEAL DESIGN



ULTRA CLEAR
PVC SEALS



CHROME
PLATED ABS
COVER CAPS



SEAMLESS
INTERIOR
COVER STRIPS



QUICK RELEASE
DOUBLE WHEEL
ROLLERS



SUITABLE FOR
SHOWER TRAY
OR WETROOM
INSTALLATION



25MM WALL
PROFILE
EXTENSION
AVAILABLE



LIFETIME
GUARANTEE



**CLICK FIT
ASSEMBLY
SYSTEM**
PATENTED

SLIDER DOOR
WITH SIDE PANEL



SLIDER DOOR
ALCOVE INSTALLATION



HINGE DOOR

The ILI hinge door is ideally suited where space is more limited in the bathroom. This outward opening hinge door has a firm magnetic close action. The ultra clear bottom door seal ensures optimal water retention.

The gently curved hinges are fully concealed on the inside, delivering visual perfection on both the exterior and interior of the shower.

DOOR SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 760mm	710mm	760mm	600mm	ILIHD76SC
Hinge Door 800mm	750mm	800mm	640mm	ILIHD80SC
Hinge Door 850mm	800mm	850mm	690mm	ILIHD85SC
Hinge Door 900mm	850mm	900mm	740mm	ILIHD90SC
Hinge Door 1000mm	950mm	1000mm	840mm	ILIHD100SC


SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	665mm	690mm	ILISP70SC
Side Panel 760mm	725mm	750mm	ILISP76SC
Side Panel 800mm	765mm	790mm	ILISP80SC
Side Panel 900mm	865mm	890mm	ILISP90SC
Side Panel 1000mm	965mm	990mm	ILISP100SC


COMPENSATING BAR

PRODUCT DESCRIPTION	COLOUR	CODE
Compensating Bar 25mm	Silver	ILICB25SC







1950mm
HEIGHT




6mm
TOUGHENED
SAFETY
GLASS




25mm
PROFILE
ADJUSTMENT




CHROME PLATED
HANDLE




CLEARVUE
GLASS COATING




ANODISED
ALUMINIUM
PROFILES




REVERSIBLE




ULTRA CLEAR
PVC SEALS




CHROME
PLATED ABS
COVER CAPS




SEAMLESS
INTERIOR
COVER STRIPS




PRE-ASSEMBLED
DOOR FRAME
ON BIFOLD AND
HINGE DOOR



SUITABLE FOR
SHOWER TRAY
OR WETROOM
INSTALLATION



25MM WALL
PROFILE
EXTENSION
AVAILABLE



LIFETIME
GUARANTEE

ONE DOOR SLIDING QUADRANT & OFFSET QUADRANT

The ILI One Door Quadrant and Offset Quadrant are perfectly shaped to make the most out of a corner showering space.

This door has an incredibly smooth opening and closing action thanks to the silent wheel roller mechanism. The stainless steel rollers also boast a quick release design for hassle free cleaning. Clearvue hydrophobic coating resists the build up of grime and limescale on the glass.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
One Door Quadrant 900mm	870-895mm	870-895mm	485mm	ILICOQ90SC
One Door Offset Quadrant 800 x 1000mm	770-795mm	970-995mm	436mm	ILICOQ80X100SC
One Door Offset Quadrant 800 x 1200mm	770-795mm	1170-1195mm	436mm	ILICOQ80X120SC
One Door Offset Quadrant 900 x 1200mm	870-895mm	1170-1195mm	485mm	ILICOQ90X120SC



CRAFTED ILI HANDLE WITH INTEGRATED ROBE HOOK FEATURE

1950mm
HEIGHT

6mm
TOUGHENED
SAFETY
GLASS

25mm
PROFILE
ADJUSTMENT

CHROME PLATED
HANDLE

CLEARVUE
GLASS COATING

ANODISED
ALUMINIUM
PROFILES

REVERSIBLE

SILENT WHEEL
ROLLER
MECHANISM

ULTRA CLEAR
PVC SEALS

CHROME
PLATED ABS
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

QUICK RELEASE
DOUBLE WHEEL
ROLLERS

SUITABLE FOR
SHOWER TRAY
OR WETROOM
INSTALLATION

25MM WALL
PROFILE
EXTENSION
AVAILABLE

LIFETIME
GUARANTEE

CLICK FIT
ASSEMBLY
SYSTEM
PATENTED



ONE DOOR
SLIDING QUADRANT



ONE DOOR
OFFSET
SLIDING
QUADRANT



HINGED QUADRANT & HINGED OFFSET QUADRANT

One of a kind, the Hinged Quadrant and Hinged Offset Quadrant is a unique option for corner shower spaces.


Vertical magnetic seals ensure water tightness and give the door a reassuring positive close action. All internal fixation points are concealed with cover strips ensuring the interior of this shower door is visually perfect. Cleaning is made easy with Clearvue hydrophobic coating on the 6mm toughened safety glass.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE
Hinge Quadrant 900mm	870-895mm	870-895mm	585mm	ILIHQ90SC
Hinge Offset Quadrant 800 x 1200mm	770-795mm	1170-1195mm	585mm	ILIHQ80X120SC
Hinge Offset Quadrant 900 x 1200mm	870-895mm	1170-1195mm	585mm	ILIHQ90X120SC



EXTERIOR VIEW OF HINGE



CRAFTED ILI HANDLE WITH INTEGRATED ROBE HOOK FEATURE

HINGED OFFSET QUADRANT - OFFSET QUADRANT DOOR MUST HINGE FROM THE LONG SIDE



HINGED QUADRANT

1950mm
HEIGHT

6mm
TOUGHENED
SAFETY
GLASS

25mm
PROFILE
ADJUSTMENT

CHROME PLATED
HANDLE

CLEARVUE
GLASS COATING

ANODISED
ALUMINIUM
PROFILES

REVERSIBLE

25MM WALL
PROFILE
EXTENSION
AVAILABLE

ULTRA CLEAR
PVC SEALS

CHROME
PLATED ABS
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SUITABLE FOR
SHOWER TRAY
OR WETROOM
INSTALLATION

LIFETIME
GUARANTEE

**CLICK FIT
ASSEMBLY
SYSTEM**
PATENTED

BABY ILI

The Baby Ili collection is just 1800mm high, making it the ideal solution for loft conversions, low and sloping ceilings.



ONE DOOR OFFSET SLIDING QUADRANT

BIFOLD DOOR – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bifold Door 700mm	650mm	700mm	472mm	ILI180BF70SC
Bifold Door 800mm	750mm	800mm	512mm	ILI180BF80SC
Bifold Door 900mm	850mm	900mm	571mm	ILI180BF90SC
Bifold Door 1000mm	950mm	1000mm	671mm	ILI180BF100SC

ONE DOOR SLIDING QUADRANT – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
One Door Sliding Quadrant 800mm	770mm	795mm	436mm	ILI180COQ80SC
One Door Sliding Quadrant 900mm	870mm	895mm	485mm	ILI180COQ90SC

HINGE DOOR – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	750mm	800mm	640mm	ILI180HD80SC
Hinge Door 900mm	850mm	900mm	740mm	ILI180HD90SC

SLIDING DOOR – SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Door 1200mm	1150mm	1200mm	470mm	ILI180SA120SC

SIDE PANEL – SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	665mm	690mm	ILI180SP70SC
Side Panel 800mm	765mm	790mm	ILI180SP80SC
Side Panel 900mm	865mm	890mm	ILI180SP90SC
Side Panel 1000mm	965mm	990mm	ILI180SP100SC




SLIDER DOOR WITH SIDE PANEL




HINGE DOOR WITH SIDE PANEL




1800mm
HEIGHT



6mm
TOUGHENED
SAFETY
GLASS




25mm
PROFILE
ADJUSTMENT




CHROME PLATED
HANDLE




CLEARVUE
GLASS COATING




ULTRA CLEAR
PVC SEALS




CHROME
PLATED ABS
COVER CAPS




SEAMLESS
INTERIOR
COVER STRIPS




PRE-ASSEMBLED
DOOR FRAME
ON BIFOLD AND
HINGE DOOR




SUITABLE FOR
SHOWER TRAY
OR WETROOM
INSTALLATION



ANODISED
ALUMINIUM
PROFILES




REVERSIBLE



LIFETIME
GUARANTEE

BIFOLD - DOOR OPEN POSITION MEASUREMENTS



BIFOLD DOOR SIZE	X SIZE	Y SIZE	Z SIZE
700mm	650-700mm	412mm	283mm
800mm	750-800mm	512mm	333mm
900mm	850-900mm	571mm	379mm
1000mm	950-1000mm	671mm	431mm

DESIGNED FOR LIFE



SINCE
1952

flair

OVER **70** YEARS

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer award winning designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



**AWARD WINNING
PRODUCT DESIGN**

QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality

All ILI Shower Doors are CE approved and quality tested to EN 14428:2015+A1:2018 - Shower enclosures - Functional requirements and test methods BS EN 14428:2015+A1:2018 - Shower enclosures - Functional requirements and test methods.

ILI Shower Enclosures have been subject to lifetime shower door cycle testing consisting of 40,000 functional cycles, water tests, impact tests and corrosion tests for all components.

ILI Doors are rigorously tested to ensure that they meet the highest possible industry standards. Transportation testing is also conducted so that the ILI product arrives to our customer in the best possible condition.

INSTALLATION

Full installation instructions are provided with each ILI product to ensure correct installation. ILI Shower Doors and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.

ILI Lifetime Guarantee

ILI Shower Doors are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. ***Note: Non glass and detachable parts such as rollers, seals, door dampeners and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every ILI door.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.


Aftersales & Spare Parts service

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.





BIFOLD DOOR
WITH SIDE PANEL

FEBRUARY 2023

DESIGNED FOR LIFE

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com

OVER **70** YEARS



Connect with us



FLAIRSHOWERS.COM