flair

PVC Panelling & Klicker Floor

March 2023

Flair PVC panels are easy to install, easy to maintain, 100% waterproof, have a class 1 fire rating and are mould resistant and hygienic.

They excel in wet environments.

Four PVC Size Options

1 **10mm Widepanel**

1 Metre Wide
2.4 Metre Height

2 **Super 7mm PVC Panelling**

250mm Wide
2.7 Metre Height
(Pack of 4)

3 **6mm Ceiling Panel**

200mm Wide Panels
2.7 Metre Height
(Pack of 5)

4 **5mm Wall Panel**

250mm Wide Panels
2.7 Metre Height
(Pack of 4)

Panelling Made Easy

– Class 1 fire rated
– Lightweight & easy to fit
– Hygienic non porous surface that is easy to clean
– 100% waterproof PVC Core
– Suitable for wet and dry internal areas such as bathrooms and utility rooms
– Cost effective alternative to tiling
– Tongue and groove panelling for a seamless finish
– Suitable for installation on tiles

10mm WidePanel PVC Panelling

Height: 2400mm – Width: 1000mm
Depth: 10mm

Astra Stone Matt

Code FW10ASM

Capri Light Grey Matt

Code FW10CLG

White Gloss

Code FW10WG

White Marble

Code FW10WM

Light Grey Marble

Code FW10LGM

Grey Marble

Code FW10GM

Arctic Sparkle

Code FW10AS

Concrete Beige

Code FW10CB

Concrete Dark Grey

Code FW10CDG

Metallic Antique Grey

Code FW10MA

Naples Matt

Code FW10NM

Rome Matt

Code FW10RM

Turin Matt

Code FW10TM

Tuscany Grey Marble

Code FW10TGM

Milan Carrara Matt

Code FW10MCM

Storm Grey

Code FWSG

Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur.
To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

10mm PVC Trim Options & Extras

DESCRIPTION	SILVER	WHITE	BLACK
Flair PVC WidePanel 10mm Internal Corner (2.4m length)	FW100ICS	FW100ICW	FW100ICB
Flair PVC WidePanel 10mm External Corner (2.4m length)	FW100ECS	FW100ECW	FW100ECB
Flair PVC WidePanel 10mm End U Trim (2.4m length)	FW100EUTS	FW100EUTW	FW100EUTB
Flair PVC WidePanel 10mm H Joiner (2.4m length)	FW100HJS	FW100HJW	–
Flair PVC WidePanel 10mm PVC Base Seal (2.4m length)	FW100BSS	FW100BSW	–
Flair PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW	–
PVC WidePanel 10mm Corner Installation Kit Consists of: 2 x End U Trims, 1 x Internal Corner, 1 x Adhesive, 1 x Silicone *(Base seal not included)*	FWCIKS	FWCIKW	–
PVC WidePanel10mm Alcove Installation Kit Consists of: 2 x End U Trims, 2 x Internal Corners, 2 x Adhesive, 2 x Silicone *(Base seal not included)*	FWAIKS	FWAIKW	–
Flair PVC Panel Adhesive	–	FCWA	–
Flair PVC Panel Silicone Sealant White	–	FCWSS	–
Flair PVC Panel Surface Cleaner	–	FCWSC	–

PLEASE NOTE: Installation kit does not include base seal.

Super 7mm WidePanel
PVC Panelling

Height: 2700mm – Width: 250mm – Depth: 7mm

(4 Panels Per Pack – 2.7m²)

– Suitable for both wet and dry areas
– Non-porous, hygenic and mould free
– Virtually maintenence free with wipe clean surface

Arctic Sparkle	**Capri Grey**	**Capri Light Grey Matt**	**Concrete Dark Grey**	**Light Grey Marble**
Code FW7ASG	Code FW7CGM	Code FW7CLGM	Code FW7CDGM	Code FW7LGMG

Metallic Silver	**Silver Linear**	**Storm Grey**	**White Gloss**	**White Linear**
Code FW7MSM	Code FW7SLM	Code FW7SGG	Code FW7WG	Code FW7WLM

7mm PVC Trim Options & Extras

| DESCRIPTION	SILVER	WHITE
Flair PVC Ceiling & Wall Panel Internal Corner (2.7m length)	FW7ICS	FW7ICW
Flair PVC Ceiling & Wall Panel External Corner (2.7m length)	FW7ECS	FW7ECW
Flair PVC Ceiling & Wall Panel End U Trim (2.7m length)	FW7EUTS	FW7EUTW
Flair PVC WidePanel 7mm PVC Base Seal (2.7m length)	FW7BSS	FW7BSW
Flair PVC Ceiling & Wall Panel H Joiner Silver (2.7m length)		FW7HJW
Flair PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW
Flair PVC Panel Adhesive		FCWA
Flair PVC Panel Silicone Sealant White		FCWSS
Flair PVC Panel Surface Cleaner		FCWSC

Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur.
To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

6mm Two Strip
PVC Ceiling Panelling

Height: 2700mm – Width: 200mm – Depth: 6mm

(5 panels per pack - 2.7m²)

White White 2 Strip
Code FCW6WW

White Silver 2 Strip
Code FCW6WS

6mm PVC Trim Options & Extras

DESCRIPTION	SILVER	WHITE
Flair PVC Ceiling & Wall Panel Internal Corner (2.7m length)	FCWICS	FCWICW
Flair PVC Ceiling & Wall Panel External Corner (2.7m length)	FCWECS	FCWECW
Flair PVC Ceiling & Wall Panel End U Trim (2.7m length)	FCWEUTS	FCWEUTW
Flair PVC Ceiling & Wall Panel H Joiner (2.7m length)	FCWHJS	FCWHJW
Flair PVC Ceiling & Wall Panel Scotia Trim (2.7m length)	FCWSTS	FCWSTW
Flair PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW
Flair PVC Panel Adhesive		FCWA
Flair PVC Panel Silicone Sealant White		FCWSS
Flair PVC Panel Surface Cleaner		FCWSC

Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur.
To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

5mm PVC
Wall Panelling

Height: 2700mm – Width: 250mm
Depth: 5mm (4 Panels Per Pack – 2.7m²)

**White Gloss**

Code FCW5WG

Light Grey Marble

Code FCW5LGM

5mm PVC Trim Options & Extras

DESCRIPTION	SILVER	WHITE
Flair PVC Ceiling & Wall Panel Internal Corner (2.7m length)	FCWICS	FCWICW
Flair PVC Ceiling & Wall Panel External Corner (2.7m length)	FCWECS	FCWECW
Flair PVC Ceiling & Wall Panel End U Trim (2.7m length)	FCWEUTS	FCWEUTW
Flair PVC Ceiling & Wall Panel H Joiner (2.7m length)	FCWHJS	FCWHJW
Flair PVC Ceiling & Wall Panel Scotia Trim (2.7m length)	FCWSTS	FCWSTW
Flair PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW
Flair PVC Panel Adhesive		FCWA
Flair PVC Panel Silicone Sealant White		FCWSS
Flair PVC Panel Surface Cleaner		FCWSC

PVC PANEL SURFACE CLEANER

ANTI-BACTERIAL
HARD SURFACE CLEANER
NON ABRASIVE

Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur.
To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

Installation
Options

CORNER INSTALLATION

LARGE CORNER INSTALLATION (TONGUE & GROOVE)

RECESS INSTALLATION

LARGE RECESS INSTALLATION

BASE SEAL

Base seal used to fix PVC panel to shower tray, bath, floor, tiles etc.

INTERNAL CORNER

Used on internal 90° corners with sealant.

EXTERNAL CORNER

Used on external 90° corners with sealant.

END U TRIM

Finishing end cap for square cut edge panel, sealing with sealant.

H JOINER PROFILE

Used to mount panels side by side, or above each other.

SCOTIA TRIM

Used along the top of PVC panels to give a "cornice effect" between panel and the ceiling.

L SHAPED TRIM

Used as an external profile. This is an easy to use profile, that can be fitted after the installation of our shower panels.

Fitting, Cleaning
& Maintenence

Abrasive cleaners and bleaches must NOT be used on PVC panels.

When fitting lighting to a ceiling panel consult the lighting manufacturer.

DO NOT EXPOSE TO DIRECT SUNLIGHT, OR TEMPERATURES IN EXCESS OF 60°C.

The hard-wearing surface of the panelling can be hygienically cleaned with anti-bacterial hard surface cleaner which is a mild NON-ABRASIVE cleaner, or domestic NO ABRASIVE WASHING UP LIQUIDS.

Klicker Floor Vinyl Flooring

Woodplank Range - 181mm x 1220mm (10 Panels per pack 2.2m²)

Black Oak Woodplank

Code KWBO

**White Oak Woodplank**

Code KWWO

Grey Oak Woodplank

Code KWGO

Medium Oak Woodplank

Code KWMO

### Tiles Range - 305mm x 610mm (10 Tiles per pack, 1.86m²)

Cararra White Marble Tile

Code KTCW

Grey Marble Tile

Code KTGM

Sandstone Tile

Code KTSS

Oiled Slate Tile

Code KTOS

Klicker Floor Quick & Easy Click-fit System

The easiest floor you will ever install - **No glue required!**

Klicker Floor Features

– 100% Virgin vinyl
– 20 Years domestic guarantee
– 10 Years light commercial guarantee
– Very stable - High temperature resistant
– 100% Waterproof
– Micro-bevelled edges
– Resistant to UV light
– PU Protected
– Suitable for walls

Klicker Floor Benefits

– 4 Way click system
– Up to 300sqm can be fitted without transition joins
– No acclimatisation required
– >R10 Slip resistance
– Pre-applied IXPE high density underlay

Flair Klicker Floor vinyl floor tiles recreate the subtle textures of natural wood and stone, bringing a warmth to any room in your home

Distributed by:

flair

FLAIRSHOWERS.COM