PVC PANELLING & KLICKER FLOOR












flair

Flair PVC panels are easy to install, easy to maintain, 100% waterproof, have a class 1 fire rating and are mould resistant and hygienic.

They excel in wet environments.

FOUR PVC SIZE OPTIONS











PANELLING MADE EASY




















10MM WIDEPANEL PVC PANELLING



MATTE COLOURS



Concrete Dark Grey Code: FW10CDG



Naples

Code: FW10NM

Capri Light Grey Code: FW10CLGM




Concrete Beige Code: FW10CB



Metallic Silver

Code: FW10MA

Rome Code: FW10RM



Astra Stone Code: FW10ASM



Milan Carrara Code: FW10MCM

NOTE - Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.


GLOSS COLOURS



Light Grey Marble Code: FW10LGM



Arctic Sparkle Code: FW10AS



White Gloss Code: FW10WG

DESCRIPTION

(Base seal not included)

PVC Panel Adhesive



BLACK

10mm PVC Trim Options & Extras



White Marble Code: FW10WM



Grey Marble



Carrara Marble Code: FW10CM



Pearl White Code: FW10PW

5 25 G M 11 G 1 G	*******	22.10.1
Internal Corner (2.4m length)	FW100ICW	FW100ICB
External Corner (2.4m length)	FW100ECW	FW100ECB
End U Trim (2.4m length)	FW100EUTW	FW100EUTB
H Joiner (2.4m length)	FW100HJW	-
10mm PVC Base Seal (2.4m length)	FW100BSW	_
PVC Universal L Shaped Trim (2.7m len	gth) FWULSTW	_
PVC WidePanel 10mm Corner Insta Consists of: x2 End U Trims, x1 Interr x1 Adhesive, x1 Silicone	nal Corner,	
Consists of: x2 End U Trims, x1 Interr		_

FWAIKW

FCWA

PVC Panel White Silicone Sealant FCWSS PVC Panel Surface Cleaner FCWSC

10mm PVC Trim Options (Aluminium)

DESCRIPTION	SILVER	WHITE
Internal Corner (2.4m length)	FW100AICS	FW100AICW
External Corner (2.4m length)	FW100AECS	FW100AECW
End U Trim (2.4m length)	FW100AEUTS	FW100AEUTW
H Joiner (2.4m length)	FW100AHJS	FW100AHJW
10mm PVC Base Seal (2.4m length)	FW100ABSS	FW100ABSW

NOTE - Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

SUPER 7MM WIDEPANEL **PVC PANELLING**

Height: 2700mm // Width: 250mm // Depth: 7mm (4 Panels Per Pack – 2.7m²

MATTE COLOURS



Capri Light Grey Code: FW7CLGM



Concrete Dark Grey Code: FW7CDGM



Metallic Silver Code: FW7MSM



White Linear Code: FW7WLM

GLOSS COLOURS



Light Grey Marble Code: FW7LGMG

White Gloss

Code: FW7WG



Code: FW7ASG

Arctic Sparkle

7mm PVC Trim Options & Extras

DESCRIPTION	SILVER	WHITE
Internal Corner (2.7m length)	FW7ICS	FW7ICW
External Corner (2.7m length)	FW7ECS	FW7ECW
End U Trim (2.7m length)	FW7EUTS	FW7EUTW
H Joiner (2.7m length)	FW7HJS	FW7HJW
7mm PVC Base Seal (2.7m length)	FW7BSS	FW7BSW
PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW
PVC Panel Adhesive	-	FCWA
PVC Panel White Silicone Sealant	-	FCWSS
PVC Panel Surface Cleaner	_	FCWSC

may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

6мм TWO STRIP PVC CEILING PANELLING

Height: 2700mm // Width: 200mm // Depth: 6mm (5 Panels Per Pack – 2.7m²)

White White

GLOSS COLOURS



White White 2 Strip Code: FCW6WW

Exte End H Jo

PVC

L Sh

PVC Silice

PVC



White Silver 2 Strip Code: FCW6WS



RIPTION	SILVER	WHITE
rnal Corner (2.7m length)	FCWICS	FCWICW
ernal Corner (2.7m length)	FCWECS	FCWECW
U Trim (2.7m length)	FCWEUTS	FCWEUTW
oiner (2.7m length)	FCWHJS	FCWHJW
tia Trim (2.7m length)	FCWSTS	FCWSTW
Universal aped Trim (2.7m length)	FWULSTS	FWULSTW
Panel Adhesive		FCWA
Panel White one Sealant		FCWSS
Panel Surface Cleaner		FCWSC

6mm PVC Trim Options & Extras




NOTE - Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours NOTE - Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

5_{MM} PVC WALL PANELLING

Height: 2700mm // Width: 250mm // Depth: 5mm (4 Panels Per Pack – 2.7m²)

GLOSS COLOURS



White Gloss Code: FCW5WG



Light Grey Marble Code: FCW5LGM


5mm PVC Trim Options & Extras

DESCRIPTION	SILVER	WHITE
Internal Corner (2.7m length)	FCWICS	FCWICW
External Corner (2.7m length)	FCWECS	FCWECW
End U Trim (2.7m length)	FCWEUTS	FCWEUTW
H Joiner (2.7m length)	FCWHJS	FCWHJW
Scotia Trim (2.7m length)	FCWSTS	FCWSTW
PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW
PVC Panel Adhesive		FCWA
PVC Panel White Silicone Sealant		FCWSS
PVC Panel Surface Cleaner		FCWSC


NOTE - Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.




INSTALLATION **OPTIONS**




CORNER INSTALLATION



LARGE CORNER INSTALLATION (TONGUE & GROOVE)



RECESS INSTALLATION



LARGE RECESS **INSTALLATION**



Base seal used to fix PVC panel to shower tray, bath, floor, tiles etc.



INTERNAL

Used on internal 90° corners



Used on 90° corners



Finishing end cap cut edge panel, sealing each other.



H JOINER PROFILE

Used to mount panels side by side, or above



the top of PVC panels to give a "cornice panel and the ceiling.



TRIM

Used along Used as an external profile. This is an easy to use profile, that can be fitted after the installation of our shower panels.

FITTING, CLEANING & MAINTENENCE

Abrasive cleaners and bleaches must NOT be used on PVC panels.

When fitting lighting to a ceiling panel consult the lighting manufacturer.

DO NOT EXPOSE TO DIRECT SUNLIGHT, OR TEMPERATURES IN EXCESS OF 60°C.

The hard-wearing surface of the panelling can be hygienically cleaned with anti-bacterial hard surface cleaner which is a mild NON-ABRASIVE cleaner, or domestic NO ABRASIVE WASHING UP LIQUIDS.



KLICKER FLOOR VINYL FLOORING

Klicker Floor Quick & Easy Click-fit System
The easiest floor you will ever install - No glue required!

Klicker Floor Features

- 100% Virgin vinyl
- 20 Years domestic guarantee
- 10 Years light commercial guarantee
- Very stable High temperature resistant
- 100% Waterproof
- Micro-bevelled edges
- Resistant to UV light
- PU Protected
- Suitable for walls

Klicker Floor Benefits

- 4 Way click system
- Up to 300sqm can be
- fitted without transition joins
- No acclimatisation required
- >R10 Slip resistance
- Pre-applied IXPE high density underlay

WOODPLANK COLLECTION – 181mm x 1220mm (10 Panels per pack 2.2m²)



Black Oak Code: KWBO



White Oak Code: KWWO



Grey Oak Code: KWGO



Medium Oak
Code: KWMO

TILE COLLECTION - 305mm x 610mm (10 Tiles per pack, 1.86m²)



Grey MarbleCode: KTGM



Oiled Slate Code: KTOS

NOTE - Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.



Edition 24

flair

Distributed by:

Flair Showers

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

E sales@flairshowers.com T +353 42 966 8000 FLAIRSHOWERS.COM

