

HARMONY
COLLECTIONS

APRIL 2023



CREATING
PERFECT
HARMONY™

ORO ETO AYO



SINCE
1952

flair
—

OVER **70** YEARS

Founded in County Cavan in 1952, Flair Showers have built up a trusted reputation as a specialist in the production of quality shower doors, wetrooms and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers internationally.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We can accommodate a great variety of bathroom styles with an extensive product portfolio. Our mission is to inspire through meaningful designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers. As you explore the Harmony Collections catalogue, we hope you are captivated by every detail.

The perfect blend of function and form. Designed for life.





AWARD WINNING PRODUCT DESIGNS

Flair's unrelenting passion for innovation has achieved International recognition in the form of numerous design award accolades.

GOOD DESIGN AWARD® (CHICAGO)
Founded in 1950 by architects Eero Saarinen, Charles and Ray Eames and Edgar Kaufmann, **GOOD DESIGN®** is the world's oldest Design Awards program. It is organised annually by The Chicago Athenaeum Museum of Architecture and Design. It recognises the work of manufacturers who have undertaken the design challenge to produce product of the most outstanding design globally.

RED DOT DESIGN AWARD (GERMANY)
The **Red Dot** label is recognised as a warranty of design excellence. It is awarded to entrants who demonstrate an innovative spirit with product of the highest quality, form and function gaining this design awards honour.

iF DESIGN AWARD (GERMANY)
The **iF DESIGN AWARD** recognises exceptionally well-designed products. Since 1953, an esteemed jury of International design experts have awarded this symbol to product that is user focused, ergonomic and efficient in its design.



CONTENTS

ORO
SILVER &
MATTE BLACK

07

ETO
SILVER, MATTE BLACK
& BRUSHED BRASS

49

AYO
SILVER, MATTE BLACK,
WHITE & COLOUR

91

GEMSTONE
SHOWER TRAYS

171

SLIMLINE
SHOWER TRAYS

185

ANTI-SLIP
SHOWER TRAYS

186

ULTRA SLIM
SHOWER TRAYS

188

QUALITY
GUARANTEED

192

CREATING
PERFECT
HARMONY™

ORO



ORO TRIO OF DESIGN AWARDS

Flair are proud to have received three design accolades in recognition of the ORO frameless shower door collection.

The Good Design Award, RedDot Award, and iF Design Award are seals of global design excellence and a testimony to our passion for product quality and innovation.




THE ORO[®] COLLECTION

In creating the ORO range, our aim is to enrich lives with beautifully designed products for living and giving, that are a pleasure to use.

With a graceful aesthetic, the award winning ORO collection is a union of design innovation and functional perfection. Throughout an extensive product development process, there was tight collaboration between design, engineering and manufacturing to prototype, test, refine and produce this signature range.

The hand crafted ORO door handles are one of a kind and distinctly individual. The patented magnetic guide system provides a smooth and effortless gliding action for each sliding door. Elegance shines through the curved profile and hinge detailing. Each ORO component is carefully considered to enhance your experience every day.





IDEA
CONCEPT
PROTOTYPE
ORO



THE ORO COLLECTION

SILVER & BLACK OPTIONS

| | | |
|------------------------------------|---|---|
| SLIDING DOOR 16 | SLIDING DOOR WITH TWO INLINE PANELS 18 | SLIDING QUADRANT DOOR 20 |
| SLIDING OFFSET QUADRANT DOOR 22 | HINGED QUADRANT DOOR 24 | HINGED OFFSET QUADRANT DOOR 26 |
| BIFOLD DOOR 28 | HINGE DOOR 30 | HINGE DOOR WITH INLINE PANEL 32 |
| | HINGE & INLINE DOOR 34 | HINGE & INLINE DOOR WITH INLINE PANEL 36 |

VISIONARY DETAILS

| | | | |
|--------------------------------|---|--|--|
| 2000mm HEIGHT | 2 METRES HIGH | SEAMLESS INTERIOR COVER STRIPS | CONCEALED INTERIOR FIXATION POINTS |
| 8mm TOUGHENED SAFETY GLASS | 8mm TOUGHENED SAFETY GLASS TO EN12150 | ULTRA CLEAR SEALS | INNOVATIVE ULTRA CLEAR SEALS |
| CLEARVUE GLASS COATING | CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE | SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION | SUITABLE FOR SHOWER TRAY OR WETROOM FLOOR INSTALLATION |
| CRAFTED HANDLE DESIGN | UNIQUELY CRAFTED CHROME PLATED HANDLE | LIFETIME GUARANTEE | LIFETIME GUARANTEE |

THE ORO® ULTRA FRAMELESS COLLECTION

| | | |
|-------------------------------------|------------------------------------|--|
| BIFOLD DOOR / ULTRA FRAMELESS 38 | HINGE DOOR / ULTRA FRAMELESS 40 | HINGE & INLINE / ULTRA FRAMELESS 42 |
|-------------------------------------|------------------------------------|--|

VISIONARY INNOVATIONS

COUNTERSUNK INTERIOR HINGES
WITH FLUSH TO GLASS FINISH




CURVED HINGE
DETAILING



SIGNATURE
HANDLE
DESIGN



UNIQUELY CRAFTED
BI-FOLD HANDLE




PATENTED MAGNETIC
GUIDE SYSTEM




MINIMALIST BOTTOM
DOOR GUIDE

FUNCTIONAL INNOVATIONS



ULTRA CLEAR DOOR SEALS



CUSHION CLOSE DAMPENER SYSTEM



CURVED RADIUS DETAILING THROUGHOUT





ORO LEFT HAND SLIDING DOOR
INSTALLED WITH SEMI FRAMED SIDE PANEL



ORO MATTE BLACK
LEFT HAND SLIDING DOOR
(ALCOVE)

SLIDING DOOR

A delightful choice, the ORO Sliding Door glides along with smooth perfection. The patented magnetic guide on the bottom of the door is the first of its kind on the market. 8mm toughened safety glass offers a tactile feeling of strength and quality.


The **floating top rail design** is a signature characteristic of the ORO range. With a **seamless interior cover cap**, the top rail also cleverly conceals the roller system. The finishing touch is the **unique handle design** – beautifully formed and a pleasure to use.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|-------------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 1100mm Left Hand | 1060mm | 1100mm | 480mm | OROSA110LSC | – |
| 1100mm Right Hand | 1060mm | 1100mm | 480mm | OROSA110RSC | – |
| 1200mm Left Hand | 1160mm | 1200mm | 580mm | OROSA120LSC | OROSA120LBC |
| 1200mm Right Hand | 1160mm | 1200mm | 580mm | OROSA120RSC | OROSA120RBC |
| 1400mm Left Hand | 1360mm | 1400mm | 580mm | OROSA140LSC | OROSA140LBC |
| 1400mm Right Hand | 1360mm | 1400mm | 580mm | OROSA140RSC | OROSA140RBC |
| 1500mm Left Hand | 1460mm | 1500mm | 580mm | OROSA150LSC | OROSA150LBC |
| 1500mm Right Hand | 1460mm | 1500mm | 580mm | OROSA150RSC | OROSA150RBC |
| 1600mm Left Hand | 1560mm | 1600mm | 580mm | OROSA160LSC | – |
| 1600mm Right Hand | 1560mm | 1600mm | 580mm | OROSA160RSC | – |

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

| PRODUCT SIZE | ADJUSTMENT SIZE | | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|---------------|--------------------|
| | MIN | MAX | | |
| 700mm | 670mm | 690mm | OROSP70SC | OROSP70BC |
| 760mm | 730mm | 750mm | OROSP76SC | OROSP76BC |
| 800mm | 770mm | 790mm | OROSP80SC | OROSP80BC |
| 900mm | 870mm | 890mm | OROSP90SC | OROSP90BC |
| 1000mm | 970mm | 990mm | OROSPI00SC | – |
| 1200mm | 1170mm | 1190mm | OROSPI20SC | – |



ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------------|---------------|--------------------|
| 20mm Compensating Wall Profile | OROCB20SC | OROCB20BC |

8E

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

OVERALL

40E

PROFILE ADJUSTMENT

10E

ULTRA LOW BOTTOM RAIL

CLEARVUE GLASS COATING

SEAMLESS INTERIOR COVER STRIPS

ULTRA CLEAR SEALS

CUSHION CLOSE DAMPENER MECHANISM

PATENTED MAGNETIC GUIDE SYSTEM

AVAILABLE IN SILVER & MATTE BLACK

LIFETIME GUARANTEE

NEW

SLIDING DOOR WITH TWO INLINE PANELS

The Sliding door with two inline panels provides a sleek, contemporary look while maximizing space.

The patented magnetic guide system is designed to guarantee the smoothest motion as the door glides around the bottom rail.

The sliding door with two inline panels can be installed in an alcove or with a frameless side panel option and is the perfect choice for a large, luxurious showering zone.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|-------------------|-----------------|--------|--------|----------------|--------------------|
| | MIN | MAX | | | |
| 1200mm Left Hand | 1160mm | 1200mm | 412mm | OROSA2IL120LSC | OROSA2IL120LBC |
| 1200mm Right Hand | 1160mm | 1200mm | 412mm | OROSA2IL120RSC | OROSA2IL120RBC |
| 1400mm Left Hand | 1360mm | 1400mm | 493mm | OROSA2IL140LSC | OROSA2IL140LBC |
| 1400mm Right Hand | 1360mm | 1400mm | 493mm | OROSA2IL140RSC | OROSA2IL140RBC |
| 1500mm Left Hand | 1460mm | 1500mm | 542mm | OROSA2IL150LSC | OROSA2IL150LBC |
| 1500mm Right Hand | 1460mm | 1500mm | 542mm | OROSA2IL150RSC | OROSA2IL150RBC |
| 1600mm Left Hand | 1560mm | 1600mm | 542mm | OROSA2IL160LSC | OROSA2IL160LBC |
| 1600mm Right Hand | 1560mm | 1600mm | 542mm | OROSA2IL160RSC | OROSA2IL160RBC |
| 1700mm Left Hand | 1660mm | 1700mm | 614mm | OROSA2IL170LSC | OROSA2IL170LBC |
| 1700mm Right Hand | 1660mm | 1700mm | 614mm | OROSA2IL170RSC | OROSA2IL170RBC |
| 1800mm Left Hand | 1760mm | 1800mm | 614mm | OROSA2IL180LSC | OROSA2IL180LBC |
| 1800mm Right Hand | 1760mm | 1800mm | 614mm | OROSA2IL180RSC | OROSA2IL180RBC |
| 2000mm Left Hand | 1960mm | 2000mm | 614mm | OROSA2IL200LSC | OROSA2IL200LBC |
| 2000mm Right Hand | 1960mm | 2000mm | 614mm | OROSA2IL200RSC | OROSA2IL200RBC |




RIGHT HAND SLIDING DOOR WITH TWO INLINE PANELS AND SIDE PANEL - SILVER

FRAMELESS SIDE PANEL OPTIONS *To suit sliding door with two inline panels only

| PRODUCT SIZE | ADJUSTMENT SIZE | | CODE - SILVER | CODE - MATTE BLACK |
|-------------------------|-----------------|--------|-----------------|--------------------|
| | MIN | MAX | | |
| 700mm (SA2IL specific) | 660mm | 680mm | OROSA2ILSP70SC | OROSA2ILSP70BC |
| 800mm (SA2IL specific) | 760mm | 780mm | OROSA2ILSP80SC | OROSA2ILSP80BC |
| 900mm (SA2IL specific) | 860mm | 880mm | OROSA2ILSP90SC | OROSA2ILSP90BC |
| 1000mm (SA2IL specific) | 960mm | 980mm | OROSA2ILSP100SC | OROSA2ILSP100BC |
| 1200mm (SA2IL specific) | 1160mm | 1180mm | OROSA2ILSP120SC | OROSA2ILSP120BC |

Note - Two side panels can be made used to make a three sided enclosure.



8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

40mm

PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

CLEARVUE GLASS COATING

SEAMLESS INTERIOR COVER STRIPS

ULTRA CLEAR SEALS

CUSHION CLOSE DAMPENER MECHANISM

PATENTED MAGNETIC GUIDE SYSTEM

AVAILABLE IN SILVER & MATTE BLACK

LIFETIME GUARANTEE



LEFT HAND SLIDING DOOR WITH TWO INLINE PANELS IN ALCOVE - SILVER



RIGHT HAND SLIDING DOOR WITH TWO INLINE PANELS AND TWO SIDES PANELS - SILVER

SLIDING QUADRANT DOOR

Creative engineering has shaped the unique ORO Sliding Quadrant. The top floating rail design ingeniously encloses the roller system to give the door a sleek polished look. Practically speaking, the concealed rollers ensure reduced cleaning time.


Functional distinction continues with the patented magnetic guide system – this design innovation guarantees the smoothest motion as the door glides around the bottom rail. The final detail is the crafted handle design, befitting for the overall elegance of this door.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|-------------------|-----------------|-------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 900mm Left Hand | 870mm | 890mm | 480mm | OROSQ90LSC | OROSQ90LBC |
| 900mm Right Hand | 870mm | 890mm | 480mm | OROSQ90RSC | OROSQ90RBC |
| 1000mm Left Hand | 970mm | 990mm | 480mm | OROSQ100LSC | – |
| 1000mm Right Hand | 970mm | 990mm | 480mm | OROSQ100RSC | – |

ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------------|---------------|--------------------|
| 20mm Compensating Wall Profile | OROCB20SC | OROCB20BC |



- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 20mm PROFILE ADJUSTMENT
- 10mm ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- AVAILABLE IN SILVER & MATTE BLACK
- PATENTED MAGNETIC GUIDE SYSTEM
- CUSHION CLOSE DAMPENER MECHANISM
- CLEARVUE GLASS COATING
- LIFETIME GUARANTEE




ORO RIGHT HAND SLIDING QUADRANT - MATTE BLACK

ORO RIGHT HAND SLIDING QUADRANT - SILVER



ORO RIGHT HAND OFFSET SLIDING QUADRANT - SILVER
(to suit right hand offset quadrant shower tray)



ORO RIGHT HAND OFFSET SLIDING QUADRANT - MATTE BLACK
(to suit right hand offset quadrant shower tray)

SLIDING OFFSET QUADRANT DOOR

Generously proportioned, the ORO Sliding Offset Quadrant is designed to impress in your bathroom. The signature floating rail design cleverly encloses the rollers to give the door a sleek appearance.


Design excellence continues with the patented magnetic guide system ensuring the smoothest of motion as the door glides around the bottom rail. The crafted chrome handles have perfect symmetry, in line with the overall elegance of the door.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------------|---------------------|---------------------|--------|----------------|--------------------|
| 1000 x 800mm Left Hand | 770-970mm | 790-990mm | 480mm | OROSQ80X100LSC | - |
| 1000 x 800mm Right Hand | 770-970mm | 790-990mm | 480mm | OROSQ80X100RSC | - |
| 1000 x 900mm Left Hand | 870-970mm | 890-990mm | 480mm | OROSQ90X100LSC | - |
| 1000 x 900mm Right Hand | 870-970mm | 890-990mm | 480mm | OROSQ90X100RSC | - |
| 1200 x 800mm Left Hand | 770-1170mm | 790-1190mm | 480mm | OROSQ80X120LSC | OROSQ80X120LBC |
| 1200 x 800mm Right Hand | 770-1170mm | 790-1190mm | 480mm | OROSQ80X120RSC | OROSQ80X120RBC |
| 1200 x 900mm Left Hand | 870-1170mm | 890-1190mm | 480mm | OROSQ90X120LSC | OROSQ90X120LBC |
| 1200 x 900mm Right Hand | 870-1170mm | 890-1190mm | 480mm | OROSQ90X120RSC | OROSQ90X120RBC |

ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------------|---------------|--------------------|
| 20mm Compensating Wall Profile | OROCB20SC | OROCB20BC |



- 8mm** TOUGHENED SAFETY GLASS
- 2000mm** HEIGHT
- 20mm** PROFILE ADJUSTMENT
- 10mm** ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- PATENTED MAGNETIC GUIDE SYSTEM
- SEAMLESS INTERIOR COVER STRIPS
- CUSHION CLOSE DAMPENER MECHANISM
- CLEARVUE GLASS COATING
- AVAILABLE IN SILVER & MATTE BLACK
- LIFETIME GUARANTEE

HINGED QUADRANT DOOR

A hallmark of elegance, the ORO Hinged Quadrant will add a touch of class to your bathroom.


The frameless curved glass is supported by 2 stainless steel stabilising bars that blend seamlessly into the door silhouette. Flush to glass interior **counter sunk hinges** allows you to easily wipe the shower glass clean. Precise in its action, this curved hinge door is secured by **ultra clear magnetic seals** that deliver the perfect positive close action every time.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------|-----------------|-------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 900mm Left Hand | 870mm | 890mm | 570mm | OROHQ90LSC | OROHQ90LBC |
| 900mm Right Hand | 870mm | 890mm | 570mm | OROHQ90RSC | OROHQ90RBC |
| 1000mm Left Hand | 970mm | 990mm | 570mm | OROHQ100LSC | OROHQ100LBC |
| 1000mm Right Hand | 970mm | 990mm | 570mm | OROHQ100RSC | OROHQ100RBC |

ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------------|---------------|--------------------|
| 20mm Compensating Wall Profile | OROCB20SC | OROCB20BC |



- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 20mm PROFILE ADJUSTMENT
- COUNTERSUNK INTERIOR HINGES
- 10mm ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- STAINLESS STEEL ANGLED STABILISING BARS
- CLEARVUE GLASS COATING
- AVAILABLE IN SILVER & MATTE BLACK
- LIFETIME GUARANTEE



ORO LEFT HAND HINGED QUADRANT - MATTE BLACK



ORO RIGHT HAND HINGED QUADRANT - SILVER



ORO RIGHT HAND OFFSET HINGED QUADRANT
(to suit right hand offset quadrant shower tray)

HINGED OFFSET QUADRANT DOOR

Setting the standard in frameless design, the ORO Offset Hinged Quadrant is a shower door of sheer beauty and elegance for your bathroom. The curved frameless glass is supported by 2 minimalist stainless steel stabilising bars. Flush to glass interior counter sunk hinges allow you to easily wipe the shower glass clean.

Precise in its action, the curved hinge door is secured by ultra clear magnetic seals that give the perfect close on the shower enclosure.




DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|-------------------------|-----------------|------------|--------|----------------|--------------------|
| | MIN | MAX | | | |
| 1000 x 800mm Left Hand | 770-970mm | 790-990mm | 570mm | OROHQ80X100LSC | - |
| 1000 x 800mm Right Hand | 770-970mm | 790-990mm | 570mm | OROHQ80X100RSC | - |
| 1000 x 900mm Left Hand | 870-970mm | 890-990mm | 570mm | OROHQ90X100LSC | - |
| 1000 x 900mm Right Hand | 870-970mm | 890-990mm | 570mm | OROHQ90X100RSC | - |
| 1200 x 800mm Left Hand | 770-1170mm | 790-1190mm | 570mm | OROHQ80X120LSC | OROHQ80X120LBC |
| 1200 x 800mm Right Hand | 770-1170mm | 790-1190mm | 570mm | OROHQ80X120RSC | OROHQ80X120RBC |
| 1200 x 900mm Left Hand | 870-1170mm | 890-1190mm | 570mm | OROHQ90X120LSC | OROHQ90X120LBC |
| 1200 x 900mm Right Hand | 870-1170mm | 890-1190mm | 570mm | OROHQ90X120RSC | OROHQ90X120RBC |

ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------------|---------------|--------------------|
| 20mm Compensating Wall Profile | OROCB20SC | OROCB20BC |



- 8mm** TOUGHENED SAFETY GLASS
- 2000mm** HEIGHT
- 20mm** PROFILE ADJUSTMENT
- COUNTERSUNK INTERIOR HINGES
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- 10mm** ULTRA LOW BOTTOM RAIL
- STAINLESS STEEL ANGLED STABILISING BARS
- CLEARVUE GLASS COATING
- AVAILABLE IN SILVER & MATTE BLACK
- LIFETIME GUARANTEE



ORO MATTE BLACK
RIGHT HAND OFFSET HINGED QUADRANT
(to suit right hand offset quadrant shower tray)

BIFOLD DOOR

The ingenious design of the ORO Bifold Door makes it a firm favourite amongst this 8mm shower door range.

The innovative 180 degree hinge mechanism enables the door to open inwards and outwards, offering you total flexibility. A self stop hinge action prevents the door glass extending into contact with the shower wall or door hinges. The bifold hinge is meticulously engineered giving this frameless door exceptional stability. The signature ORO handle design adds the finishing touch to this bijoux beauty.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 700mm | 660mm | 700mm | 483mm | OROBF70SC | - |
| 760mm | 720mm | 760mm | 538mm | OROBF76SC | - |
| 800mm | 760mm | 800mm | 575mm | OROBF80SC | OROBF80BC |
| 900mm | 860mm | 900mm | 668mm | OROBF90SC | OROBF90BC |
| 1000mm | 960mm | 1000mm | 759mm | OROBF100SC | OROBF100BC |

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

| PRODUCT SIZE | ADJUSTMENT SIZE | | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|---------------|--------------------|
| | MIN | MAX | | |
| 700mm | 670mm | 690mm | OROSP70SC | OROSP70BC |
| 760mm | 730mm | 750mm | OROSP76SC | OROSP76BC |
| 800mm | 770mm | 790mm | OROSP80SC | OROSP80BC |
| 900mm | 870mm | 890mm | OROSP90SC | OROSP90BC |
| 1000mm | 970mm | 990mm | OROSPI00SC | - |
| 1200mm | 1170mm | 1190mm | OROSPI20SC | - |


ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------------|---------------|--------------------|
| 20mm Compensating Wall Profile | OROCB20SC | OROCB20BC |
| Raised Stabilising Bar 1050mm | S-ORO105HSSB | S-ORO105HSSBMB |

Note - Stabilising bar must be purchased with the bifold door and semi framed side panel with polished silver corner profile.



ORO BI-FOLD AND SIDE PANEL - LEFT HAND INSTALLATION - MATTE BLACK



UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



ORO BI-FOLD AND SIDE PANEL - RIGHT HAND INSTALLATION

- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- OVERALL 40mm PROFILE ADJUSTMENT
- 10mm ULTRA LOW BOTTOM RAIL
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- UNIVERSAL LEFT OR RIGHT HAND OPENING
- CLEARVUE GLASS COATING
- AVAILABLE IN SILVER & MATTE BLACK
- LIFETIME GUARANTEE

HINGE DOOR

Experience perfection with the 8mm ORO hinge door. Ideal for smaller spaces, this frameless door features curved radius detailing throughout. Interior fixation points are discreetly concealed by an innovative cover cap design. The countersunk interior hinges allow you to wipe the shower glass clean with ease.

Ultra clear magnetic seals give the hinge door a reassuring close action. The finishing touch is the **crafted chrome handles** – shaped to give a tactile feeling of smooth perfection.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 800mm | 760mm | 800mm | 660mm | OROHD80SC | OROHD80BC |
| 900mm | 860mm | 900mm | 760mm | OROHD90SC | OROHD90BC |
| 1000mm | 960mm | 1000mm | 860mm | OROHD100SC | – |

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

| PRODUCT SIZE | ADJUSTMENT SIZE | | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|---------------|--------------------|
| | MIN | MAX | | |
| 700mm | 670mm | 690mm | OROSP70SC | OROSP70BC |
| 760mm | 730mm | 750mm | OROSP76SC | OROSP76BC |
| 800mm | 770mm | 790mm | OROSP80SC | OROSP80BC |
| 900mm | 870mm | 890mm | OROSP90SC | OROSP90BC |
| 1000mm | 970mm | 990mm | OROSPI00SC | – |
| 1200mm | 1170mm | 1190mm | OROSPI20SC | – |





ORO HINGE DOOR LEFT HAND INSTALLATION - MATTE BLACK

ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|---------------------------------|---------------|--------------------|
| 20mm Compensating Wall Profile | OROCB20SC | OROCB20BC |
| Straight Stabilising Bar 1050mm | S-ORO105SSB | S-ORO105SSBMB |

Note - Stabilising bar must be purchased with the with the hinge door and semi framed side panel with polished silver corner profile.

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



STAINLESS STEEL STRAIGHT STABILISING BAR

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |



ORO HINGE DOOR AND SEMI FRAMED SIDE PANEL LEFT HAND INSTALLATION

NEW

ORO INLINE PANEL TO SUIT HINGE DOOR

The ORO hinge door installed with an inline panel is a practical yet elegant option for the bathroom.

The inline panels offer a great degree of flexibility, with a wide variety of sizes available. This sleek frameless shower door design is suitable for alcove/ recess installation only.

INLINE PANEL OPTIONS

| PRODUCT SIZE | CODE - SILVER | CODE - MATTE BLACK |
|--|---------------|--------------------|
| 100mm (No Stabilising Bar Required) | OROIL10SC | - |
| 200mm (No Stabilising Bar Required) | OROIL20SC | - |
| 300mm (450mm Stabilising Bar Included) | OROIL30SC | OROIL30BC |
| 400mm (450mm Stabilising Bar Included) | OROIL40SC | OROIL40BC |
| 500mm (450mm Stabilising Bar Included) | OROIL50SC | - |
| 600mm (450mm Stabilising Bar Included) | OROIL60SC | - |

HINGE DOOR OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 800mm | 760mm | 800mm | 660mm | OROHD80SC | OROHD80BC |
| 900mm | 860mm | 900mm | 760mm | OROHD90SC | OROHD90BC |
| 1000mm | 960mm | 1000mm | 860mm | OROHD100SC | - |

BOTTOM BARRIER BAR - TO SUIT HINGE DOOR WITH INLINE PANEL APPLICATION

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|---------------------------|---------------|--------------------|
| Bottom Barrier Bar 1600mm | OROILBB-BFHDS | OROILBB-BFHDB |

Note - Inline panels only suitable for alcove or recess application (not compatible with side panels)

8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

40mm
OVERALL PROFILE ADJUSTMENT

10mm
ULTRA LOW BOTTOM RAIL

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

LIFETIME GUARANTEE






ORO HINGE & INLINE DOOR WITH SEMI FRAMED SIDE PANEL - RIGHT HAND INSTALLATION



ORO LEFT HAND HINGE AND INLINE DOOR (alcove)



HINGE & INLINE DOOR

Striking in its appearance, the ORO Hinge and Inline door is a statement piece for your bathroom.

The **gently curved hinges** have a countersunk interior design and can be wiped clean with ease. The **T-bar stabiliser** has concealed fixings and its sleek construction blends subtly into the products profile. Ultra clear magnetic seals giving a superior close action. The finishing touch is the **crafted chrome handles**, their perfect symmetry complementing the overall elegance of the door.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 1100mm Left Hand | 1060mm | 1100mm | 740mm | OROHD110LSC | – |
| 1100mm Right Hand | 1060mm | 1100mm | 740mm | OROHD110RSC | – |
| 1200mm Left Hand | 1160mm | 1200mm | 740mm | OROHD120LSC | OROHD120LBC |
| 1200mm Right Hand | 1160mm | 1200mm | 740mm | OROHD120RSC | OROHD120RBC |
| 1400mm Left Hand | 1360mm | 1400mm | 740mm | OROHD140LSC | – |
| 1400mm Right Hand | 1360mm | 1400mm | 740mm | OROHD140RSC | – |
| 1600mm Left Hand | 1560mm | 1600mm | 740mm | OROHD160LSC | – |
| 1600mm Right Hand | 1560mm | 1600mm | 740mm | OROHD160RSC | – |

Angled stabilising bar included with each door.

HINGE & INLINE OPEN POSITION MEASUREMENTS

| DOOR SIZE | FIXED INLINE PANEL SIZE | DOOR OPEN EXTERNAL PROTRUSION* |
|-----------|-------------------------|--------------------------------|
| 1100mm | 350mm | 770mm |
| 1200mm | 400mm | 770mm |
| 1400mm | 600mm | 770mm |
| 1600mm | 750mm | 770mm |

*Door opens to 90° angle.

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

| PRODUCT SIZE | ADJUSTMENT SIZE | | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|---------------|--------------------|
| | MIN | MAX | | |
| 700mm | 670mm | 690mm | OROSP70SC | OROSP70BC |
| 760mm | 730mm | 750mm | OROSP76SC | OROSP76BC |
| 800mm | 770mm | 790mm | OROSP80SC | OROSP80BC |
| 900mm | 870mm | 890mm | OROSP90SC | OROSP90BC |
| 1000mm | 970mm | 990mm | OROSPI00SC | – |
| 1200mm | 1170mm | 1190mm | OROSPI20SC | – |

ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--|----------------|--------------------|
| 20mm Compensating Wall Profile | OROCB20SC | OROCB20BC |
| Straight Stabilising Bar 1600mm with T Piece | S-ORO160SSB+TB | S-ORO160SSBMB+TB |

Note - Stabilising bar must be purchased with the hinge and inline door and semi framed side panel. Stabilising bar is standard 1600mm and can be resized to suit all door sizes.

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

OVERALL **40mm**

PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

LIFETIME GUARANTEE

NEW

ORO INLINE PANEL TO SUIT HINGE & INLINE DOOR

The ORO hinge & Inline door installed with an inline panel achieves a luxurious, spacious feel whilst not compromising on functionality.

With an emphasis on frameless aesthetics, the curved hinges are countersunk on the interior allowing for effortless cleaning of the shower glass. The 8mm toughened safety glass stands at 2 metres tall and boasts Clearvue hydrophobic coating, making this shower door the perfect blend of form and function.

INLINE PANEL OPTIONS

| PRODUCT SIZE | CODE - SILVER | CODE - MATTE BLACK |
|--|---------------|--------------------|
| 100mm - (No Stabilising Bar Required) | OROIL10SC | - |
| 200mm - (No Stabilising Bar Required) | OROIL20SC | - |
| 300mm - (450mm Stabilising Bar Included) | OROIL30SC | OROIL30BC |
| 400mm - (450mm Stabilising Bar Included) | OROIL40SC | OROIL40BC |
| 500mm - (450mm Stabilising Bar Included) | OROIL50SC | - |
| 600mm - (450mm Stabilising Bar Included) | OROIL60SC | - |

HINGE AND INLINE DOOR OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 1100mm Left Hand | 1060mm | 1100mm | 740mm | OROHD110LSC | - |
| 1100mm Right Hand | 1060mm | 1100mm | 740mm | OROHD110RSC | - |
| 1200mm Left Hand | 1160mm | 1200mm | 740mm | OROHD120LSC | OROHD120LBC |
| 1200mm Right Hand | 1160mm | 1200mm | 740mm | OROHD120RSC | OROHD120RBC |

BOTTOM BARRIER BAR - TO SUIT HINGE AND INLINE DOOR WITH INLINE PANEL APPLICATION

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|---------------------------|---------------|--------------------|
| Bottom Barrier Bar 2200mm | OROILBB-HDILS | OROILBB-HDILB |

Note - Inline panels only suitable for alcove or recess application (not compatible with side panels)

8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

40mm
OVERALL PROFILE ADJUSTMENT

10mm
ULTRA LOW BOTTOM RAIL

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

LIFETIME GUARANTEE



BIFOLD DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

The ORO Bifold and ultra frameless corner side panel is a truly versatile shower door choice. Designed to open both inwards and outwards, the self stop hinge mechanism prevents the bifold door from folding into contact with the glass panels. The **raised stabilising bar** is engineered to accompany the **frameless corner side panel** and with its extra height, allows the door to fold inwards without restriction.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

| PRODUCT SIZE | ADJUSTMENT | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-------------|---------------|--------------------|
| 700mm | 660 - 680mm | OROCSP70SC | - |
| 760mm | 720 - 740mm | OROCSP76SC | - |
| 800mm | 760 - 780mm | OROCSP80SC | OROCSP80BC |
| 900mm | 860 - 880mm | OROCSP90SC | OROCSP90BC |
| 1000mm | 960 - 980mm | OROCSP100SC | - |

STEP 2 - SELECT SIZE OF DOOR

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 700mm | 660mm | 700mm | 483mm | OROBF70SC | - |
| 760mm | 720mm | 760mm | 538mm | OROBF76SC | - |
| 800mm | 760mm | 800mm | 575mm | OROBF80SC | OROBF80BC |
| 900mm | 860mm | 900mm | 668mm | OROBF90SC | OROBF90BC |
| 1000mm | 960mm | 1000mm | 759mm | OROBF100SC | OROBF100BC |


STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

| PRODUCT SIZE | CODE - SILVER | CODE - MATTE BLACK |
|--------------|---------------|--------------------|
| 100mm | OROKIT1 | - |
| 200mm | OROKIT2 | - |
| 300mm | OROKIT3 | OROKIT3B |
| 400mm | OROKIT4 | OROKIT4B |

NOTE - BIFOLD DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.
 Each corner inline panel kit includes the following components:
 Inline panel, bottom barrier bar and stabilising bar with fixing brackets.
 Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |



ORO BIFOLD DOOR AND ULTRA FRAMELESS CORNER SIDE PANEL (LEFT HAND INSTALLATION) - MATTE BLACK



ORO BIFOLD DOOR AND ULTRA FRAMELESS CORNER SIDE PANEL (LEFT HAND INSTALLATION)

HINGE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

The ORO Hinge Door and ultra frameless corner side panel radiates style and contemporary elegance.

This **corner side panel system** is modular, giving you flexibility with your door and inline panel sizing to suit your shower tray. Minimally designed but with durability in mind, the corner side panel is supported by a **sleek chrome stabilising bar**.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

| PRODUCT SIZE | ADJUSTMENT | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-------------|---------------|--------------------|
| 700mm | 660 - 680mm | OROCSP70SC | - |
| 760mm | 720 - 740mm | OROCSP76SC | - |
| 800mm | 760 - 780mm | OROCSP80SC | OROCSP80BC |
| 900mm | 860 - 880mm | OROCSP90SC | OROCSP90BC |
| 1000mm | 960 - 980mm | OROCSP100SC | - |

STEP 2 - SELECT SIZE OF DOOR

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 800mm | 760mm | 800mm | 660mm | OROHD80SC | OROHD80BC |
| 900mm | 860mm | 900mm | 760mm | OROHD90SC | OROHD90BC |
| 1000mm | 960mm | 1000mm | 860mm | OROHD100SC | - |

STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE


| PRODUCT SIZE | CODE - SILVER | CODE - MATTE BLACK |
|--------------|---------------|--------------------|
| 100mm | OROKIT1 | - |
| 200mm | OROKIT2 | - |
| 300mm | OROKIT3 | OROKIT3B |
| 400mm | OROKIT4 | OROKIT4B |

NOTE - HINGE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.

Each corner inline panel kit includes the following components: inline panel, bottom barrier bar and stabilising bar with fixing brackets. Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |




HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

Setting the standard in frameless design, the ORO Hinge and Inline door with ultra frameless corner side panel will make a real style statement in your bathroom.

A generously proportioned shower enclosure, this modular design is ideal for larger showering spaces. With durability in mind, the corner side panel is supported by a minimalist chrome stabilising bar.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

| PRODUCT SIZE | ADJUSTMENT | CODE - SILVER | CODE - MATTE BLACK |
|--------------|-------------|---------------|--------------------|
| 700mm | 660 - 680mm | OROCSP70SC | - |
| 760mm | 720 - 740mm | OROCSP76SC | - |
| 800mm | 760 - 780mm | OROCSP80SC | OROCSP80BC |
| 900mm | 860 - 880mm | OROCSP90SC | OROCSP90BC |
| 1000mm | 960 - 980mm | OROCSP100SC | - |



STEP 2 - SELECT SIZE OF DOOR

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER | CODE - MATTE BLACK |
|-------------------|-----------------|--------|--------|---------------|--------------------|
| | MIN | MAX | | | |
| 1100mm Left Hand | 1060mm | 1100mm | 740mm | OROHD110LSC | - |
| 1100mm Right Hand | 1060mm | 1100mm | 740mm | OROHD110RSC | - |
| 1200mm Left Hand | 1160mm | 1200mm | 740mm | OROHD120LSC | OROHD120LBC |
| 1200mm Right Hand | 1160mm | 1200mm | 740mm | OROHD120RSC | OROHD120RBC |


STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

| PRODUCT SIZE | CODE - SILVER | CODE - MATTE BLACK |
|--------------|---------------|--------------------|
| 100mm | OROKIT5 | - |
| 200mm | OROKIT6 | - |
| 300mm | OROKIT7 | OROKIT7B |
| 400mm | OROKIT8 | OROKIT8B |

NOTE - HINGE AND INLINE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.

*Tolerance of 20mm in the inline panel measurement reflecting the 20mm profile adjustment.

Each corner inline panel kit includes the following components: inline panel, bottom barrier bar and stabilising bar with fixing brackets. Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



ORO MATTE BLACK LEFT HAND HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

ORO RIGHT HAND HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 20mm CORNER SIDE PANEL ADJUSTMENT
- 20mm DOOR ADJUSTMENT
- 10mm ULTRA LOW BOTTOM RAIL
- AVAILABLE IN SILVER & MATTE BLACK
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- SUITABLE FOR SHOWER TRAY INSTALLATION ONLY
- CLEARVUE GLASS COATING
- LIFETIME GUARANTEE

ORO[®] DOOR STYLES & HANDED DOOR GUIDE


SLIDER DOOR

Please select carefully the ORO Slider Door that is the correct hand opening for your space.




SLIDING QUADRANT DOOR

Please select carefully the ORO Sliding Quadrant that is the correct hand opening for your space.




SLIDING OFFSET QUADRANT DOOR

Please select carefully the ORO Sliding Offset Quadrant that is the correct shape for your offset shower tray.




HINGED QUADRANT DOOR

Please select carefully the ORO Hinged Quadrant that is the correct hand opening for your space.




HINGED OFFSET QUADRANT DOOR

Please select carefully the ORO Hinged Offset Quadrant that is the correct shape for your offset shower tray.




BIFOLD DOOR

The ORO Bifold Door is universal, so it can be adapted at installation to suit either left or right hand installation.




HINGED DOOR

The ORO Hinged Door is universal, so it can be adapted at installation to suit either left or right hand installation.



HINGED AND INLINE DOOR

Please select carefully the ORO Hinge and Inline Door that is the correct hand opening for your space.




ORO[®] WATER RETENTION GUIDE

ORO Sliding Doors have an award winning design that reduces the need for invasive seals or large bottom rails allowing the customer a unique frameless showering experience.


As standard, ORO Sliding Doors come with a minimalist bottom barrier bar that does not include the use of an invasive seal or large bottom rail as part of the frameless design.

The ORO enclosure range is tested and certified for water retention in accordance with EN14428 where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions.

However, in unconventional showering practices, to further improve water retention and minimise any water escaping from the shower enclosure we have designed additional water retention solutions for optional use by customers.



A - Sliding Door Glass
B - Minimal Barrier Bar




OPTION 1 THRESHOLD SEAL

The ORO Threshold seal is a minimal 15mm high silver profile with a discreet clear seal that can be easily fitted on top of the barrier bar during or after installation.

The Threshold seal will provide an increased level of water retention and protect against large surges of water escaping from the shower area. ORO Threshold seals are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:

S-OROSA110TSS, S-OROSA120TSS,
S-OROSA140-160TSS, S-OROSQTSS



A - Sliding Door Glass
B - Minimal Barrier Bar
I - Threshold Seal




OPTION 2 THRESHOLD BARRIER BAR

The ORO Threshold Barrier Bar is a larger 27mm high barrier bar which can be easily fitted on top of the barrier bar during or after installation.

The Threshold Barrier Bar offers the highest level of water retention available in the ORO Frameless Sliding Door's design. ORO Threshold Barrier Bars are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:

S-OROSA110TBS, S-OROSA120TBS,
S-OROSA140-160TBS, S-OROSQTBS



A - Sliding Door Glass
B - Minimal Barrier Bar
2 - Threshold Bar




ORO[®] ALTERNATIVE HANDLES

An alternative choice of ORO handle design is now available. Created to deliver a sleek and contemporary aesthetic, these additional handle options are available in a Polished Chrome or Matte Black finish.

For ORO Range see pages 16-43.

| PRODUCT SIZE | CODE |
|---|---------------|
| ORO Alternative Handle Chrome (compatible with all ORO doors except bifold) | S-OROHLE2 |
| ORO Alternative Handle Matte Black (compatible with all ORO doors except bifold) | S-OROHLE2B |
| ORO Alternative Handle for Bifold - Chrome | S-ETO-OROHLE1 |
| ORO Alternative Handle for Bifold - Matte Black | S-ETO-OROLE1B |



ETO[®] ALTERNATIVE HANDLES

An alternative choice of ETO handle design is now available. Created to deliver a sleek and contemporary aesthetic, these additional handle options are available in a Polished Chrome, Matte Black or Brushed Brass finish.

For ETO Range see pages 60-89.

| PRODUCT SIZE | CODE |
|--------------------------------------|------------------|
| ETO Alternative Handle Chrome | S-ETO-OROHLE1 |
| ETO Alternative Handle Matte Black | S-ETO-OROLE1B |
| ETO Alternative Handle Brushed Brass | S-ETO-OROHLE1BRB |



CREATING
PERFECT
HARMONY™

EETO



PRODUCT DESIGN AWARD WINNER

Flair are proud to have received the Good Design Award accolade in recognition of the ETO shower door collection.

The Good Design Award is a seal of global design excellence and a testimony to our passion for product quality and innovation.



Flair is Proudly Supported by
The European Regional Development Fund

THE ETO[®] COLLECTION

Designed to fit perfectly into your bathroom routine, the robust design of the ETO collection is coupled with clever functional innovations that will ensure long lasting high performance in your home.

The uniquely crafted handle is beautifully precise and features a cleverly integrated towel hook. The sleek handle curvature creates a truly ergonomic and tactile experience for the user. The minimalist profiles and countersunk interior hinges complement the ETO handle design, creating an elegantly contemporary aesthetic.

The stylish yet functional simplicity throughout the ETO range embodies **Design with Purpose**, a concept which lies at the heart of the ETO collection.





ETO INFOLD DOOR WITH SIDE PANEL

THE ETO[®] COLLECTION

SILVER & BLACK OPTIONS

| | | |
|-------------------------|--------------------------------|--------------------------------|
| INFOLD DOOR 60 | HINGE DOOR 62 | HINGE & INLINE DOOR 64 |
| SLIDING DOOR 66 | ONE DOOR QUADRANT 68 | ONE DOOR OFFSET QUADRANT 70 |
| TWO DOOR QUADRANT 72 | TWO DOOR OFFSET QUADRANT 74 | CORNER ENTRY 76 |

NEW - BRUSHED BRASS OPTIONS

| | | |
|---------------------------|--------------------|---|
| | INFOLD DOOR 80 | HINGE DOOR 82 |
| HINGE & INLINE DOOR 84 | SLIDING DOOR 86 | ONE DOOR QUADRANT & OFFSET QUADRANT 88 |

VISIONARY INNOVATIONS

MAGNETIC INFOLD
LINKAGE SYSTEM



UNIQUELY CRAFTED
ETO HANDLE
WITH INTEGRATED
ROBE HOOK

SOFTLY CURVED
ETO HINGE DESIGN



COUNTER SUNK
INTERIOR HINGES



ULTRA SLIM PROFILE
AND COVER CAP DESIGN

FUNCTIONAL DETAILS

- 

2000mm
HEIGHT

2 METRES HIGH
- 

ULTRA CLEAR
SEALS

VISUALLY ATTRACTIVE
ULTRA CLEAR DOOR SEALS
- 

8mm
TOUGHENED
SAFETY
GLASS

8MM TOUGHENED
SAFETY GLASS THICKNESS,
CERTIFIED TO EN12150
- 

SEAMLESS
INTERIOR
COVER STRIPS

SEAMLESS INTERIOR
COVER STRIPS CONCEAL ALL
FIXATION POINTS INTERNALLY
- 

20mm
PROFILE
ADJUSTMENT

20MM ADJUSTMENT ON
EACH WALL PROFILE
- 

ULTRA SLIM
COVER CAPS

ULTRA SLIM COVER CAP
DESIGN FOR A SLEEK AND
MODERN DOOR AESTHETIC
- 

CRAFTED
HANDLE DESIGN

PRECISELY CRAFTED SOLID CHROME
PLATED ETO HANDLES THAT FEATURE
AN INTEGRATED ROBE HOOK DESIGN
- 

PRESS FIT
SEAL DESIGN

INNOVATIVE PRESS FIT SEAL DESIGN
FOR EASE OF INSTALLATION
- 

CLEARVUE
GLASS COATING

CLEARVUE IS A HYDROPHOBIC
GLASS COATING THAT RESISTS
THE BUILD UP OF LIMESCALE AND
GRIME ON THE GLASS SURFACE
- 

PRE-ASSEMBLED
PROFILE FRAME

PRE-ASSEMBLED DOOR FRAME
ON INFOLD & HINGE DOOR -
FOR EASE OF INSTALLATION
- 

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

A MAGNETIZED PISTON DOOR
CLOSE MECHANISM GIVES ETO
SLIDING DOORS A CONTROLLED
AND GENTLE CLOSE ACTION
- 

SUITABLE FOR
SIDE PANEL
INSTALLATION

SUITABLE FOR INSTALLATION
WITH SIDE PANELS
- 

COUNTERSUNK
INTERIOR
HINGES

COUNTERSUNK INTERIOR
HINGES ON ALL HINGE DOORS
WITH A FLUSH TO GLASS FINISH
FOR EASE OF CLEANING
- 

SHOWER TRAY
OR WETROOM
APPLICATION

SUITABLE FOR INSTALLATION ON
SHOWER TRAY OR WETROOM FLOOR
- 

QUICK RELEASE
DOUBLE WHEEL
ROLLERS


SUPERIOR DOUBLE WHEEL
ROLLERS WITH A STAINLESS
STEEL WHEEL BEARING AND
WHEEL BRACKET COMPOSITION -
QUICK RELEASE DESIGN
- 

REVERSIBLE

ALL ETO DOOR STYLES ARE
FULLY REVERSIBLE FOR LEFT OR
RIGHT HAND INSTALLATION
- 

LIFETIME
GUARANTEE

LIFETIME
GUARANTEE



DESIGN WITH PURPOSE



MAGNETIC INFOLD LINKAGE SYSTEM

The ETO Infold door features a pioneering magnetic linkage system which ensures the smoothest of motion as the door functions. The solid metal linkage arm is bonded directly to the glass and provides for an ultra minimalist infold door aesthetic. This innovative design removes the need for magnetic seals, giving a beautifully seamless glass edge on the door.

MAGNETIC CUSHION CLOSE DOOR SYSTEM

A concealed piston door close system gives ETO sliding doors a controlled and gentle close action. Double rollers with stainless steel ball bearings and a stainless steel wheel bracket design deliver an effortless sliding experience as the door glides along the magnetised rail.





PATENTED CLICK FIT ASSEMBLY SYSTEM

With our installers in mind, Flair have designed ETO with a patented "Click Fit" Assembly System.

This revolutionary assembly mechanism is screw free and ensures each door can be installed easily and securely.

The tapered dovetail joint locks securely into position, giving a seamless connection between the vertical and horizontal profiles. This pioneering installation system ensures maximum structural integrity within every door and makes ETO the shower door of choice for the busiest of bathrooms.

(European Application No 19170695.1)



IDEA
CONCEPT
PROTOTYPE
ETO

INFOLD DOOR

The ETO Infold is the perfect blend of elegance with practical functionality.

This outward opening door protrudes minimally into the bathroom, saving on space. The unique Infold door design also affords generous access to the shower.

The ETO Infold features a pioneering magnetic linkage system which gives the door a perfectly smooth gliding action. This innovative design removes the need for magnetic seals on the glass, giving a beautifully seamless glass edge to the door.

As is standard across the ETO range, the Infold door is constructed from 8mm toughened safety glass with ClearVue hydrophobic coating. All interior fixings are fully concealed, making this shower enclosure as delightful internally as externally.

DOOR SIZE OPTIONS


| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|--------|-------------|------------------|
| 700mm | 650mm | 690mm | 496mm | ETOIF70SC | ETOIF70BC |
| 760mm | 710mm | 750mm | 556mm | ETOIF76SC | ETOIF76BC |
| 800mm | 750mm | 790mm | 596mm | ETOIF80SC | ETOIF80BC |
| 900mm | 850mm | 890mm | 696mm | ETOIF90SC | ETOIF90BC |
| 1000mm | 950mm | 990mm | 796mm | ETOIF100SC | ETOIF100BC |

SEMI FRAMED SIDE PANEL OPTIONS (Includes Corner Profile)

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|-------------|------------------|
| 700mm | 660mm | 680mm | ETOSP70SC | ETOSP70BC |
| 760mm | 720mm | 740mm | ETOSP76SC | - |
| 800mm | 760mm | 780mm | ETOSP80SC | ETOSP80BC |
| 900mm | 860mm | 880mm | ETOSP90SC | ETOSP90BC |
| 1000mm | 960mm | 980mm | ETOSP100SC | ETOSP100BC |
| 1100mm | 1060mm | 1080mm | ETOSP110SC | - |
| 1200mm | 1160mm | 1180mm | ETOSP120SC | - |

NOTE – An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied.

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|---|---------------|--------------------|
| Compensating Wall Profile 10mm (included with side panel) | ETOCB10SC | ETOCB10BC |
| Compensating Wall Profile 25mm | ETOCB25SC | ETOCB25BC |



- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- PRE-ASSEMBLED PROFILE FRAME
- LIFETIME GUARANTEE



INFOLD DOOR ALCOVE INSTALLATION

MATTE BLACK INFOLD DOOR WITH SIDE PANEL

HINGE DOOR

The stylish yet functional simplicity of the ETO Hinge door makes it the ideal choice for today's contemporary bathroom.

This 2 metre high door is supported by two precisely curved hinges that boast a flush to glass interior finish which allow for ease of cleaning. 8mm toughened safety glass is coated with ClearVue hydrophobic coating to resist the build up of unwanted grime and limescale.

The ETO Hinge door can be fitted independently in an alcove setting or with a dedicated ETO side panel of choice.

DOOR SIZE OPTIONS


| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|--------|-------------|------------------|
| 800mm | 750mm | 790mm | 646mm | ETOHD80SC | ETOHD80BC |
| 900mm | 850mm | 890mm | 746mm | ETOHD90SC | ETOHD90BC |
| 1000mm | 950mm | 990mm | 846mm | ETOHD100SC | - |

SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|-------------|------------------|
| 700mm | 660mm | 680mm | ETOSP70SC | ETOSP70BC |
| 760mm | 720mm | 740mm | ETOSP76SC | - |
| 800mm | 760mm | 780mm | ETOSP80SC | ETOSP80BC |
| 900mm | 860mm | 880mm | ETOSP90SC | ETOSP90BC |
| 1000mm | 960mm | 980mm | ETOSP100SC | ETOSP100BC |
| 1100mm | 1060mm | 1080mm | ETOSP110SC | - |
| 1200mm | 1160mm | 1180mm | ETOSP120SC | - |

NOTE – An ETO Hinge Door installed with a side panel must be installed with the 10mm compensating profile supplied.

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--|---------------|--------------------|
| Compensating VWall Profile 10mm (included with side panel) | ETOCB10SC | ETOCB10BC |
| Compensating VWall Profile 25mm | ETOCB25SC | ETOCB25BC |



HINGE DOOR WITH SIDE PANEL



CURVED HINGE DETAILING WITH COUNTERSUNK INTERIOR FINISH

MATTE BLACK HINGE DOOR ALCOVE INSTALLATION

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |



HINGE & INLINE DOOR
ALCOVE INSTALLATION



MATTE BLACK
HINGE & INLINE DOOR
WITH SIDE PANEL

SOFTLY CURVED
ETO HINGE
DESIGN WITH
COUNTERSUNK
INTERIOR FINISH



HINGE & INLINE DOOR

The impressive ETO Hinge and Inline door is the perfect option for those larger luxurious bathroom spaces.

The flawless semi framed profiles give this door a robust feel, whilst the crafted ETO handle provides optimal functionality with its integrated towel hook design.


Designed with purpose, the softly curved hinges are countersunk into the glass and their flush interior finish allows for ease of cleaning. As is standard across the ETO range, this door comes with ClearVue glass coating which repels grime and limescale build up.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|--------|-------------|------------------|
| 1100mm | 1050mm | 1090mm | 725mm | ETOHD110SC | - |
| 1200mm | 1150mm | 1190mm | 725mm | ETOHD120SC | ETOHD120BC |
| 1300mm | 1250mm | 1290mm | 725mm | ETOHD130SC | - |
| 1400mm | 1350mm | 1390mm | 725mm | ETOHD140SC | ETOHD140BC |
| 1500mm | 1450mm | 1490mm | 725mm | ETOHD150SC | - |
| 1600mm | 1550mm | 1590mm | 725mm | ETOHD160SC | - |

SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|-------------|------------------|
| 700mm | 660mm | 680mm | ETOSP70SC | ETOSP70BC |
| 760mm | 720mm | 740mm | ETOSP76SC | - |
| 800mm | 760mm | 780mm | ETOSP80SC | ETOSP80BC |
| 900mm | 860mm | 880mm | ETOSP90SC | ETOSP90BC |
| 1000mm | 960mm | 980mm | ETOSP100SC | ETOSP100BC |
| 1100mm | 1060mm | 1080mm | ETOSP110SC | - |
| 1200mm | 1160mm | 1180mm | ETOSP120SC | - |



ELEGANTLY
CRAFTED
ETO HANDLE
DESIGN

NOTE – An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--|---------------|--------------------|
| Compensating Wall Profile 10mm <i>(included with side panel)</i> | ETOCB10SC | ETOCB10BC |
| Compensating Wall Profile 25mm | ETOCB25SC | ETOCB25BC |



| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |

SLIDING DOOR

With minimalist profiles surrounding 8mm toughened safety glass, the ETO Sliding Door is designed with long lasting durability in mind.

The sliding door glass is guided by stainless steel wheel brackets which provide an effortlessly smooth experience. The magnetic cushion close mechanism ensures a controlled and gentle action as the door opens and closes.

The curvature of the crafted ETO handle feels beautifully precise in hand, whilst also doubling up on functionality with its integrated towel hook design.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|--------|-------------|------------------|
| 1000mm | 950mm | 990mm | 370mm | ETOSA100SC | - |
| 1100mm | 1050mm | 1090mm | 420mm | ETOSA110SC | ETOSA110BC |
| 1200mm | 1150mm | 1190mm | 470mm | ETOSA120SC | ETOSA120BC |
| 1300mm | 1250mm | 1290mm | 520mm | ETOSA130SC | - |
| 1400mm | 1350mm | 1390mm | 520mm | ETOSA140SC | ETOSA140BC |
| 1500mm | 1450mm | 1490mm | 570mm | ETOSA150SC | - |
| 1600mm | 1550mm | 1590mm | 570mm | ETOSA160SC | - |
| 1700mm | 1650mm | 1690mm | 570mm | ETOSA170SC | - |
| 1800mm | 1750mm | 1790mm | 570mm | ETOSA180SC | - |

SEMI FRAMED SIDE PANEL OPTIONS (Includes Corner Profile)

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|-------------|------------------|
| 700mm | 660mm | 680mm | ETOSP70SC | ETOSP70BC |
| 760mm | 720mm | 740mm | ETOSP76SC | - |
| 800mm | 760mm | 780mm | ETOSP80SC | ETOSP80BC |
| 900mm | 860mm | 880mm | ETOSP90SC | ETOSP90BC |
| 1000mm | 960mm | 980mm | ETOSPI00SC | ETOSPI00BC |
| 1100mm | 1060mm | 1080mm | ETOSPI10SC | - |
| 1200mm | 1160mm | 1180mm | ETOSPI20SC | - |

NEW - FRAMELESS SIDE PANELS (Suitable only for Sliding Door)

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|-------------|------------------|
| 700mm | 660mm | 680mm | ETOFSP70SC | ETOFSP70BC |
| 760mm | 720mm | 740mm | ETOFSP76SC | ETOFSP76BC |
| 800mm | 760mm | 780mm | ETOFSP80SC | ETOFSP80BC |
| 900mm | 860mm | 880mm | ETOFSP90SC | ETOFSP90BC |
| 1000mm | 960mm | 980mm | ETOFSP100SC | ETOFSP100BC |
| 1200mm | 1160mm | 1180mm | ETOFSP120SC | ETOFSP120BC |

COMPENSATING PROFILE OPTIONS

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - MATTE BLACK |
|--|---------------|--------------------|
| Compensating VWall Profile 10mm (included with side panel) | ETOCB10SC | ETOCB10BC |
| Compensating VWall Profile 25mm | ETOCB25SC | ETOCB25BC |



MAGNETIC CUSHION CLOSE DOOR SYSTEM



STAINLESS STEEL DOUBLE ROLLERS - QUICK RELEASE DESIGN



MATTE BLACK SLIDING DOOR WITH SEMI FRAMED SIDE PANEL

NOTE – An ETO Sliding door installed with a side panel must be installed with the 10mm compensating profile supplied.



SLIDING DOOR ALCOVE INSTALLATION

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |

ONE DOOR QUADRANT

The ETO One Door Quadrant is perfectly shaped to make the most out of a corner bathroom space.

Ideal for any bathroom, the innovative magnetic cushion close feature ensures a smooth rolling door action on this quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.


ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface. The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE SILVER | CODE MATTE BLACK |
|--------------|---------------------|---------------------|--------|-------------|------------------|
| 800mm | 770mm | 790mm | 440mm | ETOOCQ80SC | - |
| 900mm | 870mm | 890mm | 484mm | ETOOCQ90SC | ETOOCQ90BC |
| 1000mm | 970mm | 990mm | 484mm | ETOOCQ100SC | - |



QUICK RELEASE ROLLER DESIGN



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



ONE DOOR QUADRANT - SILVER

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- SILVER & BLACK OPTIONS AVAILABLE *SELECTED DOOR STYLES
- LIFETIME GUARANTEE



ONE DOOR QUADRANT MATTE BLACK

ONE DOOR OFFSET QUADRANT

The ETO One Door Offset Quadrant is perfectly shaped to make the most out of a corner bathroom space.

Ideal for larger bathrooms, the innovative magnetic cushion close feature ensures a smooth rolling door action on this offset quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.


ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface. The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE SILVER | CODE MATTE BLACK |
|-----------------------------------|---------------------|---------------------|--------|-----------------|------------------|
| 1000 x 800mm Long Side Opening | 770-970mm | 790-990mm | 440mm | ETOOCQ100X80SCL | ETOOCQ100X80BCL |
| 1200 x 800mm Long Side Opening | 770-1170mm | 790-1190mm | 440mm | ETOOCQ120X80SCL | ETOOCQ120X80BCL |
| 1200 x 900mm Long Side Opening | 870-1170mm | 890-1190mm | 484mm | ETOOCQ120X90SCL | ETOOCQ120X90BCL |



QUICK RELEASE ROLLER DESIGN



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



ONE DOOR OFFSET QUADRANT - MATTE BLACK

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- SILVER & BLACK OPTIONS AVAILABLE *SELECTED DOOR STYLES
- LIFETIME GUARANTEE



ONE DOOR OFFSET QUADRANT - SILVER



TWO DOOR QUADRANT

Perfect for the every day, the gently curved detailing of this stylish Two Door Quadrant exudes contemporary elegance.

The magnetic cushion close door system brings both sliding doors to a controlled and gentle stop. The 8mm curved glass features ClearVue glass coating which repels against grime and limescale.


Superior quality double wheel rollers have a quick release design and are supported by stainless steel components, promising functional longevity in the busy bathroom environment.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE - SILVER |
|--------------|-----------------|-------|--------|---------------|
| | MIN | MAX | | |
| 900mm | 870mm | 890mm | 528mm | ETOCQ90SC |



SUPERIOR DOUBLE WHEEL ROLLER SYSTEM



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- 11 CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- LIFETIME GUARANTEE

TWO DOOR OFFSET QUADRANT

With generous proportions, the ETO Two Door Offset Quadrant is a much favoured corner shower door choice for many discerning homeowners.

The magnetic cushion close door system brings this door to a controlled and gentle stop. The impressive 8mm curved glass features ClearVue hydrophobic coating which repels against grime and limescale.

The sleek yet sturdy metal profiles give this door a robust feel while its gently curved detailing captures the essence of contemporary elegance.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | MAX | ACCESS | CODE - SILVER |
|--------------|---------------------|--------------|--------|---------------|
| 1100 x 800mm | 770 - 1070mm | 790 - 1090mm | 458mm | ETOCQ80X110SC |
| 1100 x 900mm | 870 - 1070mm | 890 - 1090mm | 528mm | ETOCQ90X110SC |
| 1200 x 800mm | 770 - 1170mm | 790 - 1190mm | 458mm | ETOCQ80X120SC |
| 1200 x 900mm | 870 - 1170mm | 890 - 1190mm | 528mm | ETOCQ90X120SC |



QUICK RELEASE
BOTTOM ROLLERS



MAGNETIC CUSHION
CLOSE DOOR SYSTEM

NOTE – Dedicated 1100 x 800mm and 1100 x 900mm offset quadrant slimline shower trays now available.



- 2000mm** HEIGHT
- 8mm** TOUGHENED SAFETY GLASS
- 20mm** PROFILE ADJUSTMENT
- 11** CRAFTED HANDLE DESIGN
- CLEARVUE** GLASS COATING
- ULTRA CLEAR** SEALS
- PRESS FIT** SEAL DESIGN
- ULTRA SLIM** CHROME PLATED COVER CAPS
- SEAMLESS** INTERIOR COVER STRIPS
- SHOWER TRAY** OR WETROOM APPLICATION
- REVERSIBLE**
- MAGNETIC CUSHION** CLOSE DOOR SYSTEM
- LIFETIME** GUARANTEE



CORNER ENTRY

The ETO Corner Entry boasts contemporary clean lines and a sturdy semi frameless design. The two door corner sliding configuration make the corner entry an ideal choice for the bathroom where space is limited.

The flush finish on the corner brackets provides for a truly seamless door aesthetic. Quick release double rollers ensure ease of cleaning while the magnetic cushion close system brings this door to a controlled and gentle stop.

Superior magnetic seals ensure watertightness and give a positive close action when both doors are drawn together.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE |
|--------------|-----------------|-------|--------|-----------|
| | MIN | MAX | | |
| 800mm | 770mm | 790mm | 392mm | ETOCE80SC |
| 900mm | 870mm | 890mm | 462mm | ETOCE90SC |



ETO CORNER ENTRY HANDLE DESIGN



SLEEK FLUSH CORNER BRACKET DESIGN



CLICK FIT
ASSEMBLY SYSTEM
PATENT PENDING

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- 11 CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- MAGNETIC CUSHION CLOSE DOOR SYSTEM



INTRODUCING ETO[®] BRUSHED BRASS



AWARD WINNING
PRODUCT DESIGNS

ETO[®]

Enhance your bathroom with the newly launched ETO Brushed Brass shower enclosure range.

The Flair design team are uncompromising in using the finest materials as they craft our signature product ranges. ETO brushed brass profiles have an anodised finish, which means they are superbly robust and will stand the test of time.

Anodising is an electrochemical process that converts the metal substrate to a corrosion resistant durable finish. The aluminium oxide is not just applied to the surface like a plating or coating, but it is fully integrated with the underlying aluminium substrate to avoid the risk of peeling or chipping.

The uniquely crafted ETO brushed brass handle has a PVD finish to ensure maximum durability in the busy bathroom environment. PVD technology is one of the most hard-wearing surface finish processes, whereby the original base material is permanently changed to the desired colour composition. This ensures that the surface will not wear off or degenerate over time.

The stylish yet functional simplicity throughout the ETO Brushed Brass range embodies Design with Purpose, a concept which lies at the heart of the ETO collection.



ETO BRUSHED BRASS COLLECTION

INFOLD DOOR

The ETO Infold is the perfect blend of elegance with practical functionality.

This outward opening door protrudes minimally into the bathroom, saving on space. The unique Infold door design also affords generous access to the shower.

The ETO Infold features a pioneering magnetic linkage system which gives the door a perfectly smooth gliding action. This innovative design removes the need for magnetic seals on the glass, giving a beautifully seamless glass edge to the door.

As is standard across the ETO range, the Infold door is constructed from 8mm toughened safety glass with ClearVue hydrophobic coating. All interior fixings are fully concealed, making this shower enclosure as delightful internally as externally.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE BRUSHED BRASS |
|--------------|---------------------|---------------------|--------|--------------------|
| 800mm | 750mm | 790mm | 596mm | ETOIF80BRBC |
| 900mm | 850mm | 890mm | 696mm | ETOIF90BRBC |
| 1000mm | 950mm | 990mm | 796mm | ETOIF100BRBC |

SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*


| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | CODE BRUSHED BRASS |
|--------------|---------------------|---------------------|--------------------|
| 700mm | 660mm | 680mm | ETOSP70BRBC |
| 800mm | 760mm | 780mm | ETOSP80BRBC |
| 900mm | 860mm | 880mm | ETOSP90BRBC |
| 1000mm | 960mm | 980mm | ETOSP100BRBC |

NOTE – An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

| PRODUCT DESCRIPTION | CODE - BRUSHED BRASS |
|---|----------------------|
| Compensating Wall Profile 10mm (included with side panel) | ETOCB10BRB |
| Compensating Wall Profile 25mm | ETOCB25BRB |

INFOLD - DOOR OPEN POSITION MEASUREMENTS



| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |

BRUSHED BRASS INFOLD DOOR ALCOVE INSTALLATION



BRUSHED BRASS INFOLD DOOR WITH SIDE PANEL



BRUSHED BRASS HINGE DOOR WITH SIDE PANEL

ETO BRUSHED BRASS COLLECTION

HINGE DOOR

The stylish yet functional simplicity of the ETO Hinge door makes it the ideal choice for today's contemporary bathroom.

This 2 metre high door is supported by two precisely curved hinges that boast a flush to glass interior finish which allow for ease of cleaning. 8mm toughened safety glass is coated with ClearVue hydrophobic coating to resist the build up of unwanted grime and limescale.

The ETO Hinge door can be fitted independently in an alcove setting or with a dedicated ETO side panel of choice.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE | | ACCESS | CODE BRUSHED BRASS |
|--------------|-----------------|-------|--------|-----------------------|
| | MIN | MAX | | |
| 800mm | 750mm | 790mm | 596mm | ETOHD80BRBC |
| 900mm | 850mm | 890mm | 646mm | ETOHD90BRBC |

SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

| PRODUCT SIZE | ADJUSTMENT SIZE | | CODE BRUSHED BRASS |
|--------------|-----------------|-------|-----------------------|
| | MIN | MAX | |
| 700mm | 660mm | 680mm | ETOSP70BRBC |
| 800mm | 760mm | 780mm | ETOSP80BRBC |
| 900mm | 860mm | 880mm | ETOSP90BRBC |
| 1000mm | 960mm | 980mm | ETOSP100BRBC |

NOTE – An ETO Slider installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

| PRODUCT DESCRIPTION | CODE - BRUSHED BRASS |
|---|----------------------|
| Compensating Wall Profile 10mm (included with side panel) | ETOCB10BRB |
| Compensating Wall Profile 25mm | ETOCB25BRB |

BRUSHED BRASS HINGE DOOR ALCOVE INSTALLATION



| | | | | | | |
|-----------------------|-------------------------------------|--------------------------------|------------------------------------|------------------------|--------------------|------------------------------------|
| 2000mm HEIGHT | TOUGHENED SAFETY GLASS | PROFILE ADJUSTMENT | CRAFTED HANDLE DESIGN | CLEARVUE GLASS COATING | ULTRA CLEAR SEALS | MAGNETIC CUSHION CLOSE DOOR SYSTEM |
| PRESS FIT SEAL DESIGN | ULTRA SLIM CHROME PLATED COVER CAPS | SEAMLESS INTERIOR COVER STRIPS | SHOWER TRAY OR WETROOM APPLICATION | REVERSIBLE | LIFETIME GUARANTEE | |

CLICK FIT
ASSEMBLY SYSTEM
PATENTED



BRUSHED BRASS HINGE & INLINE DOOR ALCOVE INSTALLATION

BRUSHED BRASS HINGE & INLINE DOOR WITH SIDE PANEL



ETO BRUSHED BRASS COLLECTION

HINGE & INLINE DOOR

The impressive ETO Hinge and Inline door is the perfect option for those larger luxurious bathroom spaces.

The flawless semi framed profiles give this door a robust feel, whilst the crafted ETO handle provides optimal functionality with its integrated towel hook design.

Designed with purpose, the softly curved hinges are countersunk into the glass and their flush interior finish allows for ease of cleaning. As is standard across the ETO range, this door comes with ClearVue glass coating which repels grime and limescale build up.


DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE BRUSHED BRASS |
|--------------|---------------------|---------------------|--------|--------------------|
| 1200mm | 1150mm | 1190mm | 725mm | ETOHD120BRBC |
| 1400mm | 1350mm | 1390mm | 725mm | ETOHD140BRBC |

SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | CODE BRUSHED BRASS |
|--------------|---------------------|---------------------|--------------------|
| 700mm | 660mm | 680mm | ETOSP70BRBC |
| 800mm | 760mm | 780mm | ETOSP80BRBC |
| 900mm | 860mm | 880mm | ETOSP90BRBC |
| 1000mm | 960mm | 980mm | ETOSP100BRBC |

NOTE – An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.



ELEGANTLY CRAFTED ETO HANDLE DESIGN

COMPENSATING PROFILE OPTIONS

| PRODUCT DESCRIPTION | CODE - BRUSHED BRASS |
|---|----------------------|
| Compensating Wall Profile 10mm (included with side panel) | ETOCB10BRB |
| Compensating Wall Profile 25mm | ETOCB25BRB |



| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |

ETO BRUSHED BRASS COLLECTION

SLIDING DOOR

With minimalist profiles surrounding 8mm toughened safety glass, the ETO Sliding is designed with long lasting durability in mind.

The sliding door glass is guided by stainless steel wheel brackets which provide an effortlessly smooth experience. The magnetic cushion close mechanism ensures a controlled and gentle action as the door opens and closes.

The curvature of the crafted ETO handle feels beautifully precise in hand, whilst also doubling up on functionality with its integrated towel hook design.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE BRUSHED BRASS |
|--------------|---------------------|---------------------|--------|--------------------|
| 1100mm | 1050mm | 1090mm | 420mm | ETOSA110BRBC |
| 1200mm | 1150mm | 1190mm | 470mm | ETOSA120BRBC |
| 1400mm | 1350mm | 1390mm | 520mm | ETOSA140BRBC |


SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | CODE BRUSHED BRASS |
|--------------|---------------------|---------------------|--------------------|
| 700mm | 660mm | 680mm | ETOSP70BRBC |
| 800mm | 760mm | 780mm | ETOSP80BRBC |
| 900mm | 860mm | 880mm | ETOSP90BRBC |
| 1000mm | 960mm | 980mm | ETOSP100BRBC |

NOTE – An ETO Slider installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

| PRODUCT DESCRIPTION | CODE - BRUSHED BRASS |
|---|----------------------|
| Compensating Wall Profile 10mm (included with side panel) | ETOCB10BRB |
| Compensating Wall Profile 25mm | ETOCB25BRB |



BRUSHED BRASS SLIDING DOOR
ALCOVE INSTALLATION



BRUSHED BRASS SLIDING DOOR
WITH SIDE PANEL

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |



ETO BRUSHED BRASS COLLECTION

ONE DOOR QUADRANT & OFFSET QUADRANT


The ETO One Door Quadrant and Offset Quadrant are perfectly shaped to make the most out of a corner bathroom space.

Ideal for larger bathrooms, the innovative magnetic cushion close feature ensures a smooth rolling door action on this offset quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.

ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface. The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

| PRODUCT SIZE | ADJUSTMENT SIZE MIN | ADJUSTMENT SIZE MAX | ACCESS | CODE BRUSHED BRASS |
|------------------------------|---------------------|---------------------|--------|--------------------|
| 900mm | 870mm | 890mm | 484mm | ETOOCQ90BRBC |
| 1000x800mm Long Side Opening | 770-970mm | 790-990mm | 440mm | ETOOCQ100X80BRBCL |
| 1200x800mm Long Side Opening | 770-790mm | 1170-1190mm | 440mm | ETOOCQ120X80BRBCL |
| 1200x900mm Long Side Opening | 870-1170mm | 890-1190mm | 484mm | ETOOCQ120X90BRBCL |



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



BRUSHED BRASS ONE DOOR OFFSET QUADRANT

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- LIFETIME GUARANTEE



BRUSHED BRASS ONE DOOR QUADRANT

CREATING
PERFECT
HARMONY™

AYYO



GOOD DESIGN AWARDS SUCCESS

Founded in Chicago in 1950, the Good Design awards honour product in design and manufacturing that have chartered a new direction with pioneering innovation. The jury awarded this prestigious accolade to AYO in recognition of its carefully considered design aesthetic coupled with the highest degree of functionality. Flair are passionate in our quest for meaningful design innovation and are proud to have received this seal of global design excellence for our latest product collection.

THE AYO[®] COLLECTION

The AYO Modular Wetroom Collection is crafted to create a truly personal shower experience for you.

With an almost infinite choice of wetroom configurations, AYO Modular provides maximum flexibility as you personalise your dream shower space. Standing tall at a height of 2 metres, AYO comes in 8mm and 10mm toughened safety glass which is treated with a hydrophobic coating that resists the build up of grime and lime scale. An array of fixture innovations such as flush wall profiles, clever ultra-clear seals and stylish stabilising bars provides maximum versatility as each wetroom aspiration becomes the reality.

The AYO Wetroom collection is available in Silver and Black profile colour as standard, with an almost infinite number of wetroom configurations possible in these finishes. To ensure perfect integration in your bathroom design, AYO is available in 4 additional premium finishes that will pair perfectly with other signature elements in your bathroom interior. Choose from Brushed Brass, Matte Nickel, White, Polished Gold and Polished Stainless Steel to create your perfect bathroom retreat.

Mindfully designed, this comprehensive Wetroom Collection enables the creation of practical yet supremely elegant shower sanctuaries for you to enjoy.

AYO by Flair – Creating perfect harmony.





HARMONY
CREATED FROM
EVERY ANGLE

ENGAGE
YOUR
SENSES



AYO WETROOM BLACK - CONFIGURATION 9



AYO WETROOM SILVER FINISH - CONFIGURATION 23

CREATE
SIMPLICITY

THE AYO® MODULAR WETROOM COLLECTION

INTRODUCING
AYO & AYO COLOUR

102

STABILISING
SOLUTIONS

106

PROFILE
SOLUTIONS

108

SEAL
SOLUTIONS

109

CONFIGURATIONS

110

WETROOM
PANEL

114

DOUBLE ENTRY
WETROOM
PANEL

116

WETROOM
DEFLECTOR PANEL
FIXED & ROTATING

118

HINGED ROTATING
DEFLECTOR
PANELS

120

CORNER WALK-IN
WETROOM

122

THREE PANEL
WETROOM

124

AYO
FRAMED

126

FLUTED
GLASS
WETROOM

132

OPAQUE
GLASS
WETROOM

134

AYO
BATHTHSCREENS

136

AYO PRODUCT
ORDERING
INFORMATION

143

INTRODUCING AYO®

Satisfying the balance between luxury and versatility, **AYO** is an iconic range designed to transform your bathroom into the most perfect retreat.

The AYO Wetroom collection is available as standard in Silver and Black profile finishes, with an almost infinite number of wetroom configurations possible. The **NEW AYO Colour** collection offers 5 additional luxury finishes that will pair perfectly with the signature elements in your bathroom.


Enjoy extra design freedom by selecting from the following premium colour finish options;

- Brushed Brass (PVD)
- Matte Nickel (PVD)
- Polished Gold (PVD)
- Polished Stainless Steel*
- White

With an unwavering focus on product quality, **AYO Colour** uses PVD technology to achieve an exceptionally durable surface finish. The PVD coating is applied to high grade 304 stainless steel base materials. The result is a superbly robust and hardwearing wetroom designed to stand the test of time. Testament to the quality of the surface finish, all **AYO Colour Wetrooms** are supplied with a Flair 20 year guarantee.

The Perfect Colour Match – Every time

The PVD process allows Flair to more precisely match all **AYO Colour** sub-assemblies such as the wall profiles, cover caps and stabilising bars.



AYO DOUBLE ENTRY WETROOM
BRUSHED BRASS - CONFIGURATION 15

PERSONALISE YOUR SHOWERING SPACE

*AYO Polished Stainless Steel is crafted from high grade 304 stainless steel.

| | | | | | | |
|--|-------------------------|---|--|---------------------------------------|---|--|
| 8+10mm TOUGHENED SAFETY GLASS | 2000mm HEIGHT | RANGE OF STABILISING SOLUTIONS AVAILABLE | WETROOM OR SHOWER TRAY INSTALLATION | CLEARVUE GLASS COATING | MULTIPLE COLOUR FINISHES AVAILABLE | ALUMINIUM FLOOR PROTECTOR STRIP AVAILABLE |
| ULTRA CLEAR BOTTOM FLOOR PROTECTOR STRIP INCLUDED | REVERSIBLE | ULTRA CLEAR SEALS | CONCEALED FIXINGS | ALTERNATIVE FIXING OPTIONS | ECO FRIENDLY PVD TECHNOLOGY | 20 YEAR GUARANTEE |


AYO[®] COLOUR

THE PVD PROCESS EXPLAINED

PVD - PHYSICAL VAPOUR DEPOSITION

PVD is a technique that applies colour on an atomic level to a base surface inside a vacuum chamber. This process physically changes the original base material to the desired colour composition, meaning that the surface won't wear off or degenerate over time.

PVD is one of the most durable colouring technologies being up to 3 times harder and 10 times more scratch resistant than the alternative surface options.



INFLUENCED BY SIMPLE AESTHETICS

The PVD Finish extends across a select offering of AYO components that includes a 15mm Wall Profile, 1200mm Straight Stabilising Bar, 650mm Angled Stabilising Bar and T Piece.

For PVD Colour Product offering information
Please see page 101

STABILISING SOLUTIONS

The subtle contours of each AYO stabilising bar delivers the perfect blend of form and function. Each fixation bracket is masterfully engineered for durability, with screw points discreetly concealed from view.

An array of Stabilising solutions are available in the standard Stainless Steel and Black options.

AYO COLOUR

Note: The following stabilising bar options are available in White Brushed Brass, Matte Nickel and Polished Gold PVD finish:


- 1200mm Straight Stabilising Bar
- 650mm Angled Stabilising Bar
- T Piece



STABILISING BAR - FIXING TO ROTATING PANEL



MATTE BLACK T-PIECE FITTED WITH TWO STRAIGHT STABILISING BARS



GLASS JOINING BRACKET



FLOOR TO CEILING STABILISING BARS



POLISHED GOLD STRAIGHT STABILISING BAR



MATTE BLACK L-SHAPED STABILISING BAR



MATTE BLACK ANGLED STABILISING BAR



STAINLESS STEEL TOP OF GLASS TO CEILING STABILISING BAR



PROFILE SOLUTIONS

An array of wall profile solutions provides maximum versatility as each AYO wetroom aspiration becomes the reality.

All Profile solutions are available in the standard Silver and Black options.

AYO COLOUR

Please note: 15mm Wall Profile is available the premium colours - White, Brushed Brass, Matte Nickel, Stainless Steel and Polished Gold.






SEAL SOLUTIONS

AYO maximizes your shower's visual appeal by offering an extensive selection of discreet ultra clear seal options.

SILVER & MATTE BLACK CONFIGURATION GUIDE

With an almost infinite choice of wetroom configurations, AYO provides maximum flexibility as you personalise your dream shower space.


















 – Indicates Rotating Deflector Panel

AYO® COLOUR CONFIGURATION GUIDE

Please note only configurations using 1200mm Straight Stabilising Bar, 650mm Angled Stabilising Bar, T Piece and Ultra Clear Corner Seal are possible in the premium colours;

- Brushed Brass (PVD)
- Matte Nickel (PVD)
- Polished Gold (PVD)
- Polished Stainless Steel
- White



WETROOM PANEL



Simple yet stylish, the AYO 10mm wetroom panel is a luxurious style statement for any bathroom.

With an extensive range of glass panel sizes available, each AYO screen is secured by sleek stabilising solutions that accentuate the tall glass structure.

Featuring ClearVue hydrophobic coating, the AYO toughened safety glass grants easy maintenance, repelling the build-up of any unwanted grime and limescale.


Create your personal shower sanctuary suited to your individual needs.

CHOOSE YOUR CONFIGURATION




CONFIGURATION 5

- x1 Glass Panel
- x1 Wall Profile
- x1 Straight Stabilising Bar




CONFIGURATION 6

- x1 Glass Panel
- x1 Wall Profile
- x1 Angled Stabilising Bar




CONFIGURATION 7

- x2 Glass Panels
- x1 Wall Profile
- x2 Straight Stabilising Bars
- x1 H Joining Profile




CONFIGURATION 8

- x2 Glass Panels
- x2 Wall Profiles
- x2 Straight Stabilising Bars



CONFIGURATION 9

- x1 Glass Panel
- x1 Wall Profile
- x1 Floor to Ceiling Stabilising Bar




CONFIGURATION 10

- x1 Glass Panel
- x1 Wall Profile
- x1 Top of Glass to Ceiling Stabilising Bar



CONFIGURATION 5 IN SILVER



CONFIGURATION 7 IN (SILVER & BLACK ONLY)



CONFIGURATION 5 IN BRUSHED BRASS

Please Note: Colour PVD Finishes only available on 1200mm straight or 650mm angled stabilising bars.



CONFIGURATION 15 IN BLACK


DOUBLE ENTRY WETROOM PANEL

Take advantage of those larger luxurious bathrooms and design your dream double entry walk-in shower experience. This wetroom style is perfect for those who appreciate a modern and spacious shower area.

AYO stabilising fixtures have no sharp edges or awkward corners, ensuring a timeless wetroom retreat that is easy to clean.


Not forgetting flexibility, you can add your preferred deflector panel size and style to this wetroom configuration.

CHOOSE YOUR CONFIGURATION





CONFIGURATION 15

- ×1 Glass Panel
- ×2 Straight Stabilising Bar




CONFIGURATION 16

- ×1 Glass Panel
- ×2 Floor to Ceiling Stabilising Bars



CONFIGURATION 17

- ×1 Glass Panel
- ×2 Fixed Panels
- ×2 Glass Joining Brackets
- ×2 Ultra Clear Corner Seals




CONFIGURATION 18

- ×1 Glass Panel
- ×2 Rotating Panels
- ×2 Straight Stabilising Bars

ENHANCE YOUR SHOWERING EXPERIENCE



CONFIGURATION 16 (SILVER & BLACK ONLY)



Please Note: Colour PVD Finishes only available on 1200mm straight or 650mm angled stabilising bars.



WETROOM DEFLECTOR PANEL

FIXED & ROTATING

Combining effortlessly with AYO wetroom panels, our range of fixed and rotating deflector panels offers comprehensive splash protection whilst maintaining an elegant, tranquil aesthetic within your bathroom.

Showcasing spacious access to the shower area, the rotating deflector design can be folded to an impressive 180 degrees.*

Enhance your wetroom design by choosing a minimal ultra clear corner joining seal - maximising your showers visual appeal.


A range of deflector panel sizes are available alongside a selection of stabilising bar configurations to suit your individual needs. Rotating panels can also be retrofitted.

CHOOSE YOUR CONFIGURATION

8+10mm
TOUGHENED SAFETY GLASS


FOR A CORNER SPACE

FOR AN ALCOVE SPACE




CONFIGURATION 11

- x1 Glass Panel
- x1 Wall Profile
- x1 Straight Stabilising Bar
- x1 Rotating Panel




CONFIGURATION 12

- x2 Glass Panel
- x1 Wall Profile
- x1 Ultra Clear Corner Seal
- x1 Glass Joining Bracket
- x1 Straight Stabilising Bar




CONFIGURATION 13

- x2 Glass Panels
- x1 Wall Profile
- x1 Ultra Clear Corner Seal
- x1 Angled Stabilising bar




CONFIGURATION 14

- x2 Glass Panels
- x1 Wall Profile
- x1 Ultra Clear Corner Seal
- x1 Straight Stabilising Bar



AVAILABLE IN SILVER, MATTE BLACK AND WHITE



***Please Note:**
Rotating Deflector Panels available in Silver and Black only.



HINGED ROTATING DEFLECTOR PANEL



HINGE & ROTATING PANELS - BRUSHED BRASS




HINGE & ROTATING PANELS - MATTE BLACK

The AYO Hinge Rotating deflector panel offers both visual appeal and practical functionality.

Designed to fit alongside an AYO wetroom panel, these minimalist glass rotating panels can be folded to an impressive 180 degrees. This allows for generous access to the shower, whilst protecting the bathroom from unwanted water splash.

Available in a variety of premium colour finishes, there is an option to suit all bathroom needs. The frameless design of the hinge rotating panel delivers an effortless luxury to the wetroom shower zone.

- 8mm**
TOUGHENED SAFETY GLASS
- 2000mm**
HEIGHT
- REVERSIBLE
- WETROOM OR SHOWER TRAY**
INSTALLATION



STAINLESS STEEL



POLISHED GOLD



MATTE BLACK



CONFIGURATION 21 IN WHITE


CORNER WALK-IN WETROOM

Offering form as well as function, the AYO Walk-In configuration showcases an enclosed design to ensure minimal splash.


Elegant stainless-steel support bars create a simple, yet beautiful aesthetic. The AYO Corner walk in arrangement is designed to deliver maximum sophistication and enhance the art of showering.

With ClearVue hydrophobic coating resisting the build-up of grime and limescale on glass surfaces, AYO wetrooms truly lend themselves to easy maintenance.


CHOOSE YOUR CONFIGURATION




- CONFIGURATION 19**
- ×2 Glass Panels
 - ×1 Rotating Panel
 - ×2 Wall Profiles
 - ×2 Straight Stabilising Bars
 - ×1 T Piece



- CONFIGURATION 20**
- ×2 Glass Panels
 - ×2 Straight Stabilising Bars
 - ×2 Wall Profiles
 - ×1 T Piece





- CONFIGURATION 21**
- ×3 Glass Panels
 - ×2 Wall Profiles
 - ×1 Ultra Clear Corner Seal
 - ×1 Glass Joining Bracket
 - ×2 Straight Stabilising Bars
 - ×1 T Piece




CONFIGURATION 20 IN POLISHED STAINLESS STEEL



CONFIGURATION 20 IN BLACK



- CONFIGURATION 22**
- ×3 Glass Panels
 - ×2 Wall Profiles
 - ×1 Ultra Clear Corner Seal
 - ×1 Straight Stabilising Bar
 - ×1 Angled Stabilising Bar



- CONFIGURATION 23**
- ×2 Glass Panels
 - ×2 Wall Profiles
 - ×1 Straight Stabilising Bar
 - ×1 Angled Stabilising Bar

Please Note: Colour PVD Finishes only available on 1200mm straight or 650mm angled stabilising bars.

THREE PANEL WETROOM

Offering a spacious interior, the AYO Three Panel Wetroom configuration provides a luxurious and relaxing haven in the form of a walk-in shower zone.


Practically designed, this wetroom ensures outstanding splash protection for your bathroom. The AYO range facilitates easy cleaning thanks to our innovative ClearVue coated glass panels and concealed profile fixation points.

Choose from a selection of carefully crafted stabilising bar options that ensure your AYO wetroom is robustly supported and will stand the test of time.

CHOOSE YOUR CONFIGURATION


8+10 mm
TOUGHENED SAFETY GLASS

FOR A STRAIGHT, OPEN SPACE




CONFIGURATION 1

- x3 Glass Panels
- x2 Wall Profiles
- x1 Ultra Clear Corner Seal
- x2 Straight Stabilising Bars
- x1 T Piece




CONFIGURATION 2

- x3 Glass Panels
- x2 Wall Profiles
- x1 Ultra Clear Corner Seal
- x2 Floor to Ceiling Stabilising Bars




STRAIGHT STABILISING BAR



CONFIGURATION 3


- x3 Glass Panels
- x1 Rotating Panel
- x2 Wall Profiles
- x1 Ultra Clear Corner Seal
- x2 Straight Stabilising Bars
- x1 T Piece



CONFIGURATION 4

- x4 Glass Panels
- x2 Wall Profiles
- x2 Ultra Clear Corner Seal
- x2 Straight Stabilising Bars
- x1 T Piece
- x1 Glass Joining Bracket

THE PERFECT SENSE OF WELLBEING



CONFIGURATION 2 IN (BLACK & SILVER ONLY)



CONFIGURATION 1 IN SILVER

THE AYO® 8MM FRAMED COLLECTION

MATTE BLACK ONLY

The contemporary industrial aesthetic inspired by factories and warehouses is now an established trend in bathroom design. With this in mind, the AYO Framed collection is carefully curated to deliver a striking look in the showering zone.

Standing at impressive 2 metres tall, each AYO Framed screen is coated with a Hydrophobic coating to repel against unwanted grime and limescale.

Silk screen print technology enables the interior of all AYO framed screens to retain a flush finish for ease of cleaning and maintenance. Each 8mm toughened glass panel is firstly **silk screen printed** with the black framed design applied to the glass exterior. **Black anodised metal profiles** are then bonded to the exterior of the glass panels.

Expertly designed each AYO glass panel is fully surrounded by a robust metal frame, providing maximum durability for the hardworking bathroom environment.

| | | | |
|---|---|------------------------------|---|
| 8mm TOUGHENED SAFETY GLASS | 2000mm HEIGHT | REVERSIBLE | WETROOM OR SHOWER TRAY INSTALLATION |
| CLEARVUE GLASS COATING | ANODISED BLACK PROFILES ONLY | CONCEALED FIXINGS | ALTERNATIVE FIXING OPTIONS |
| ANODISED MATTE BLACK METAL FRAME | 20 YEAR GUARANTEE | | |

Matte Black Anodised Finish Explained
Anodising is an electrochemical process that converts the metal surface to a durable, corrosion resistant, anodic oxide finish. The aluminium oxide finish is not just applied to the surface like a paint or plating, but it is fully integrated with the underlying aluminium substrate so that it cannot chip or peel.

For AYO FRAMED, this means a superbly robust product that is designed for the busiest of bathroom environments.



FRAMED WETROOM
CONFIGURATION 5

LINEAR FRAMED CORNER WALK IN WETROOM




FRAMED CORNER WALK-IN WETROOM

Make a visual statement by choosing a sleek and stylish AYO Framed Corner Walk in wetroom.

The black anodised metal profiles fully surround each glass panel and ensure maximum durability in the busy bathroom environment. These AYO Framed fixed glass panels form a luxurious wetroom arrangement that minimises water spray into the bathroom. Easy to clean, each glass panel retains its flush interior finish and has the added bonus of a hydrophobic coating that repels unwanted grime and limescale.


Choose from two striking design options - The Framed Wetroom or Linear Framed Wetroom style.




FRAMED WETROOM

LINEAR FRAMED WETROOM


METAL FRAMEWORK SURROUNDS GLASS, ENSURING MAXIMUM DURABILITY




CONFIGURATION 20




CONFIGURATION 20



CONFIGURATION 23



CONFIGURATION 23



LET YOUR INSPIRATION FLOW

FRAMED CORNER WALK IN WETROOM



FRAMED WETROOM PANEL

The AYO framed wetroom panel brings a subtle industrial design aesthetic to the bathroom.


Each framed wetroom panel is constructed from 8mm toughened safety glass that is fully encased by a sturdy matte black anodised profile.

Specialist silk screen print technology is used to achieve the framed design whilst enabling the interior of the glass to retain a flush finish for ease of cleaning and maintenance. Each wetroom panel is supported by minimalist stabilising bars providing the reassurance of durability for busy family bathrooms.


Choose from two striking design aesthetics - The Framed Wetroom or Linear Framed Wetroom style.




FRAMED WETROOM




CONFIGURATION 5



CONFIGURATION 8




CONFIGURATION 9




CONFIGURATION 10


LINEAR FRAMED WETROOM




CONFIGURATION 5



CONFIGURATION 8



CONFIGURATION 9



CONFIGURATION 10



CELEBRATE WELLNESS

LINEAR FRAMED WETROOM

See page 95 for Floor to Ceiling Stabiliser Bar

NEW

8MM FLUTED GLASS WETROOM

The new fluted glass wetroom is a unique and stylish addition to the AYO collection.

Striking in its appearance, the 8mm fluted glass design adds a level of privacy to the shower zone.

The tactile glass finish boasts Clearvue protective coating which makes the glass panels easy to clean and maintain.

The fluted glass offering extends to a range of hinged rotating deflector panels which are a practical yet elegant addition to the range.

Choose from an array of profile finishes including silver, matte black, brushed brass and polished gold.



AYO FLUTED GLASS - MATTE BLACK



AYO FLUTED GLASS - BRUSHED BRASS



| | | | | |
|--------------------------------------|---------------------------|---|-----------------------------|--------------------------------|
| 8mm TOUGHENED SAFETY GLASS | FOR A CORNER SPACE | CLEARVUE GLASS COATING | CONCEALED FIXINGS | - Straight Stabilising Bar |
| 2000mm HEIGHT | REVERSIBLE | WETROOM OR SHOWER TRAY INSTALLATION | 20 YEAR GUARANTEE | |



8MM OPAQUE GLASS WETROOM

The AYO opaque glass wetroom panel is designed to bring elegance and grace to your bathroom space.

AYO opaque is a practical choice for those who want to add privacy to their bathroom without sacrificing on functionality.

Available in a silver & matte black finish, with a variety of size options to choose from.

| | |
|--|---|
|  <p>8mm TOUGHENED SAFETY GLASS</p> |  <p>FOR A CORNER SPACE</p> |
|  <p>FOR AN ALCOVE SPACE</p> |  <p>2000mm HEIGHT</p> |
|  <p>REVERSIBLE</p> | <p>WETROOM OR SHOWER TRAY INSTALLATION</p> |



8MM OPAQUE GLASS WETROOM PANEL




FRAMED BATHSCREEN

The crisp contemporary lines of the AYO framed bathscreen provide a stylish focal point for the bathroom.

The black bathscreen frame has an anodised finish, making it a highly durable and guaranteed to stand the test of time. A silk screen print process is used to achieve a flush interior finish while ClearVue hydrophobic coating ensures the 8mm toughened glass remains easy to clean.

Expertly crafted, the AYO Framed Bathscreen will bring a harmonious look to the modern bathroom.



METAL FRAMEWORK SURROUNDS GLASS, ENSURING MAXIMUM DURABILITY



- 8mm TOUGHENED SAFETY GLASS
- 1500mm HEIGHT
- 350mm ANGLED STABILISING BAR INCLUDED
- CLEARVUE GLASS COATING
- BLACK PROFILES ONLY
- CONCEALED FIXINGS
- REVERSIBLE
- FIXED BATHSCREEN
- 20 YEAR GUARANTEE

FRAMED LINEAR BATHSCREEN

The AYO Linear Framed Bathscreen is inspired by the industrial look – it exudes a bold charm that will make a design statement in any bathroom.

The 8mm toughened glass is robustly surrounded by an anodised matte black frame. Silk screen print technology ensures that the interior of this bathscreen retains its flush finish, making cleaning a hassle free experience. Clearvue hydrophobic coating on the glass repels any grime or limescale build up.

Choose a bathscreen of distinction with the AYO linear framed option.



METAL FRAMEWORK SURROUNDS GLASS, ENSURING MAXIMUM DURABILITY

AYO 8MM LINEAR BLACK FRAMED BATHSCREEN (1500 x 800MM)

| | | |
|--------------------------------------|--------------------------|--|
| 8mm TOUGHENED SAFETY GLASS | 1500mm HEIGHT | 350MM ANGLED STABILISING BAR INCLUDED |
| BLACK PROFILES ONLY | CONCEALED FIXINGS | CLEARVUE GLASS COATING |
| REVERSIBLE | FIXED BATHSCREEN | 20 YEAR GUARANTEE |



NEW




FRAMELESS BATHSCREEN

The AYO Frameless bathscreen is the perfect balance of style and elegant practicality for the family bathroom.

Constructed from 8mm glass that has Clearvue protective coating, these bathscreens are available in a Silver, Matte Black and Brushed Brass finish.

This fixed bathscreen option is ultra-sleek and will effortlessly integrate in an array of bathroom styles, be they traditional or contemporary.



AYO 8MM FRAMELESS SILVER BATHSCREEN



AYO 8MM FRAMELESS MATTE BLACK BATHSCREEN




AYO 8MM FRAMELESS BRUSHED BRASS BATHSCREEN

| | | | |
|--------------------------------------|-------------------------|--|-------------------------------|
| 8mm TOUGHENED SAFETY GLASS | 1500mm HEIGHT | 350MM ANGLED STABILISING BAR INCLUDED | CLEARVUE GLASS COATING |
| CONCEALED FIXINGS | REVERSIBLE | FIXED BATHSCREEN | 20 YEAR GUARANTEE |

AYO PRODUCT ORDERING INFORMATION

DESIGN YOUR PERSONAL SHOWER SANCTUARY

CHOOSE & MEASURE YOUR SPACE



Please note: It is suggested to leave a minimum of 500mm wide access when measuring for your wetroom panel.

AYO MODULAR WETROOMS

STEP 1 – CHOOSE AYO GLASS PANEL(S) SIZES

STEP 2 – CHOOSE WALL PROFILE(S) REQUIRED

Colour: Choose your colour option.

Wall Profile: Choose a 15mm wall profile (All colours) or a 35mm wall Profile (Sliver and Black only) or opt for a recessed wall profile (All colours).

STEP 3 – CHOOSE STABILISING SOLUTION

Choose from a selection of stabilising solutions to suit your space and preference. 1200mm straight stabilising bar / 650mm angled stabilising bar available in all 7 colour finishes.

STEP 4 – CHOOSE GLASS CONNECTING / ACCESSORIES OPTIONS (IF APPLICABLE)



AYO MODULAR WETROOM COMPLETE PACKAGES

For ease of ordering, we have created product codes for complete packages for the most popular wetroom configurations.

10mm Wetroom Complete Kits – See Page 128



AYO® 10MM COMPLETE WETROOM KITS – SILVER & BLACK

For ease of ordering, we have created product codes for a complete wetroom, kits that cover the most popular wetroom configuration choices.

Each complete kit below includes a 10mm glass panel, 15mm wall profile and a suitable stabilising bar solution.

10MM COMPLETE MODULAR WETROOM KITS

| SIZE | CODE – SILVER | CODE – BLACK |
|---|----------------|----------------|
| 300mm | AYO10MWR30SC | AYO10MWR30BC |
| 400mm | AYO10MWR40SC | AYO10MWR40BC |
| 450mm | AYO10MWR45SC | AYO10MWR45BC |
| 500mm | AYO10MWR50SC | AYO10MWR50BC |
| 600mm | AYO10MWR60SC | AYO10MWR60BC |
| 700mm | AYO10MWR70SC | AYO10MWR70BC |
| 760mm | AYO10MWR76SC | AYO10MWR76BC |
| 800mm | AYO10MWR80SC | AYO10MWR80BC |
| 900mm | AYO10MWR90SC | AYO10MWR90BC |
| 1000mm | AYO10MWR100SC | AYO10MWR100BC |
| 1100mm | AYO10MWR110SC | AYO10MWR110BC |
| 1200mm | AYO10MWR120SC | AYO10MWR120BC |
| 1400mm | AYO10MWR140SC | AYO10MWR140BC |
| Double Entry Wetroom 1200mm – Complete Kit (Includes x2 1200mm Straight Stabilising Bars) | AYO10MWRD120SC | AYO10MWRD120BC |



350mm Angled Stabilising Bar included with 300 & 400mm COMPLETE modular kits.
650mm Angled Stabilising Bar included with 450, 500 & 600mm COMPLETE modular kits.
1200mm Straight Stabilising Bar included with COMPLETE modular kits over 700mm.

10MM COMPLETE MODULAR WETROOM SIDE / END PANEL KITS*

| SIZE | CODE – SILVER | CODE – BLACK |
|--------|----------------|----------------|
| 700mm | AYO10MWR70TSC | AYO10MWR70TBC |
| 760mm | AYO10MWR76TSC | AYO10MWR76TBC |
| 800mm | AYO10MWR80TSC | AYO10MWR80TBC |
| 900mm | AYO10MWR90TSC | AYO10MWR90TBC |
| 1000mm | AYO10MWR100TSC | AYO10MWR100TBC |

*1200mm Straight stabilising bar and T Piece included with COMPLETE modular wetroom side panel kits

NOTE: 2 PACK DELIVERY

Pack 1 – Glass Panel
Pack 2 – Wall Profile & Stabiliser



10mm ROTATING PANELS*

| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|----------------------|---------------|--------------|
| 300mm Rotating Panel | AYO10RP30SC | AYO10RP30BC |
| 450mm Rotating Panel | AYO10RP45SC | AYO10RP45BC |
| 500mm Rotating Panel | AYO10RP50SC | AYO10RP50BC |

*Rotating Panels can be retrofitted.

NEW - 10mm HINGE ROTATING PANEL*

| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|----------------------------|---------------|--------------|
| 300mm Hinge Rotating Panel | AYO10HRP30SSC | AYO10HRP30BC |
| 450mm Hinge Rotating Panel | AYO10HRP45SSC | AYO10HRP45BC |
| 500mm Hinge Rotating Panel | AYO10HRP50SSC | AYO10HRP50BC |

ACCESSORIES

| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|---------------------|---------------|--------------|
| T-Piece | AYOTPS | AYOTPB |





AYO® 10MM COMPLETE WETROOM KITS BRUSHED BRASS & POLISHED GOLD

For ease of ordering, we have created product codes for a complete wetroom, kits that cover the most popular wetroom configuration choices.

Each complete kit below includes a 10mm glass panel, 15mm wall profile and a suitable stabilising bar solution.

10MM COMPLETE MODULAR WETROOM KITS

| SIZE | CODE - BRUSHED BRASS | CODE - POLISHED GOLD |
|--------|----------------------|----------------------|
| 450mm | AYO10MWR45-CBRB | AYO10MWR45-CPG |
| 500mm | AYO10MWR50-CBRB | AYO10MWR50-CPG |
| 600mm | AYO10MWR60-CBRB | AYO10MWR60-CPG |
| 700mm | AYO10MWR70-CBRB | AYO10MWR70-CPG |
| 760mm | AYO10MWR76-CBRB | AYO10MWR76-CPG |
| 800mm | AYO10MWR80-CBRB | AYO10MWR80-CPG |
| 900mm | AYO10MWR90-CBRB | AYO10MWR90-CPG |
| 1000mm | AYO10MWR100-CBRB | AYO10MWR100-CPG |
| 1100mm | AYO10MWR110-CBRB | AYO10MWR110-CPG |
| 1200mm | AYO10MWR120-CBRB | AYO10MWR120-CPG |
| 1400mm | AYO10MWR140-CBRB | AYO10MWR140-CPG |



650mm Angled Stabilising Bar included with 450, 500 & 600mm COMPLETE modular kits.
1200mm Straight Stabilising Bar included with COMPLETE modular kits over 700mm.


ACCESSORIES

| PRODUCT DESCRIPTION | CODE - BRUSHED BRASS | CODE - POLISHED GOLD |
|---------------------|----------------------|----------------------|
| T-Piece | AYOTP-CBRB | AYOTP-CPG |

Note: T-Piece to be purchased separately to create a Side / End Panel configuration.

NEW - 10MM HINGED ROTATING PANEL

| PRODUCT DESCRIPTION | CODE - BRUSHED BRASS | CODE - POLISHED GOLD |
|----------------------------|----------------------|----------------------|
| 300mm Hinge Rotating Panel | AYO10HRP30CBRBC | AYO10HRP30CPGC |
| 450mm Hinge Rotating Panel | AYO10HRP45CBRBC | AYO10HRP45CPGC |
| 500mm Hinge Rotating Panel | AYO10HRP50CBRBC | AYO10HRP50CPGC |



HINGE ROTATING PANEL IN BRUSHED BRASS

NOTE: 3 PACK DELIVERY
Pack 1 - Glass Panel
Pack 2 - Wall Profile
Pack 3 - Stabiliser



AYO® 10MM COMPLETE WETROOM KITS POLISHED STAINLESS STEEL

For ease of ordering, we have created product codes for a complete wetroom, kits that cover the most popular wetroom configuration choices.

Each complete kit below includes a 10mm glass panel, 15mm wall profile and a suitable stabilising bar solution.

10MM COMPLETE MODULAR WETROOM KITS

| SIZE | CODE - POLISHED S/STEEL |
|--------|-------------------------|
| 450mm | AYO10MWR45-SS |
| 500mm | AYO10MWR50-SS |
| 600mm | AYO10MWR60-SS |
| 700mm | AYO10MWR70-SS |
| 760mm | AYO10MWR76-SS |
| 800mm | AYO10MWR80-SS |
| 900mm | AYO10MWR90-SS |
| 1000mm | AYO10MWR100-SS |
| 1100mm | AYO10MWR110-SS |
| 1200mm | AYO10MWR120-SS |
| 1400mm | AYO10MWR140-SS |



650mm Angled Stabilising Bar included with 450, 500 & 600mm COMPLETE modular kits.
1200mm Straight Stabilising Bar included with COMPLETE modular kits over 700mm.

ACCESSORIES

| PRODUCT DESCRIPTION | CODE - POLISHED S/STEEL |
|---------------------|-------------------------|
| T-Piece | AYOTPS |

Note: T-Piece to be purchased separately to create a Side / End Panel configuration.

NEW - 10MM HINGED ROTATING PANEL

| PRODUCT DESCRIPTION | CODE - POLISHED S/STEEL |
|----------------------------|-------------------------|
| 300mm Hinge Rotating Panel | AYO10HRP30SSC |
| 450mm Hinge Rotating Panel | AYO10HRP45SSC |
| 500mm Hinge Rotating Panel | AYO10HRP50SSC |

NOTE: 3 PACK DELIVERY
Pack 1 - Glass Panel
Pack 2 - Wall Profile
Pack 3 - Stabiliser

AYO® 10MM MODULAR COLLECTION SILVER & BLACK


WETROOM PANEL 10mm GLASS / 2000mm HIGH
SUITABLE FOR USE ON WETROOM FLOOR OR TRAY

MODULAR WETROOM ORDER PROCESS:

- STEP 1** – CHOOSE AYO 10MM GLASS PANEL SIZE
- STEP 2** – CHOOSE WALL PROFILE (SILVER OR BLACK)
- STEP 3** – CHOOSE STABILISING SOLUTION REQUIRED (SILVER OR BLACK)
- STEP 4** – CHOOSE GLASS CONNECTING / ACCESSORIES OPTIONS (IF REQUIRED)

STEP 1 - MODULAR PANELS – 10MM MODULAR GLASS PANELS ONLY


| SIZE | CODE |
|--------|-------------|
| 300mm | AYO10MW30C |
| 400mm | AYO10MW40C |
| 450mm | AYO10MW45C |
| 500mm | AYO10MW50C |
| 600mm | AYO10MW60C |
| 700mm | AYO10MW70C |
| 760mm | AYO10MW76C |
| 800mm | AYO10MW80C |
| 900mm | AYO10MW90C |
| 1000mm | AYO10MW100C |
| 1100mm | AYO10MW110C |
| 1200mm | AYO10MW120C |
| 1400mm | AYO10MW140C |




STEP 2 - WALL PROFILE - SILVER OR BLACK

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|--|---------------|--------------|
| 15mm Wall Profile | AYOMW15WJS | AYOMW15WJB |
| 35mm Wall Profile | AYOMW35WJS | AYOMW35WJB |
| Recessed Channel Wall and Floor Profile 2000mm | AYOMWCWJS | AYOMWCWJB |


15MM WALL PROFILE




35MM WALL PROFILE



RECESSED WALL CHANNEL PROFILE



RECESSED FLOOR CHANNEL



STEP 3 - STABILISING SOLUTION - SILVER OR BLACK

Straight Stabilising Bar

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|---------------------------------|---------------|--------------|
| 1200mm Straight Stabilising Bar | AYOSSBS | AYOSSBB |
| 1400mm Straight Stabilising Bar | AYO140SSBS | AYO140SSBB |

Angled Stabilising Bar





| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|---|---------------|--------------|
| 350mm Angled Stabilising Bar - Short for 300mm & 400mm Wetrooms | AYOASBS-SH | AYOASBB-SH |
| 650mm Angled Stabilising Bar | AYOASBS | AYOASBB |

Ceiling Stabilising Bar

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|---|---------------|--------------|
| Top of Glass to Ceiling Stabilising Bar - 600mm | AYOCSBS | AYOCSBB |
| Floor to Ceiling Stabilising Bar - 2600mm | AYOFCSBS | AYOFCSBB |
| Two Piece Floor to Ceiling Stabilising Bar - 2600mm | AYOF2CSBS | AYOF2CSBB |

Other Stabilising Bars

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|--|---------------|--------------|
| L Shape Stabilising Bar - Length 1410mm / Height 220mm | AYOLSSBS | AYOLSSBB |
| Rotating Panel Stabilising Bar - 1200mm | AYORPSBS | AYORPSBB |
| 1200mm Double Glass Bracket Stabilising Bar | AYODGBSBS | AYODGBSBB |



STEP 3 - WALL PROFILE & STABILISING BAR KITS

15mm Wall Profile with Stabilising Bar

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|---|-------------------|-------------------|
| 15mm Wall Profile & Angled Stabilising Bar Kit | AYOMW15WJ-ASBS | AYOMW15WJ-ASBB |
| 15mm Wall Profile & Angled Stabilising Bar Kit - Short for 300mm & 400mm Wetrooms | AYOMW15WJ-ASBS-SH | AYOMW15WJ-ASBB-SH |
| 15mm Wall Profile & Straight Stabilising Bar Kit | AYOMW15WJ-SSBS | AYOMW15WJ-SSBB |

35mm Wall Profile with Stabilising Bar

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|--|----------------|----------------|
| 35mm Wall Profile & Angled Stabilising Bar Kit | AYOMW35WJ-ASBS | AYOMW35WJ-ASBB |
| 35mm Wall Profile & Straight Stabilising Bar Kit | AYOMW35WJ-SSBS | AYOMW35WJ-SSBB |

Concealed Wall and Floor Profile with Stabilising Bar

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|---|---------------|---------------|
| Concealed Channel Wall and Floor Profile & Angled Stabilising Bar Kit | AYOMWCWJ-ASBS | AYOMWCWJ-ASBB |
| Concealed Channel Wall and Floor Profile & Straight Stabilising Bar Kit | AYOMWCWJ-SSBS | AYOMWCWJ-SSBB |

STEP 4 - GLASS CONNECTING - SEALS & PROFILES

Seals - 2000mm Height


| PRODUCT DESCRIPTION | CODE - CLEAR SEALS | CODE - BLACK |
|---------------------------------|--------------------|--------------|
| 10mm Black Corner Seal | - | AYO10CSB |
| 10mm Ultra Clear Corner Seal | AYO10CSC | - |
| 10mm Ultra Clear H Joining Seal | AYO10JSC | - |

Profiles - 2000mm Height

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|----------------------------|---------------|--------------|
| Corner Profile - 2000mm | AYOCPS | AYOCPB |
| H-Joining Profile - 2000mm | AYOHJPS | AYOHJPB |
| End Profile - 2000mm | AYOEPS | AYOEPB |

GLASS CONECTING / ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|-------------------------|---------------|--------------|
| Glass Joining Bracket | AYOGJBS | AYOGJBB |
| T-Piece | AYOTPS | AYOTPB |
| 10mm U Channel - 1000mm | AYO10UC1000S | AYO10UC1000B |
| 10mm U Channel - 2000mm | AYO10UCS | AYO10UCB |
| Fixed Leg Support | AYOFSLS | AYOFSLB |



10mm ROTATING PANELS*

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|----------------------|---------------|--------------|
| 300mm Rotating Panel | AYO10RP30SC | AYO10RP30BC |
| 450mm Rotating Panel | AYO10RP45SC | AYO10RP45BC |
| 500mm Rotating Panel | AYO10RP50SC | AYO10RP50BC |

*Rotating Panels can be retrofitted.

NEW - 10mm HINGE ROTATING PANEL

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|----------------------------|---------------|--------------|
| 300mm Hinge Rotating Panel | AYO10HRP30SSC | AYO10HRP30BC |
| 450mm Hinge Rotating Panel | AYO10HRP45SSC | AYO10HRP45BC |
| 500mm Hinge Rotating Panel | AYO10HRP50SSC | AYO10HRP50BC |



HINGE ROTATING PANEL IN MATTE BLACK



AYO BLACK HINGE ROTATING PANEL

AYO® 10MM MODULAR COLLECTION - WHITE

AYO 10MM GLASS 2000MM HIGH

MODULAR PANELS - 10mm CLEAR GLASS MODULAR GLASS PANEL ONLY

| SIZE | CODE - WHITE |
|--------|--------------|
| 300mm | AYO10MW30C |
| 400mm | AYO10MW40C |
| 450mm | AYO10MW45C |
| 500mm | AYO10MW50C |
| 600mm | AYO10MW60C |
| 700mm | AYO10MW70C |
| 760mm | AYO10MW76C |
| 800mm | AYO10MW80C |
| 900mm | AYO10MW90C |
| 1000mm | AYO10MW100C |
| 1100mm | AYO10MW110C |
| 1200mm | AYO10MW120C |
| 1400mm | AYO10MW140C |

10mm ROTATING PANEL

| PRODUCT DESCRIPTION | CODE - WHITE |
|----------------------|--------------|
| 300mm Rotating Panel | AYO10RP30WC |
| 450mm Rotating Panel | AYO10RP45WC |

WALL PROFILE & STABILISING BAR KITS

15mm Wall Profile with Stabilising Bar

| PRODUCT DESCRIPTION | CODE - WHITE |
|--|----------------|
| 15mm Wall Profile & Straight Stabilising Bar Kit | AYOMW15WJ-SSBW |
| 15mm Wall Profile & Angled Stabilising Bar Kit | AYOMW15WJ-ASBW |

ACCESSORIES

| PRODUCT DESCRIPTION | CODE - WHITE |
|---------------------------------|--------------|
| Stainless Steel T-Piece - White | AYOTPW |
| 10mm Corner Super Clear Seal | AYO10CSC |
| 10mm Ultra Clear H Joining Seal | AYO10JSC |



AYO WHITE WETROOM & ROTATING RETURN PANEL



AYO® 8MM COMPLETE WETROOM KITS – SILVER & BLACK

For ease of ordering, we have created product codes for a complete wetroom, kits that cover the most popular wetroom configuration choices.

Each complete kit below includes a 10mm glass panel, 15mm wall profile and a suitable stabilising bar solution.

8MM COMPLETE MODULAR WETROOM KITS

| SIZE | CODE – SILVER | CODE – BLACK |
|---|---------------|---------------|
| 300mm | AYO8MWR30SC | AYO8MWR30BC |
| 400mm | AYO8MWR40SC | AYO8MWR40BC |
| 450mm | AYO8MWR45SC | AYO8MWR45BC |
| 500mm | AYO8MWR50SC | AYO8MWR50BC |
| 600mm | AYO8MWR60SC | AYO8MWR60BC |
| 700mm | AYO8MWR70SC | AYO8MWR70BC |
| 760mm | AYO8MWR76SC | AYO8MWR76BC |
| 800mm | AYO8MWR80SC | AYO8MWR80BC |
| 900mm | AYO8MWR90SC | AYO8MWR90BC |
| 1000mm | AYO8MWR100SC | AYO8MWR100BC |
| 1100mm | AYO8MWR110SC | AYO8MWR110BC |
| 1200mm | AYO8MWR120SC | AYO8MWR120BC |
| 1400mm | AYO8MWR140SC | AYO8MWR140BC |
| 1400mm | AYO8MWR150SC | AYO8MWR150BC |
| 1400mm | AYO8MWR160SC | AYO8MWR160BC |
| Double Entry Wetroom 1200mm – Complete Kit (Includes x2 1200mm Straight Stabilising Bars) | AYO8MWRD120SC | AYO8MWRD120BC |



350mm Angled Stabilising Bar included with 300 & 400mm COMPLETE modular kits.
650mm Angled Stabilising Bar included with 450, 500 & 600mm COMPLETE modular kits.
1200mm Straight Stabilising Bar included with COMPLETE modular kits over 700mm.

8MM COMPLETE MODULAR WETROOM SIDE / END PANEL KITS*

| SIZE | CODE – SILVER | CODE – BLACK |
|--------|---------------|---------------|
| 700mm | AYO8MWR70TSC | AYO8MWR70TBC |
| 760mm | AYO8MWR76TSC | AYO8MWR76TBC |
| 800mm | AYO8MWR80TSC | AYO8MWR80TBC |
| 900mm | AYO8MWR90TSC | AYO8MWR90TBC |
| 1000mm | AYO8MWR100TSC | AYO8MWR100TBC |

*1200mm Straight stabilising bar and T Piece included with COMPLETE modular wetroom side panel kits

NOTE: 2 PACK DELIVERY
Pack 1 – Glass Panel
Pack 2 – Wall Profile & Stabiliser



8mm ROTATING PANELS*

| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|----------------------|---------------|--------------|
| 300mm Rotating Panel | AYO8RP30SC | AYO8RP30BC |
| 450mm Rotating Panel | AYO8RP45SC | AYO8RP45BC |
| 500mm Rotating Panel | AYO8RP50SC | AYO8RP50BC |

*Rotating Panels can be retrofitted.

NEW - 8mm HINGE ROTATING PANEL*

| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|----------------------------|---------------|--------------|
| 300mm Hinge Rotating Panel | AYO8HRP30SSC | AYO8HRP30BC |
| 450mm Hinge Rotating Panel | AYO8HRP45SSC | AYO8HRP45BC |
| 500mm Hinge Rotating Panel | AYO8HRP50SSC | AYO8HRP50BC |




AYO® 8MM COMPLETE WETROOM KITS – BRUSHED BRASS

For ease of ordering, we have created product codes for a complete wetroom, kits that cover the most popular wetroom configuration choices.

Each complete kit below includes a 8mm glass panel, a 15mm wall profile and a suitable stabilising bar solution.

8MM COMPLETE MODULAR WETROOM KITS

| SIZE | CODE – BRUSHED BRASS |
|--------|----------------------|
| 700mm | AYO8MWR70-CBRB |
| 800mm | AYO8MWR80-CBRB |
| 900mm | AYO8MWR90-CBRB |
| 1000mm | AYO8MWR100-CBRB |
| 1100mm | AYO8MWR110-CBRB |
| 1200mm | AYO8MWR120-CBRB |
| 1400mm | AYO8MWR140-CBRB |




1200mm Straight Stabilising Bar included with COMPLETE modular kits over 700mm.

ACCESSORIES

| PRODUCT DESCRIPTION | CODE – BRUSHED BRASS |
|-------------------------|----------------------|
| T-Piece - Brushed Brass | AYOTP-CBRB |

T-Piece to be purchased separately to create a Side / End Panel configuration.



NEW - 8MM HINGED ROTATING PANEL - BRUSHED BRASS PVD FINISH

| PRODUCT DESCRIPTION | CODE – BRUSHED BRASS |
|----------------------------|----------------------|
| 300mm Hinge Rotating Panel | AYO8HRP30CBRBC |
| 450mm Hinge Rotating Panel | AYO8HRP45CBRBC |
| 500mm Hinge Rotating Panel | AYO8HRP50CBRBC |

NOTE: 3 PACK DELIVERY
Pack 1 – Glass Panel
Pack 2 – Wall Profile
Pack 3 – Stabiliser



AYO® 8MM COMPLETE WETROOM KITS – WHITE

AYO 8MM GLASS 2000MM HIGH

8mm Modular Wetroom with 15mm Wall profile & Stabilising Bar with Clear Glass

8mm MODULAR WETROOM COMPLETE

| SIZE | CODE – WHITE |
|--------|--------------|
| 700mm | AYO8MWR70WC |
| 800mm | AYO8MWR80WC |
| 900mm | AYO8MWR90WC |
| 1000mm | AYO8MWR100WC |
| 1100mm | AYO8MWR110WC |
| 1200mm | AYO8MWR120WC |
| 1400mm | AYO8MWR140WC |

8mm ROTATING PANEL

| PRODUCT DESCRIPTION | CODE – WHITE |
|----------------------|--------------|
| 300mm Rotating Panel | AYO8RP30WC |
| 450mm Rotating Panel | AYO8RP45WC |




AYO® 8MM COMPLETE WETROOM KITS – FLUTED GLASS SILVER & BLACK

For ease of ordering, we have created product codes for a complete wetroom, kits that cover the most popular wetroom configuration choices.

Each complete kit below includes an 8mm fluted glass panel, a 15mm wall profile and a suitable stabilising bar solution.

NEW - 8MM COMPLETE MODULAR WETROOM KITS

| SIZE | CODE – SILVER | CODE – BLACK |
|-----------------|---------------|---------------|
| 700mm Complete | AYO8MWR70SFC | AYO8MWR70BFC |
| 800mm Complete | AYO8MWR80SFC | AYO8MWR80BFC |
| 900mm Complete | AYO8MWR90SFC | AYO8MWR90BFC |
| 1000mm Complete | AYO8MWR100SFC | AYO8MWR100BFC |
| 1200mm Complete | AYO8MWR120SFC | AYO8MWR120BFC |
| 1400mm Complete | AYO8MWR140SFC | AYO8MWR140BFC |



1200mm Straight Stabilising Bar included with COMPLETE modular kits over 700mm.

NEW - 8mm HINGED ROTATING PANEL - FLUTED GLASS

| PRODUCT DESCRIPTION | CODE – POLISHED S/STEEL | CODE – BLACK |
|---|-------------------------|--------------|
| 300mm Hinge Rotating Panel - Fluted Glass | AYO8HRP30SSFC | AYO8HRP30BFC |




AYO® 8MM COMPLETE WETROOM KITS – FLUTED GLASS BRUSHED BRASS & POLISHED GOLD

For ease of ordering, we have created product codes for a complete wetroom, kits that cover the most popular wetroom configuration choices.

Each complete kit below includes an 8mm fluted glass panel, a 15mm wall profile and a suitable stabilising bar solution.

| NEW - 8MM COMPLETE MODULAR WETROOM KITS | | |
|---|----------------------|----------------------|
| SIZE | CODE – BRUSHED BRASS | CODE – POLISHED GOLD |
| 700mm Complete | AYO8MWR70-CBRB | AYO8MWR70-CPG |
| 800mm Complete | AYO8MWR80-CBRB | AYO8MWR80-CPG |
| 900mm Complete | AYO8MWR90-CBRB | AYO8MWR90-CPG |
| 1000mm Complete | AYO8MWR100-CBRB | AYO8MWR100-CPG |
| 1200mm Complete | AYO8MWR120-CBRB | AYO8MWR120-CPG |
| 1400mm Complete | AYO8MWR140-CBRB | AYO8MWR140-CPG |



1200mm Straight Stabilising Bar included with COMPLETE modular kits over 700mm.

| NEW - 8mm HINGED ROTATING PANEL - FLUTED GLASS | | |
|--|----------------------|----------------------|
| PRODUCT DESCRIPTION | CODE – BRUSHED BRASS | CODE – POLISHED GOLD |
| 300mm Hinge Rotating Panel - Fluted Glass | AYO8HRP30BBFC | AYO8HRP30PGFC |



AYO® 8MM OPAQUE WETROOM COMPLETE KITS SILVER & BLACK

Each complete kit below includes an 8mm opaque glass panel, a 15mm wall profile and a suitable stabilising bar solution.

NEW - 8MM OPAQUE WETROOMS (PRIVACY GLASS PANEL)

| SIZE | CODE - SILVER | CODE - BLACK |
|--------|---------------|---------------|
| 800mm | AYO8MWR80SPC | AYO8MWR80BPC |
| 900mm | AYO8MWR90SPC | AYO8MWR90BPC |
| 1000mm | AYO8MWR100SPC | AYO8MWR100BPC |
| 1200mm | AYO8MWR120SPC | AYO8MWR120BPC |
| 1400mm | AYO8MWR140SPC | AYO8MWR140BPC |



8MM MODULAR OPAQUE PRIVACY GLASS WETROOM

AYO® 8MM MODULAR COLLECTION – SILVER & BLACK

WETROOM PANEL 8mm GLASS / 2000mm HIGH
SUITABLE FOR USE ON WETROOM FLOOR OR TRAY

MODULAR WETROOM ORDER PROCESS:

- STEP 1** – CHOOSE AYO 8MM GLASS PANEL SIZE
- STEP 2** – CHOOSE WALL PROFILE (SILVER OR BLACK)
- STEP 3** – CHOOSE STABILISING SOLUTION REQUIRED (SILVER OR BLACK)
- STEP 4** – CHOOSE CHOOSE GLASS CONNECTING / ACCESSORIES OPTIONS (IF REQUIRED)

STEP 1 – 8MM GLASS PANEL ONLY

| SIZE | CODE |
|--------|------------|
| 300mm | AYO8MW30C |
| 400mm | AYO8MW40C |
| 450mm | AYO8MW45C |
| 500mm | AYO8MW50C |
| 600mm | AYO8MW60C |
| 700mm | AYO8MW70C |
| 760mm | AYO8MW76C |
| 800mm | AYO8MW80C |
| 900mm | AYO8MW90C |
| 1000mm | AYO8MW100C |
| 1100mm | AYO8MW110C |
| 1200mm | AYO8MW120C |
| 1400mm | AYO8MW140C |
| 1500mm | AYO8MW150C |
| 1600mm | AYO8MW160C |



CONFIGURATION 7 IN (SILVER & BLACK ONLY)

STEP 2 – WALL PROFILE

| PRODUCT DESCRIPTION | CODE – SILVER | CODE - BLACK |
|--|---------------|--------------|
| 15mm Wall Profile | AYOMW15WJS | AYOMW15WJB |
| 35mm Wall Profile | AYOMW35WJS | AYOMW35WJB |
| Recessed Channel Wall and Floor Profile 2000mm (2 Piece) | AYOMWCWJS | AYOMWCWJB |



15mm WALL PROFILE




35mm BLACK WALL PROFILE



RECESSED CHANNEL WALL & FLOOR PROFILE


15MM WALL PROFILE SILVER



RECESSED WALL CHANNEL PROFILE



35MM WALL PROFILE SILVER



RECESSED FLOOR CHANNEL



STEP 3 – STABILISER - SILVER & BLACK

Straight Stabilising Bar

| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|---------------------------------|---------------|--------------|
| 1200mm Straight Stabilising Bar | AYOSSBS | AYOSSBB |
| 1400mm Straight Stabilising Bar | AYO140SSBS | AYO140SSBB |

Angled Stabilising Bar


| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|---|---------------|--------------|
| 350mm Angled Stabilising Bar - Short for 300mm & 400mm Wetrooms | AYOASBS-SH | AYOASBB-SH |
| 650mm Angled Stabilising Bar | AYOASBS | AYOASBB |

Ceiling Stabilising Bar


| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|---|---------------|--------------|
| Top of Glass to Ceiling Stabilising Bar - 650mm | AYOCSBS | AYOCSBB |
| Floor to Ceiling Stabilising Bar - 2600mm | AYOFCSBS | AYOFCSBB |
| Two Piece Floor to Ceiling Stabilising Bar - 2600mm | AYOF2CSBS | AYOF2CSBB |

Other Stabilising Bars

| PRODUCT DESCRIPTION | CODE – SILVER | CODE – BLACK |
|--|---------------|--------------|
| L Shape Stabilising Bar - Length 1410mm / Height 220mm | AYOLSSBS | AYOLSSBB |
| Rotating Panel Stabilising Bar - 1200mm | AYORPSBS | AYORPSBB |
| Glass Bracket Stabilising Bar | AYODGBSBS | AYODGBSBB |




BLACK STAINLESS STEEL STRAIGHT STABILISING BAR



STAINLESS STEEL ANGLED STABILISING BAR




BLACK L SHAPED STABILISING BAR




ROTATING PANEL STABILISING BAR



BLACK DOUBLE GLASS BRACKET



Top of Glass to Ceiling Stabilising Bar



Floor to Ceiling Stabilising Bar

STEP 3 - WALL PROFILE & STABILISING BAR KITS

15mm Wall Profile with Stabilising Bar

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|---|-------------------|-------------------|
| AYO 15mm Wall Profile & Angled Stabilising Bar Kit | AYOMW15WJ-ASBS | AYOMW15WJ-ASBB |
| AYO 15mm Wall Profile & Angled Stabilising Bar Kit - Short for 300mm & 400mm Wetrooms | AYOMW15WJ-ASBS-SH | AYOMW15WJ-ASBB-SH |
| AYO 15mm Wall Profile & Straight Stabilising Bar Kit | AYOMW15WJ-SSBS | AYOMW15WJ-SSBB |

35mm Wall Profile with Stabilising Bar

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|--|----------------|----------------|
| AYO 35mm Wall Profile & Angled Stabilising Bar Kit | AYOMW35WJ-ASBS | AYOMW35WJ-ASBB |
| AYO 35mm Wall Profile & Straight Stabilising Bar Kit | AYOMW35WJ-SSBS | AYOMW35WJ-SSBB |

Concealed Wall and Floor Profile with Stabilising Bar

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|---|---------------|---------------|
| AYO Concealed Channel Wall and Floor Profile & Angled Stabilising Bar Kit | AYOMWCWJ-ASBS | AYOMWCWJ-ASBB |
| AYO Concealed Channel Wall and Floor Profile & Straight Stabilising Bar Kit | AYOMWCWJ-SSBS | AYOMWCWJ-SSBB |

STEP 4 - GLASS CONNECTING - SEALS & PROFILES

Seals - 2000mm Height

| PRODUCT DESCRIPTION | CODE - CLEAR SEALS | CODE - BLACK |
|--------------------------------|--------------------|--------------|
| 8mm Black Corner Seal | - | AYO8CSB |
| 8mm Ultra Clear Corner Seal | AYO8CSC | - |
| 8mm Ultra Clear H Joining Seal | AYO8JSC | - |

Profiles - 2000mm Height

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|----------------------------|---------------|--------------|
| Corner Profile - 2000mm | AYOCPS | AYOCPB |
| H-Joining Profile - 2000mm | AYOHJPS | AYOHJPB |
| End Profile - 2000mm | AYOEPS | AYOEPB |

GLASS CONECTING / ACCESSORIES

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|------------------------|---------------|--------------|
| Glass Joining Bracket | AYOGJBS | AYOGJBB |
| T-Piece | AYOTPS | AYOTPB |
| 8mm U Channel - 1000mm | AYO8UC1000S | AYO8UC1000B |
| 8mm U Channel - 2000mm | AYO8UCS | AYO8UCB |
| Fixed Leg Support | AYOFSLS | AYOFSLB |



8mm ROTATING PANELS*

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|----------------------|---------------|--------------|
| 300mm Rotating Panel | AYO8RP30SC | AYO8RP30BC |
| 450mm Rotating Panel | AYO8RP45SC | AYO8RP45BC |
| 500mm Rotating Panel | AYO8RP50SC | AYO8RP50BC |

*Rotating Panels can be retrofitted.

NEW - 8mm HINGE ROTATING PANEL

| PRODUCT DESCRIPTION | CODE - SILVER | CODE - BLACK |
|----------------------------|---------------|--------------|
| 300mm Hinge Rotating Panel | AYO8HRP30SSC | AYO8HRP30BC |
| 450mm Hinge Rotating Panel | AYO8HRP45SSC | AYO8HRP45BC |
| 500mm Hinge Rotating Panel | AYO8HRP50SSC | AYO8HRP50BC |



HINGE ROTATING PANEL IN MATTE BLACK




AYO BLACK HINGE ROTATING PANEL

AYO[®] MODULAR COLOUR

STEP 1 CHOOSE YOUR 8MM OR 10MM GLASS PANEL
SEE PAGE 150 FOR 10MM GLASS PANEL SIZE OPTIONS
SEE PAGE 166 FOR 8MM GLASS PANEL OPTIONS

STEP 2 CHOOSE YOUR AYO WETROOM COLOUR FINISH AND
SELECT WALL PROFILE AND STABILISING OPTION REQUIRED



STAINLESS STEEL

| PRODUCT DESCRIPTION | CODE - POLISHED STAINLESS STEEL |
|---|---------------------------------|
| 15mm Wall Profile | AYOMW15WJS-SS |
| 1200mm Straight Stabilising Bar (To Suit Wetrooms 700mm +) | AYOSSBS |
| 350mm Angled Stabilising Bar - Short (To Suit Wetrooms 300mm +) | AYOASBS-SH |
| 650mm Angled Stabilising Bar (To Suit Wetroom Sizes 450-650mm) | AYOASBS |
| T-Piece | AYOTPS |
| Recessed Wall and Floor Channel Profiles - 2 pack | AYOMWCWJS-SS |

BRUSHED BRASS PVD FINISH

| PRODUCT DESCRIPTION | CODE - BRUSHED BRASS |
|---|----------------------|
| 15mm Wall Profile | AYOMW15WJSS-CBRB |
| 650mm Angled Stabilising Bar (To Suit Wetroom Sizes 450-650mm) | AYOASB-CBRB |
| 1200mm Straight Stabilising Bar (To Suit Wetroom Sizes 700-1600mm) | AYOSSB-CBRB |
| T-Piece - Brushed Brass | AYOTP-CBRB |
| Recessed Wall and Floor Channel Profiles - 2 pack | AYOMWCWJSS-CBRB |
| 15mm Anodised Brushed Brass Wall Profile | AYOMW15WJBRB |
| 350mm Angled Stabilising Bar - Short (Wetrooms 300mm+) - COMING MAY 2023 | AYOASB-SH-CBRB |

POLISHED GOLD PVD FINISH

| PRODUCT DESCRIPTION | CODE - POLISHED GOLD STEEL |
|--|----------------------------|
| 15mm Wall Profile | AYOMW15WJSS-CPG |
| 650mm Angled Stabilising Bar (To Suit Wetroom Sizes 450-650mm) | AYOASB-CPG |
| 1200mm Straight Stabilising Bar (To Suit Wetroom Sizes 700-1600mm) | AYOSSB-CPG |
| T-Piece - Polished Gold | AYOTP-CPG |
| Recessed Wall and Floor Channel Profiles - 2 pack | AYOMWCWJSS-CPG |

MATTE NICKEL PVD FINISH

| PRODUCT DESCRIPTION | CODE - MATTE NICKEL |
|--|---------------------|
| 15mm Wall Profile | AYOMW15WJSS-CBRMN |
| 650mm Angled Stabilising Bar (To Suit Wetroom Sizes 450-650mm) | AYOASB-CBRMN |
| 1200mm Straight Stabilising Bar (To Suit Wetroom Sizes 700-1600mm) | AYOSSB-CBRMN |
| T-Piece - Matte Nickel | AYOTP-CBRMN |

**MATTE NICKEL
AVAILABLE
JUNE 2023**



BRUSHED BRASS PVD FINISH



MATTE NICKEL PVD FINISH

POLISHED GOLD (PVD)
BRUSHED BRASS (PVD)
MATTE NICKEL (PVD)
STAINLESS STEEL

AYO[®] FRAMED 8MM WETROOM COLLECTION

8mm GLASS / 2000mm HIGH - **MATTE BLACK**

Comes complete with 8mm Framed Wetroom Panel with 15mm Wall profile & 1200mm Straight Stabilising Bar

AYO 8MM FRAMED WETROOM PANEL COLLECTION - COMPLETE PACKAGES

| SIZE | CODE - BLACK |
|---------------------------|----------------|
| 700mm - Complete Package | AYO8MWRFB70BC |
| 760mm - Complete Package | AYO8MWRFB76BC |
| 800mm - Complete Package | AYO8MWRFB80BC |
| 900mm - Complete Package | AYO8MWRFB90BC |
| 1000mm - Complete Package | AYO8MWRFB100BC |
| 1100mm - Complete Package | AYO8MWRFB110BC |
| 1200mm - Complete Package | AYO8MWRFB120BC |
| 1400mm - Complete Package | AYO8MWRFB140BC |

AYO 8MM FRAMED WETROOM SIDE PANEL COLLECTION - COMPLETE PACKAGES (WITH T-PIECE)

| SIZE | CODE - BLACK |
|---------------------------|-----------------|
| 700mm - Complete Package | AYO8MWRFB70TBC |
| 760mm - Complete Package | AYO8MWRFB76TBC |
| 800mm - Complete Package | AYO8MWRFB80TBC |
| 900mm - Complete Package | AYO8MWRFB90TBC |
| 1000mm - Complete Package | AYO8MWRFB100TBC |

AYO 8MM LINEAR WETROOM PANEL COLLECTION - COMPLETE PACKAGES

| SIZE | CODE - BLACK |
|---------------------------|----------------|
| 700mm - Complete Package | AYO8MWRFB70BC |
| 760mm - Complete Package | AYO8MWRFB76BC |
| 800mm - Complete Package | AYO8MWRFB80BC |
| 900mm - Complete Package | AYO8MWRFB90BC |
| 1000mm - Complete Package | AYO8MWRFB100BC |
| 1100mm - Complete Package | AYO8MWRFB110BC |
| 1200mm - Complete Package | AYO8MWRFB120BC |
| 1400mm - Complete Package | AYO8MWRFB140BC |

AYO 8MM LINEAR WETROOM SIDE PANEL COLLECTION - COMPLETE PACKAGES (WITH T-PIECE)

| SIZE | CODE - BLACK |
|---------------------------|-----------------|
| 700mm - Complete Package | AYO8MWRFB70TBC |
| 760mm - Complete Package | AYO8MWRFB76TBC |
| 800mm - Complete Package | AYO8MWRFB80TBC |
| 900mm - Complete Package | AYO8MWRFB90TBC |
| 1000mm - Complete Package | AYO8MWRFB100TBC |

ACCESSORIES - BLACK

| SIZE | CODE - BLACK |
|--|--------------|
| 1200mm Straight Stabilising Bar | AYOSSBB |
| 1400mm Straight Stabilising Bar | AYO140SSBB |
| Angled Stabilising Bar 350mm - Short - Sizes 300mm - 400mm | AYOASBB-SH |
| Angled Stabilising Bar 650mm | AYOASBB |
| L Shape Stabilising Bar - Length 1410mm / Height 220mm | AYOLSSBB |
| Top of Glass to Ceiling Bar - 600mm | AYOCSBB |
| Two piece Floor to Ceiling Stabilising Bar - 2600mm | AYOF2CSBB |




AYO[®]

8MM BATHSCREENS

AYO 8MM BATHSCREENS

| PRODUCT DESCRIPTION | COLOUR | CODE |
|--|---------------|-------------|
| 8mm Bathscreen 1500 x 800mm with Clear Glass | Matte Black | AYO8BSBC |
| 8mm Framed Border 1500 x 800mm Bathscreen with Clear Glass Complete | Matte Black | AYO8FBSBBC |
| 8mm Linear Framed Border 1500 x 800mm Bathscreen with Clear Glass Complete | Matte Black | AYO8FHBSBBC |
| 8mm Bathscreen 1500 x 800mm with Clear Glass - NEW | Silver | AYO8BSSC |
| 8mm Bathscreen 1500 x 800mm with Clear Glass - NEW MAY 2023 | Brushed Brass | AYO8BSBRBC |



FEATURES

- 8mm** TOUGHENED SAFETY GLASS
- 1500mm** HEIGHT
- 350MM ANGLED STABILISING BAR INCLUDED**
- CLEARVUE** GLASS COATING
- CONCEALED** FIXINGS
- REVERSIBLE**
- FIXED** BATHSCREEN
- 20** YEAR GUARANTEE

VERVE

8MM BATHSCREENS

VERVE 8MM BATHSCREENS

| PRODUCT DESCRIPTION | COLOUR | CODE |
|--|-------------|---------|
| 8mm Two Panel Hinged Bathscreen (1 Fixed Panel / 1 Rotating Panel - Square Edge) | Silver | VBS135C |
| 8mm Two Panel Hinged Bathscreen (1 Fixed Panel / 1 Rotating Panel - Square Edge) - | Matte Black | VBS13BC |



FEATURES

- 8mm** TOUGHENED SAFETY GLASS
- REVERSIBLE** FOR LEFT OR RIGHT HANDED INSTALLATION
- UP TO 20cm** PRODUCT ADJUSTMENT
- CLEARVUE** PROTECTIVE GLASS COATING
- SILVER AND BLACK** OPTIONS AVAILABLE
- 10** YEAR GUARANTEE

CREATING
PERFECT
HARMONY™

GEMSTONE

GEMSTONE SLATE TEXTURED TRAYS

The Gemstone brand is synonymous with quality and style. This extensive selection of slate textured shower trays compliment the most beautiful of bathroom designs. With an ultra minimal height of 25 to 30mm, each tray is anti-slip rated and available in 4 colour options - Onyx Black*, Graphite Black, Flint Grey or White

Choose from square or linear shape waste options, with both chrome or colour matched grille finishes available depending on customer preference. Both visually appealing and sensual to touch, a Gemstone shower tray will work perfectly in a wide variety of bathroom applications, be they classic, modern or contemporary in design.

*Onyx Black only available in 25mm height, Square waste.





FLINT GREY TRAY WITH LINEAR WASTE

GEMSTONE TRAYS

KEY FEATURES

Slate texture – a natural stone resin composite with gel coat finish

Anti slip rated – Grade 3 Rating
UNE ENV 12633:2003

Available in 4 colours – Onyx Black, White, Graphite Black & Flint Grey

Minimalist stainless steel waste cover in Square or Linear version


Colour matched interior waste trap (Onyx Black, Graphite Black or Flint Grey tray = Grey interior waste / White tray = White interior waste)

Supplied with 90mm McAlpine high flow waste

Now includes stone resin linear cover as standard



GEMSTONE TRAY COLOUR OPTIONS



Note: Gemstone tray colours are reproduced as accurately as the printing process will allow. There is no guarantee of exact colour match - this brochure is a visual aid only.



GEMSTONE



WHITE TRAY WITH SQUARE WASTE

WASTE DESIGN - SQUARE WASTE

25mm
TRAY
DEPTH



SQUARE WASTE GRILL OPTION

- Available in Rectangle, Square, Quadrant and Offset Quadrant shapes

COLOUR MATCHED GRILL OPTIONS



COLOUR MATCHED GRILL OPTION

- Choose to match your shower tray grill to the precise colour of your tray. Available in White, Graphite Black and Flint Grey

WASTE DESIGN - LINEAR WASTE

30mm
TRAY
DEPTH

NEW 2023
STONE RESIN WASTE COVER AS STANDARD ON LINEAR TRAYS



- Defined gradient on linear tray
- On trend to create the minimalist wetroom look
- Rectangular shower tray shape only



GEMSTONE SLATE TRAY RANGE - SQUARE WASTE HEIGHT - 25mm

Price includes 90mm McAlpine manufactured high flow waste



RECTANGLE

| PRODUCT DESCRIPTION | COLOUR | CODE |
|---|----------------|--------------|
| Rectangular Tray 1000 x 800mm - Square Waste | White | GEM10080RWS |
| Rectangular Tray 1000 x 800mm - Square Waste | Graphite Black | GEM10080RBS |
| Rectangular Tray 1000 x 800mm - Square Waste | Flint Grey | GEM10080RGS |
| Rectangular Tray 1000 x 800mm - Square Waste | Onyx Black | GEM10080ROS |
| Rectangular Tray 1000 x 900mm - Square Waste | White | GEM10090RWS |
| Rectangular Tray 1000 x 900mm - Square Waste | Graphite Black | GEM10090RBS |
| Rectangular Tray 1000 x 900mm - Square Waste | Flint Grey | GEM10090RGS |
| Rectangular Tray 1000 x 900mm - Square Waste | Onyx Black | GEM10090ROS |
| Rectangular Tray 1100 x 800mm - Square Waste | White | GEM11080RWS |
| Rectangular Tray 1100 x 800mm - Square Waste | Graphite Black | GEM11080RBS |
| Rectangular Tray 1100 x 800mm - Square Waste | Flint Grey | GEM11080RGS |
| Rectangular Tray 1100 x 900mm - Square Waste | White | GEM11090RWS |
| Rectangular Tray 1100 x 900mm - Square Waste | Graphite Black | GEM11090RBS |
| Rectangular Tray 1100 x 900mm - Square Waste | Flint Grey | GEM11090RGS |
| Rectangular Tray 1200 x 800mm - Square Waste | White | GEM12080RWS |
| Rectangular Tray 1200 x 800mm - Square Waste | Graphite Black | GEM12080RBS |
| Rectangular Tray 1200 x 800mm - Square Waste | Flint Grey | GEM12080RGS |
| Rectangular Tray 1200 x 800mm - Square Waste | Onyx Black | GEM12080ROS |
| Rectangular Tray 1200 x 900mm - Square Waste | White | GEM12090RWS |
| Rectangular Tray 1200 x 900mm - Square Waste | Graphite Black | GEM12090RBS |
| Rectangular Tray 1200 x 900mm - Square Waste | Flint Grey | GEM12090RGS |
| Rectangular Tray 1200 x 900mm - Square Waste | Onyx Black | GEM12090ROS |
| Rectangular Tray 1200 x 1000mm - Square Waste | White | GEM120100RWS |
| Rectangular Tray 1200 x 1000mm - Square Waste | Graphite Black | GEM120100RBS |
| Rectangular Tray 1200 x 1000mm - Square Waste | Flint Grey | GEM120100RGS |
| Rectangular Tray 1200 x 1000mm - Square Waste | Onyx Black | GEM120100ROS |
| Rectangular Tray 1400 x 800mm - Square Waste | White | GEM14080RWS |
| Rectangular Tray 1400 x 800mm - Square Waste | Graphite Black | GEM14080RBS |
| Rectangular Tray 1400 x 800mm - Square Waste | Flint Grey | GEM14080RGS |
| Rectangular Tray 1400 x 800mm - Square Waste | Onyx Black | GEM14080ROS |
| Rectangular Tray 1400 x 900mm - Square Waste | White | GEM14090RWS |
| Rectangular Tray 1400 x 900mm - Square Waste | Graphite Black | GEM14090RBS |
| Rectangular Tray 1400 x 900mm - Square Waste | Flint Grey | GEM14090RGS |
| Rectangular Tray 1400 x 900mm - Square Waste | Onyx Black | GEM14090ROS |
| Rectangular Tray 1400 x 1000mm - Square Waste | White | GEM140100RWS |
| Rectangular Tray 1400 x 1000mm - Square Waste | Graphite Black | GEM140100RBS |
| Rectangular Tray 1400 x 1000mm - Square Waste | Flint Grey | GEM140100RGS |
| Rectangular Tray 1400 x 1000mm - Square Waste | Onyx Black | GEM140100ROS |

GEMSTONE TRAY RANGE - SQUARE WASTE - 25mm DEPTH

RECTANGLE

| PRODUCT DESCRIPTION | COLOUR | CODE |
|--|----------------|-------------|
| Rectangular Tray 1500 x 800mm - Square Waste | White | GEM15080RWS |
| Rectangular Tray 1500 x 800mm - Square Waste | Graphite Black | GEM15080RBS |
| Rectangular Tray 1500 x 800mm - Square Waste | Flint Grey | GEM15080RGS |
| Rectangular Tray 1500 x 900mm - Square Waste | White | GEM15090RWS |
| Rectangular Tray 1500 x 900mm - Square Waste | Graphite Black | GEM15090RBS |
| Rectangular Tray 1500 x 900mm - Square Waste | Flint Grey | GEM15090RGS |
| Rectangular Tray 1600 x 800mm - Square Waste | White | GEM16080RWS |
| Rectangular Tray 1600 x 800mm - Square Waste | Graphite Black | GEM16080RBS |
| Rectangular Tray 1600 x 800mm - Square Waste | Flint Grey | GEM16080RGS |
| Rectangular Tray 1600 x 800mm - Square Waste | Onyx Black | GEM16080ROS |
| Rectangular Tray 1600 x 900mm - Square Waste | White | GEM16090RWS |
| Rectangular Tray 1600 x 900mm - Square Waste | Graphite Black | GEM16090RBS |
| Rectangular Tray 1600 x 900mm - Square Waste | Flint Grey | GEM16090RGS |
| Rectangular Tray 1600 x 900mm - Square Waste | Onyx Black | GEM16090ROS |
| Rectangular Tray 1700 x 700mm - Square Waste | White | GEM17070RWS |
| Rectangular Tray 1700 x 700mm - Square Waste | Graphite Black | GEM17070RBS |
| Rectangular Tray 1700 x 700mm - Square Waste | Flint Grey | GEM17070RGS |
| Rectangular Tray 1700 x 800mm - Square Waste | White | GEM17080RWS |
| Rectangular Tray 1700 x 800mm - Square Waste | Graphite Black | GEM17080RBS |
| Rectangular Tray 1700 x 800mm - Square Waste | Flint Grey | GEM17080RGS |
| Rectangular Tray 1700 x 800mm - Square Waste | Onyx Black | GEM17080ROS |
| Rectangular Tray 1700 x 900mm - Square Waste | White | GEM17090RWS |
| Rectangular Tray 1700 x 900mm - Square Waste | Graphite Black | GEM17090RBS |
| Rectangular Tray 1700 x 900mm - Square Waste | Flint Grey | GEM17090RGS |
| Rectangular Tray 1700 x 900mm - Square Waste | Onyx Black | GEM17090ROS |
| Rectangular Tray 1800 x 800mm - Square Waste | White | GEM18080RWS |
| Rectangular Tray 1800 x 800mm - Square Waste | Graphite Black | GEM18080RBS |
| Rectangular Tray 1800 x 800mm - Square Waste | Flint Grey | GEM18080RGS |
| Rectangular Tray 1800 x 900mm - Square Waste | White | GEM18090RWS |
| Rectangular Tray 1800 x 900mm - Square Waste | Graphite Black | GEM18090RBS |
| Rectangular Tray 1800 x 900mm - Square Waste | Flint Grey | GEM18090RGS |

SQUARE

| PRODUCT DESCRIPTION | COLOUR | CODE |
|-----------------------------------|----------------|-----------|
| Square Tray 800mm - Square Waste | White | GEM805WS |
| Square Tray 800mm - Square Waste | Graphite Black | GEM805BS |
| Square Tray 800mm - Square Waste | Flint Grey | GEM805GS |
| Square Tray 800mm - Square Waste | Onyx Black | GEM805OS |
| Square Tray 900mm - Square Waste | White | GEM905WS |
| Square Tray 900mm - Square Waste | Graphite Black | GEM905BS |
| Square Tray 900mm - Square Waste | Flint Grey | GEM905GS |
| Square Tray 900mm - Square Waste | Onyx Black | GEM905OS |
| Square Tray 1000mm - Square Waste | White | GEM1005WS |
| Square Tray 1000mm - Square Waste | Graphite Black | GEM1005BS |
| Square Tray 1000mm - Square Waste | Flint Grey | GEM1005GS |

GEMSTONE SLATE TRAY RANGE - SQUARE WASTE HEIGHT - 25mm

Price includes 90mm McAlpine manufactured high flow waste



BRUSHED STAINLESS STEEL FINISH

QUADRANT

| PRODUCT DESCRIPTION | COLOUR | CODE |
|-------------------------------------|----------------|-----------|
| Quadrant Tray 900mm - Square Waste | White | GEM90QWS |
| Quadrant Tray 900mm - Square Waste | Graphite Black | GEM90QBS |
| Quadrant Tray 900mm - Square Waste | Flint Grey | GEM90QGS |
| Quadrant Tray 900mm - Square Waste | Onyx Black | GEM90QOS |
| Quadrant Tray 1000mm - Square Waste | White | GEM100QWS |
| Quadrant Tray 1000mm - Square Waste | Graphite Black | GEM100QBS |
| Quadrant Tray 1000mm - Square Waste | Flint Grey | GEM100QGS |

OFFSET QUADRANT


| PRODUCT DESCRIPTION | COLOUR | CODE |
|---|----------------|---------------|
| Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste | White | GEM10080QWSL |
| Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste | White | GEM10080QWSR |
| Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste | Graphite Black | GEM10080QBSL |
| Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste | Graphite Black | GEM10080QBRSR |
| Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste | Flint Grey | GEM10080QGSL |
| Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste | Flint Grey | GEM10080QGSR |
| Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste | White | GEM12080QWSL |
| Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste | White | GEM12080QWSR |
| Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste | Graphite Black | GEM12080QBSL |
| Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste | Graphite Black | GEM12080QBRSR |
| Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste | Flint Grey | GEM12080QGSL |
| Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste | Flint Grey | GEM12080QGSR |
| Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste | Onyx Black | GEM12080QOSL |
| Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste | Onyx Black | GEM12080QOSR |
| Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste | White | GEM12090QWSL |
| Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste | White | GEM12090QWSR |
| Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste | Graphite Black | GEM12090QBSL |
| Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste | Graphite Black | GEM12090QBRSR |
| Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste | Flint Grey | GEM12090QGSL |
| Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste | Flint Grey | GEM12090QGSR |
| Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste | Onyx Black | GEM12090QOSL |
| Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste | Onyx Black | GEM12090QOSR |

COLOUR MATCHED METAL GRILLS - SQUARE

| PRODUCT DESCRIPTION | COLOUR | CODE |
|---------------------|---------------|---------|
| Square Grill | Black | GEMGSB |
| Square Grill | Chrome | GEMGSC |
| Square Grill | Grey | GEMGSG |
| Square Grill | White | GEMGSW |
| Square Grill | Onyx Black | GEMGSOB |
| Square Grill | Brushed Brass | GEMGSBB |

GEMSTONE SLATE TRAY RANGE - LINEAR WASTE HEIGHT - 30mm

Price includes 90mm McAlpine manufactured high flow waste



NEW - RECTANGLE - NOW INCLUDES STONE RESIN LINEAR GRILL COVER

| PRODUCT DESCRIPTION | CODE | RRP Ex. VAT |
|--|----------------|--------------|
| Rectangular Tray 1200 x 800mm - Linear Waste | Onyx Black | GEM12080ROBL |
| Rectangular Tray 1200 x 800mm - Linear Waste | White | GEM12080RWL |
| Rectangular Tray 1200 x 800mm - Linear Waste | Graphite Black | GEM12080RBL |
| Rectangular Tray 1200 x 800mm - Linear Waste | Flint Grey | GEM12080RGL |
| Rectangular Tray 1200 x 900mm - Linear Waste | White | GEM12090RWL |
| Rectangular Tray 1200 x 900mm - Linear Waste | Graphite Black | GEM12090RBL |
| Rectangular Tray 1200 x 900mm - Linear Waste | Flint Grey | GEM12090RGL |
| Rectangular Tray 1200 x 900mm - Linear Waste | Onyx Black | GEM12090ROBL |
| Rectangular Tray 1400 x 800mm - Linear Waste | White | GEM14080RWL |
| Rectangular Tray 1400 x 800mm - Linear Waste | Graphite Black | GEM14080RBL |
| Rectangular Tray 1400 x 800mm - Linear Waste | Flint Grey | GEM14080RGL |
| Rectangular Tray 1400 x 800mm - Linear Waste | Onyx Black | GEM14080ROBL |
| Rectangular Tray 1400 x 900mm - Linear Waste | White | GEM14090RWL |
| Rectangular Tray 1400 x 900mm - Linear Waste | Graphite Black | GEM14090RBL |
| Rectangular Tray 1400 x 900mm - Linear Waste | Flint Grey | GEM14090RGL |
| Rectangular Tray 1400 x 900mm - Linear Waste | Onyx Black | GEM14090ROBL |
| Rectangular Tray 1500 x 800mm - Linear Waste | White | GEM15080RWL |
| Rectangular Tray 1500 x 800mm - Linear Waste | Graphite Black | GEM15080RBL |
| Rectangular Tray 1500 x 800mm - Linear Waste | Flint Grey | GEM15080RGL |
| Rectangular Tray 1500 x 900mm - Linear Waste | White | GEM15090RWL |
| Rectangular Tray 1500 x 900mm - Linear Waste | Graphite Black | GEM15090RBL |
| Rectangular Tray 1500 x 900mm - Linear Waste | Flint Grey | GEM15090RGL |
| Rectangular Tray 1600 x 800mm - Linear Waste | White | GEM16080RWL |
| Rectangular Tray 1600 x 800mm - Linear Waste | Graphite Black | GEM16080RBL |
| Rectangular Tray 1600 x 800mm - Linear Waste | Flint Grey | GEM16080RGL |
| Rectangular Tray 1600 x 900mm - Linear Waste | White | GEM16090RWL |
| Rectangular Tray 1600 x 900mm - Linear Waste | Graphite Black | GEM16090RBL |
| Rectangular Tray 1600 x 900mm - Linear Waste | Flint Grey | GEM16090RGL |

GEMSTONE SLATE TRAY RANGE - LINEAR WASTE HEIGHT - 30mm

Price includes 90mm McAlpine manufactured high flow waste



ONYX BLACK TRAY
WITH STONE RESIN
LINEAR GRILL COVER

RECTANGLE - NOW INCLUDES STONE RESIN LINEAR GRILL COVER


| PRODUCT DESCRIPTION | CODE | RRP Ex. VAT |
|--|----------------|--------------|
| Rectangular Tray 1700 x 700mm - Linear Waste | White | GEM17070RWL |
| Rectangular Tray 1700 x 700mm - Linear Waste | Graphite Black | GEM17070RBL |
| Rectangular Tray 1700 x 700mm - Linear Waste | Flint Grey | GEM17070RGL |
| Rectangular Tray 1700 x 700mm - Linear Waste | Onyx Black | GEM17070ROBL |
| Rectangular Tray 1700 x 800mm - Linear Waste | White | GEM17080RWL |
| Rectangular Tray 1700 x 800mm - Linear Waste | Graphite Black | GEM17080RBL |
| Rectangular Tray 1700 x 800mm - Linear Waste | Flint Grey | GEM17080RGL |
| Rectangular Tray 1700 x 800mm - Linear Waste | Onyx Black | GEM17080ROBL |
| Rectangular Tray 1700 x 900mm - Linear Waste | White | GEM17090RWL |
| Rectangular Tray 1700 x 900mm - Linear Waste | Graphite Black | GEM17090RBL |
| Rectangular Tray 1700 x 900mm - Linear Waste | Flint Grey | GEM17090RGL |
| Rectangular Tray 1700 x 900mm - Linear Waste | Onyx Black | GEM17090ROBL |

COLOUR MATCHED METAL GRILLS - LINEAR (STAINLESS STEEL MATERIAL)

| PRODUCT DESCRIPTION | COLOUR | CODE |
|---------------------|--------|----------|
| 70mm Grill - Linear | Black | GEMG70LB |
| 70mm Grill - Linear | Chrome | GEMG70LC |
| 70mm Grill - Linear | Grey | GEMG70LG |
| 70mm Grill - Linear | White | GEMG70LW |
| 80mm Grill - Linear | Black | GEMG80LB |
| 80mm Grill - Linear | Chrome | GEMG80LC |
| 80mm Grill - Linear | Grey | GEMG80LG |
| 80mm Grill - Linear | White | GEMG80LW |
| 90mm Grill - Linear | Black | GEMG90LB |
| 90mm Grill - Linear | Chrome | GEMG90LC |
| 90mm Grill - Linear | Grey | GEMG90LG |
| 90mm Grill - Linear | White | GEMG90LW |



WHITE GEMSTONE TRAY
WITH LINEAR WASTE



BLACK GEMSTONE TRAY WITH COLOUR
MATCHED LINEAR METAL WASTE



GEMSTONE INFORMATION

GUARANTEE

Your Gemstone tray must be inspected 100% before installation. Fitting of tray is acceptance of quality. Please read fitting instructions fully before installation.

Before tiling and placing the screen or any other fixed material on the shower tray, please make sure that the perimeters of your tray are 100% level in all directions.

The guarantee only covers the replacement or repair of the product and excludes any other compensation, assembly or travel costs.

Gemstone Trays are guaranteed for 2 years, in accordance with current European regulations.

The following are excluded from the guarantee:

- Damage caused by misuse
- Damage caused by the use of unsuitable cleaning materials (do not use products containing acids, alcohol, chlorine or solvents, do not spill drain cleaners onto the shower tray, do not use metallic or scouring pads)
- Damage caused by improper installation
- Damage caused by the improper handling of the product

Our products must be installed by qualified personnel to be eligible for the product guarantee. An installation guide will be delivered with the tray for its proper placement.

Before installing the tray you should make sure that:

- The tray drains well and is 100% level
- It has no anomalies
- The tray has been stored in a horizontal position, on a flat surface, until installation

CLEANING

- Routine: rinse and leave to dry
- Thorough: rub with a soft cloth with neutral liquid detergent; for limescale prevention use an anti-lime product

Please note, Gemstone Trays are manufactured from a natural stone resin composition. You must allow for a tray thickness tolerance of 2 - 3mm.

CHEMICAL TESTS

Chemical resistance tested in accordance with UNE-EN 12527 - No deterioration.

CHEMICAL TESTING COMPOSITION

Acetyl acid (10%), sodium hydroxide (10%), ethanol (70%), bleach, methylene blue (1%).

| CLEANING SOLVENT (PRODUCT) | EXPOSURE TIME (DAYS) | RESULT OF VISUAL INSPECTION |
|----------------------------|----------------------|-----------------------------|
| Don Limpio Neutral PH | 4 | No Visible Effect |
| Perfumed Home Bleach | 4 | Slight Bleaching |
| Ace | 4 | Slight Bleaching |
| Perfumed Ammonia | 4 | No Visible Effect |
| Viakal | 4 | Slight Bleaching |
| Cillit Bang | 4 | No Visible Effect |
| KH-7 Anti-lime | 4 | No Visible Effect |
| White Wine Vinegar | 4 | No Visible Effect |
| Povidone Iodine | 4 | No Visible Effect |
| Hydrochloric Acid | 4 | No Visible Effect |
| Hydrogen Peroxide | 4 | No Visible Effect |
| Cleaning Solvent | 4 | No Visible Effect |
| Methylated Spirits | 4 | No Visible Effect |
| Acetone | 4 | No Visible Effect |
| Nail Polish Remover | 4 | No Visible Effect |

PACKAGING AND STORAGE

The products are delivered packed in individual boxes with expanded polystyrene reinforcements, including the drainage grate. Gemstone trays must be stored in a horizontal position on a flat surface until installation. This prevents the tray from losing shape.

FAQ

Can it be cut?

Yes, with a diamond cutting wheel.

Note - Maximum trim of 200mm on rectangular waste trays. Maximum trim of 100mm on linear waste trays, with the cut applied to opposite end to the linear drain.

Can it be repaired?

Although they are highly resistant to any impact, we have a repair kit available to the customer. Please contact us on 01279 443 644 to order your Gemstone Tray repair kit. Lead time applies.

How should the product be cleaned?


We recommend cleaning with water and neutral soap, applied with a sponge, never with scouring products or tools.

What material should I use to install the products?

Your Gemstone tray must be installed on a fully level glue-cement or mortar base. For sealing the product, it is recommended to use MS flexible polyurethane sealant and / or a neutral silicone.

SHOWER TRAYS

EXTENSIVE SELECTION OF SHOWER TRAY SHAPES AND SIZES TO COMPLEMENT YOUR BATHROOM.



- HEIGHT 40mm
- SLEEK LOW PROFILE DESIGN
- SUITABLE FOR CONVERSION TO EASY PLUMB TRAY
- SUITABLE FOR CONVERSION TO UPSTAND TRAY
- EASY CLEAN** FILTER TRAP
- 90mm HIGH FLOW WASTE
- 25 YEAR GUARANTEE

STRONG AND RIGID CONSTRUCTION
 MANUFACTURED TO BRITISH STANDARD BS6340/5
 TOUGH HIGH GLOSS ABS ACRYLIC CAPPED SURFACE FINISH
 EASY-TO-CLEAN AND MAINTAIN



SLIMLINE RECTANGLE TRAY INCLUDING SHOWER WASTE



SLIMLINE SQUARE TRAY INCLUDING SHOWER WASTE



SLIMLINE QUADRANT TRAY INCLUDING SHOWER WASTE



SLIMLINE OFFSET QUADRANT TRAY INCLUDING SHOWER WASTE (right hand illustrated)

SLIMLINE SHOWER TRAYS

RECTANGLE

| PRODUCT DESCRIPTION | CODE |
|--------------------------------------|-----------|
| 800 x 700mm Slimline Rectangle Tray | TSL8070R |
| 900 x 700mm Slimline Rectangle Tray | TSL9070R |
| 900 x 760mm Slimline Rectangle Tray | TSL9076R |
| 900 x 800mm Slimline Rectangle Tray | TSL9080R |
| 1000 x 700mm Slimline Rectangle Tray | TSL10070R |
| 1000 x 760mm Slimline Rectangle Tray | TSL10076R |
| 1000 x 800mm Slimline Rectangle Tray | TSL10080R |
| 1000 x 900mm Slimline Rectangle Tray | TSL10090R |
| 1100 x 700mm Slimline Rectangle Tray | TSL11070R |
| 1100 x 760mm Slimline Rectangle Tray | TSL11076R |
| 1100 x 800mm Slimline Rectangle Tray | TSL11080R |
| 1100 x 900mm Slimline Rectangle Tray | TSL11090R |
| 1200 x 700mm Slimline Rectangle Tray | TSL12070R |
| 1200 x 760mm Slimline Rectangle Tray | TSL12076R |
| 1200 x 800mm Slimline Rectangle Tray | TSL12080R |
| 1200 x 900mm Slimline Rectangle Tray | TSL12090R |
| 1300 x 800mm Slimline Rectangle Tray | TSL13080R |
| 1300 x 900mm Slimline Rectangle Tray | TSL13090R |
| 1400 x 700mm Slimline Rectangle Tray | TSL14070R |
| 1400 x 800mm Slimline Rectangle Tray | TSL14080R |
| 1400 x 900mm Slimline Rectangle Tray | TSL14090R |
| 1500 x 700mm Slimline Rectangle Tray | TSL15070R |
| 1500 x 760mm Slimline Rectangle Tray | TSL15076R |
| 1500 x 800mm Slimline Rectangle Tray | TSL15080R |
| 1500 x 900mm Slimline Rectangle Tray | TSL15090R |
| 1600 x 700mm Slimline Rectangle Tray | TSL16070R |
| 1600 x 800mm Slimline Rectangle Tray | TSL16080R |
| 1600 x 900mm Slimline Rectangle Tray | TSL16090R |
| 1700 x 700mm Slimline Rectangle Tray | TSL17070R |
| 1700 x 750mm Slimline Rectangle Tray | TSL17075R |
| 1700 x 800mm Slimline Rectangle Tray | TSL17080R |
| 1700 x 900mm Slimline Rectangle Tray | TSL17090R |
| 1800 x 800mm Slimline Rectangle Tray | TSL18080R |
| 1800 x 900mm Slimline Rectangle Tray | TSL18090R |
| 2000 x 900mm Slimline Rectangle Tray | TSL20090R |

SQUARE

| PRODUCT DESCRIPTION | CODE |
|------------------------------------|---------|
| 700 x 700mm Slimline Square Tray | TSL70S |
| 760 x 760mm Slimline Square Tray | TSL76S |
| 800 x 800mm Slimline Square Tray | TSL80S |
| 900 x 900mm Slimline Square Tray | TSL90S |
| 1000 x 1000mm Slimline Square Tray | TSL100S |
| 1200 x 1200mm Slimline Square Tray | TSL120S |

QUADRANT

| PRODUCT DESCRIPTION | CODE |
|--------------------------------------|---------|
| 800 x 800mm Slimline Quadrant Tray | TSL80Q |
| 900 x 900mm Slimline Quadrant Tray | TSL90Q |
| 1000 x 1000mm Slimline Quadrant Tray | TSL100Q |

OFFSET QUADRANT

| PRODUCT DESCRIPTION | CODE |
|---|-------------|
| 900 x 800mm Offset Quadrant Tray - Left | TSL9080LOQ |
| 900 x 800mm Offset Quadrant Tray - Right | TSL9080ROQ |
| 1000 x 800mm Offset Quadrant Tray - Left | TSL10080LOQ |
| 1000 x 800mm Offset Quadrant Tray - Right | TSL10080ROQ |
| 1000 x 900mm Offset Quadrant Tray - Left | TSL10090LOQ |
| 1000 x 900mm Offset Quadrant Tray - Right | TSL10090ROQ |
| 1100 x 800mm Offset Quadrant Tray - Left | TSL11080LOQ |
| 1100 x 800mm Offset Quadrant Tray - Right | TSL11080ROQ |
| 1100 x 900mm Offset Quadrant Tray - Left | TSL11090LOQ |
| 1100 x 900mm Offset Quadrant Tray - Right | TSL11090ROQ |
| 1200 x 800mm Offset Quadrant Tray - Left | TSL12080LOQ |
| 1200 x 800mm Offset Quadrant Tray - Right | TSL12080ROQ |
| 1200 x 900mm Offset Quadrant Tray - Left | TSL12090LOQ |
| 1200 x 900mm Offset Quadrant Tray - Right | TSL12090ROQ |

Note.
 There is a tolerance of up to 10mm in tray sizes above the nominal dimensions.
 This is to allow for potential shrinkage during the manufacturing process.



ANTI-SLIP SHOWER TRAYS

HEIGHT 40mm (INCLUDES WASTE)

RECTANGLE

| PRODUCT DESCRIPTION | CODE |
|--|-------------|
| Anti-Slip Slimline Rectangle Tray 1000 x 800mm | ASTSLI0080R |
| Anti-Slip Slimline Rectangle Tray 1000 x 900mm | ASTSLI0090R |
| Anti-Slip Slimline Rectangle Tray 1100 x 800mm | ASTSLI1080R |
| Anti-Slip Slimline Rectangle Tray 1100 x 900mm | ASTSLI1090R |
| Anti-Slip Slimline Rectangle Tray 1200 x 700mm | ASTSLI2070R |
| Anti-Slip Slimline Rectangle Tray 1200 x 760mm | ASTSLI2076R |
| Anti-Slip Slimline Rectangle Tray 1200 x 800mm | ASTSLI2080R |
| Anti-Slip Slimline Rectangle Tray 1200 x 900mm | ASTSLI2090R |
| Anti-Slip Slimline Rectangle Tray 1400 x 700mm | ASTSLI4070R |
| Anti-Slip Slimline Rectangle Tray 1400 x 800mm | ASTSLI4080R |
| Anti-Slip Slimline Rectangle Tray 1400 x 900mm | ASTSLI4090R |
| Anti-Slip Slimline Rectangle Tray 1500 x 700mm | ASTSLI5070R |
| Anti-Slip Slimline Rectangle Tray 1500 x 800mm | ASTSLI5080R |
| Anti-Slip Slimline Rectangle Tray 1500 x 900mm | ASTSLI5090R |
| Anti-Slip Slimline Rectangle Tray 1600 x 700mm | ASTSLI6070R |
| Anti-Slip Slimline Rectangle Tray 1600 x 800mm | ASTSLI6080R |
| Anti-Slip Slimline Rectangle Tray 1600 x 900mm | ASTSLI6090R |
| Anti-Slip Slimline Rectangle Tray 1700 x 700mm | ASTSLI7070R |
| Anti-Slip Slimline Rectangle Tray 1700 x 800mm | ASTSLI7080R |
| Anti-Slip Slimline Rectangle Tray 1700 x 900mm | ASTSLI7090R |

Note - There is a tolerance of up to 10mm in tray sizes above the nominal dimensions. This is to allow for potential shrinkage during the manufacturing process.

SQUARE

| PRODUCT DESCRIPTION | CODE |
|---------------------------------------|-----------|
| Anti-Slip Slimline Square Tray 800mm | ASTSL80S |
| Anti-Slip Slimline Square Tray 900mm | ASTSL90S |
| Anti-Slip Slimline Square Tray 1000mm | ASTSL100S |

QUADRANT

| PRODUCT DESCRIPTION | CODE |
|---|-----------|
| Anti-Slip Slimline Quadrant Tray 800mm | ASTSL80Q |
| Anti-Slip Slimline Quadrant Tray 900mm | ASTSL90Q |
| Anti-Slip Slimline Quadrant Tray 1000mm | ASTSL100Q |



TEXTURED ANTI-SLIP TRAY SURFACE

OFFSET QUADRANT

| PRODUCT DESCRIPTION | CODE |
|--|---------------|
| Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left Hand | ASTSLI0080LOQ |
| Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Right Hand | ASTSLI0080ROQ |
| Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left Hand | ASTSLI0090LOQ |
| Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right Hand | ASTSLI0090ROQ |
| Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left Hand | ASTSLI2080LOQ |
| Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right Hand | ASTSLI2080ROQ |
| Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Left Hand | ASTSLI2090LOQ |
| Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Right Hand | ASTSLI2090ROQ |

FLAIR EASY PLUMB KIT

Flair slimline easy plumb shower kits have adjustable legs to comply with building regulations to assist in installation and for maintenance of waste outlets if required after building settlement.





The Flair slimline easy plumb kit provides this access without compromising on style in the bathroom.

An easy plumb tray can be made by using any of the Flair slimline trays and a kit. This will increase the height of the tray by 95mm.

Accessories are not to scale - for visual representation only.



| PRODUCT DESCRIPTION | WEIGHT | CODE |
|--|--------|------|
| Easy Plumb Riser Kit for all Square Trays & Rectangle Trays (Suitable for maximum tray size of 1200mm) | 2kg | WD3 |
| Easy Plumb Riser Kit for all Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm) | 3kg | WD4 |
| Easy Plumb Kit for all Square & Rectangle Trays (Up to 2000mm in size) | 2kg | WD5 |



ULTRA SLIM 25MM SHOWER TRAYS

HEIGHT 25mm (INCLUDING WASTE & WHITE GRILL)

RECTANGLE

| PRODUCT DESCRIPTION | CODE |
|---|-----------|
| Ultra Slim Rectangle Tray 1000 x 800mm - Inc. Waste & White Grill | USL10080R |
| Ultra Slim Rectangle Tray 1000 x 900mm - Inc. Waste & White Grill | USL10090R |
| Ultra Slim Rectangle Tray 1200 x 800mm - Inc. Waste & White Grill | USL12080R |
| Ultra Slim Rectangle Tray 1200 x 900mm - Inc. Waste & White Grill | USL12090R |
| Ultra Slim Rectangle Tray 1400 x 800mm - Inc. Waste & White Grill | USL14080R |
| Ultra Slim Rectangle Tray 1400 x 900mm - Inc. Waste & White Grill | USL14090R |
| Ultra Slim Rectangle Tray 1500 x 800mm - Inc. Waste & White Grill | USL15080R |
| Ultra Slim Rectangle Tray 1500 x 900mm - Inc. Waste & White Grill | USL15090R |
| Ultra Slim Rectangle Tray 1600 x 800mm - Inc. Waste & White Grill | USL16080R |
| Ultra Slim Rectangle Tray 1600 x 900mm - Inc. Waste & White Grill | USL16090R |
| Ultra Slim Rectangle Tray 1700 x 800mm - Inc. Waste & White Grill | USL17080R |
| Ultra Slim Rectangle Tray 1700 x 900mm - Inc. Waste & White Grill | USL17090R |
| Ultra Slim Rectangle Tray 1800 x 800mm - Inc. Waste & White Grill | USL18080R |
| Ultra Slim Rectangle Tray 1800 x 900mm - Inc. Waste & White Grill | USL18090R |

SQUARE

| PRODUCT DESCRIPTION | CODE |
|---|--------|
| Ultra Slim Square Tray 900 x 900mm - Inc. Waste & White Grill | USL90S |

QUADRANT

| PRODUCT DESCRIPTION | CODE |
|---|--------|
| Ultra Slim Quadrant Tray 900 x 900mm - Inc. Waste & White Grill | USL90Q |

OFFSET QUADRANT

| PRODUCT DESCRIPTION | CODE |
|---|-------------|
| Ultra Slim Offset Quadrant Tray 1200 x 800mm Left Hand - Inc. Waste & White Grill | USL12080LOQ |
| Ultra Slim Offset Quadrant Tray 1200 x 800mm Right Hand - Inc. Waste & White Grill | USL12080ROQ |
| Ultra Slim Offset Quadrant Tray 1200 x 900mm Left Hand - Inc. Waste & White Grill | USL12090LOQ |
| Ultra Slim Offset Quadrant Tray 1200 x 900mm Right Hand - Inc. Waste & White Grill | USL12090ROQ |

ANTI-SLIP ULTRA SLIM 25MM SHOWER TRAYS

HEIGHT 25mm (INCLUDING WASTE & WHITE GRILL)

RECTANGLE


| PRODUCT DESCRIPTION | CODE |
|---|------------|
| Anti-Slip Ultra Slim Rectangle Tray 1000 x 800mm - Inc. Waste & White Grill | AUSL10080R |
| Anti-Slip Ultra Slim Rectangle Tray 1200 x 800mm - Inc. Waste & White Grill | AUSL12080R |
| Anti-Slip Ultra Slim Rectangle Tray 1200 x 900mm - Inc. Waste & White Grill | AUSL12090R |
| Anti-Slip Ultra Slim Rectangle Tray 1400 x 800mm - Inc. Waste & White Grill | AUSL14080R |
| Anti-Slip Ultra Slim Rectangle Tray 1400 x 900mm - Inc. Waste & White Grill | AUSL14090R |
| Anti-Slip Ultra Slim Rectangle Tray 1500 x 800mm - Inc. Waste & White Grill | AUSL15080R |
| Anti-Slip Ultra Slim Rectangle Tray 1600 x 800mm - Inc. Waste & White Grill | AUSL16080R |
| Anti-Slip Ultra Slim Rectangle Tray 1600 x 900mm - Inc. Waste & White Grill | AUSL16090R |
| Anti-Slip Ultra Slim Rectangle Tray 1700 x 800mm - Inc. Waste & White Grill | AUSL17080R |
| Anti-Slip Ultra Slim Rectangle Tray 1700 x 900mm - Inc. Waste & White Grill | AUSL17090R |

SQUARE

| PRODUCT DESCRIPTION | CODE |
|---|---------|
| Anti-Slip Ultra Slim Square Tray 900 x 900mm - Inc. Waste & White Grill | AUSL90S |



ULTRA SLIM RECTANGLE TRAY
INCLUDING WASTE AND WHITE GRILL



ULTRA SLIM SQUARE TRAY
INCLUDING WASTE AND WHITE GRILL



ULTRA SLIM QUADRANT TRAY
INCLUDING WASTE AND WHITE GRILL





ULTRA SLIM OFFSET QUADRANT TRAY (RIGHT HAND)
INCLUDING WASTE AND WHITE GRILL

SHOWER ACCESSORIES

PROSEAL WATERPROOF BARRIER SEAL

| PRODUCT DESCRIPTION | CODE |
|------------------------|-----------|
| ProSeal 2 metre Roll | PROS2.0M |
| ProSeal 2.5 metre Roll | PROS2.5M |
| ProSeal 3 metre Roll | PROS3.0M |
| ProSeal 3.5 metre Roll | PROS3.5M |
| ProSeal 4 metre Roll | PROS4.0M |
| ProSeal 10 metre Roll | PROS10.0M |
| ProSeal 20 metre Roll | PROS20.0M |



Flexible up-stand seal installed onto shower trays, baths and worktops eliminating the risk of water leakage.

SHOWER WASTE

| PRODUCT DESCRIPTION | CODE |
|---|-------------|
| Tourbillion 90mm Shower Trap & Waste - Chrome | WIR30120662 |



McAlpine 90mm Shower Waste Matte Black Plastic Dome

McALPINE WASTES


| PRODUCT DESCRIPTION | CODE |
|---|-------------|
| McAlpine 90mm Shower Waste Matte Black Plastic Dome | ST90MB10-70 |
| McAlpine 90mm Shower Waste White Plastic Dome | ST90WH10-70 |

BATH PANELS

| HEIGHT | WIDTH | COLOUR | CODE |
|--------|--------|--------|--------|
| 533mm | 1700mm | White | BP5FWH |
| 533mm | 711mm | White | BP5EWH |

CREATE YOUR SPACE

Scale 5mm = 100mm
 25mm x 25mm Grid = 500mm x 500mm
 175mm x 200mm Whole Grid = 3500mm x 4000mm



QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair Shower doors and wetrooms are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughened safety glass and produced to EN12150.

Flair products are performance tested to EN14428. Shower doors and rotating wetroom panels have been subject to lifetime shower door cycle testing consisting of 20,000 functional cycles.

Flair Shower doors and rotating wetroom panels have also been tested for their durability, stability, and water retention properties to ensure that they meet the highest possible industry standards. Water is maintained where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions. Please note - Due to the weight of certain products, they may require a two man lift.

Images shown in this catalogue are for illustrative purposes only. All descriptions contained in this catalogue are for the purpose of explaining each product more clearly and do not form part of any contract with the company.

Guarantee

ORO & ETO Shower Doors are covered by a lifetime guarantee against manufacturer defect. A lifetime guarantee constitutes a term of 20 years. AYO Wetrooms and Bathscreens are covered by a 20 year guarantee against manufacturer defect. Shower Trays are subject to manufacturer guarantee. All guarantees are valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. This guarantee is for domestic use only.

***Note: Non glass and detachable parts such as seals and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase. Glass shattering is not subject to Lifetime guarantee.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every Flair product.

After-sales & Spare Parts service

Flair Showers are 100% committed to customer service excellence. For ultimate peace of mind, a comprehensive range of spare parts is available for all Flair product ranges. If you would like to talk to an aftercare specialist about your Flair product, please contact us on (Ireland & Northern Ireland) +353 42 966 8000 or (UK) 0800 1800 8050.

Return Policy

Flair will not accept return of any product that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice price will be charged.

Cleaning Guidelines

- Glass: Use a soft cloth and warm soapy water; rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water; rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with warm soapy water.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit / dirt which may have collected over time.

Installation

Full installation instructions are provided with each product to ensure correct installation. All Shower doors and wetroom panels are adjustable between the dimensions stated. All dimensions are approximate.

Shower Tray Installation

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

Conditions of Sale

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



APRIL 2023

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com

OVER **75** YEARS



Connect with us



FLAIRSHOWERS.COM