GE//STONE

slate textured shower trays compliment the Onyx Black, Graphite Black, Flint Grey or White.

SHOWER TRAYS

TEXTURED SLATE, SLIMLINE, ANTI-SLIP & ULTRA SLIM


SLATE TEXTURED





stone White tray with square waste.






GENSTONE



Gemstone Onyx Black tray with black square waste.



GE/NSTONE

KEY FEATURES

Slate texture – a natural stone resin composite with gel coat finish

Anti slip rated – Grade 3 Rating UNE ENV 12633:2003

Available in 4 colours – Onyx Black, White, Graphite Black & Flint Grey

Minimalist stainless steel waste cover in Square versions

Stone resin linear cover standard on all linear trays

Colour matched interior waste trap (Onyx Black, Graphite Black or Flint Grey = Grey interior waste / White tray - White interior waste)

Supplied with 90mm McAlpine high flow waste





Note: Gemstone tray colours are reproduced as accurately as the printing process will allow. There is no guarantee of exact colour match - this brochure is a visual aid only.

For all Shower Tray Specifications see our website www.flairshowers.com




GEMSTONE TRAY COLOUR OPTIONS





WASTE DESIGN -SQUARE WASTE







SQUARE WASTE GRILLE OPTION

 Available in Rectangle, Square, Quadrant and Offset Quadrant shapes





NEW 2023 STONE RESIN WASTE COVER AS STANDARD ON LINEAR TRAYS



- Defined gradient on linear tray
- On trend to create the minimalist wetroom look
- Rectangular shower tray shape only



COLOUR MATCHED GRILLE OPTIONS



COLOUR MATCHED GRILLE OPTION

- Choose to match your shower tray grille to the precise colour of your tray. Available in White, Graphite Black and Flint Grey





GEMSTONE SLATE TRAY RANGE - **SQUARE WASTE** HEIGHT - 25mm

Price includes 90mm McAlpine manufactured high flow waste



RECTANGLE

PRODUCT DESCRIPTION	COLOUR	CODE
RectangularTray 1000 × 800mm - Square Waste	White	GEM10080RWS
RectangularTray 1000 × 800mm - Square Waste	Graphite Black	GEM10080RBS
RectangularTray 1000 × 800mm - Square Waste	Flint Grey	GEM10080RGS
Rectangular Tray 1000 × 800mm - Square Waste	Onyx Black	GEM10080ROS
RectangularTray 1000 × 900mm - Square Waste	White	GEM10090RWS
RectangularTray 1000 × 900mm - Square Waste	Graphite Black	GEM10090RBS
RectangularTray 1000 × 900mm - Square Waste	Flint Grey	GEM10090RGS
RectangularTray 1000 x 900mm - Square Waste	Onyx Black	GEM10090ROS
RectangularTray 1100 x 800mm - Square Waste	White	GEM11080RWS
RectangularTray 1100 × 800mm - Square Waste	Graphite Black	GEM11080RBS
RectangularTray 1100 x 800mm - Square Waste	Flint Grey	GEM11080RGS
Rectangular Tray 1100 × 900mm - Square Waste	White	GEM11090RWS
Rectangular Tray 1100 x 900mm - Square Waste	Graphite Black	GEM11090RBS
Rectangular Tray 1100 × 900mm - Square Waste	Flint Grey	GEM11090RGS
RectangularTray 1200 x 800mm - Square Waste	White	GEM12080RWS
RectangularTray 1200 × 800mm - Square Waste	Graphite Black	GEM12080RBS
RectangularTray 1200 x 800mm - Square Waste	Flint Grey	GEM12080RGS
RectangularTray 1200 x 800mm - Square Waste	Onyx Black	GEM12080ROS
Rectangular Tray 1200 x 900mm - Square Waste	White	GEM12090RWS
Rectangular Tray 1200 x 900mm - Square Waste	Graphite Black	GEM12090RBS
Rectangular Tray 1200 × 900mm - Square Waste	Flint Grey	GEM12090RGS
Rectangular Tray 1200 x 900mm - Square Waste	Onyx Black	GEM12090ROS
Rectangular Tray 1200 × 1000mm - Square Waste	White	GEM120100RWS
Rectangular Tray 1200 × 1000mm - Square Waste	Graphite Black	GEM120100RBS
Rectangular Tray 1200 × 1000mm - Square Waste	Flint Grey	GEM120100RGS
Rectangular Tray 1200 \times 1000mm - Square Waste	Onyx Black	GEM120100ROS
Rectangular Tray 1400 × 800mm - Square Waste	White	GEM14080RWS
Rectangular Tray 1400 × 800mm - Square Waste	Graphite Black	GEM14080RBS
Rectangular Tray 1400 × 800mm - Square Waste	Flint Grey	GEM14080RGS
Rectangular Tray 1400 × 800mm - Square Waste	Onyx Black	GEM14080ROS
RectangularTray 1400 × 900mm - Square Waste	White	GEM14090RWS
RectangularTray 1400 × 900mm - Square Waste	Graphite Black	GEM14090RBS
RectangularTray 1400 × 900mm - Square Waste	Flint Grey	GEM14090RGS
Rectangular Tray 1400 × 900mm - Square Waste	Onyx Black	GEM14090ROS
RectangularTray 1400 × 1000mm - Square Waste	White	GEM140100RWS
RectangularTray 1400 × 1000mm - Square Waste	Graphite Black	GEM140100RBS
RectangularTray 1400 × 1000mm - Square Waste	Flint Grey	GEM140100RGS
RectangularTray 1400 x 1000mm - Square Waste	Onyx Black	GEM140100ROS

GEMSTONE TRAY RANGE - SQUARE WASTE - 25mm DEPTH

RECTANGLE

PRODUCT DESCRIPTION

Rectangular Tray 1500 x 800mm - Square Waste Rectangular Tray 1500 × 800mm - Square Waste RectangularTray 1500 x 800mm - Square Waste Rectangular Tray 1500 × 900mm - Square Waste Rectangular Tray 1500 x 900mm - Square Waste Rectangular Tray 1500 × 900mm - Square Waste Rectangular Tray 1600 × 800mm - Square Waste Rectangular Tray 1600 × 800mm - Square Waste Rectangular Tray 1600 x 800mm - Square Waste Rectangular Tray 1600 x 800mm - Square Waste Rectangular Tray 1600 × 900mm - Square Waste Rectangular Tray 1600 × 900mm - Square Waste Rectangular Tray 1600 x 900mm - Square Waste Rectangular Tray 1600 x 900mm - Square Waste Rectangular Tray 1700 x 700mm - Square Waste Rectangular Tray 1700 x 700mm - Square Waste Rectangular Tray 1700 × 700mm - Square Waste Rectangular Tray 1700 × 800mm - Square Waste Rectangular Tray 1700 × 800mm - Square Waste Rectangular Tray 1700 × 800mm - Square Waste Rectangular Tray 1700 x 800mm - Square Waste Rectangular Tray 1700 × 900mm - Square Waste Rectangular Tray 1700 x 900mm - Square Waste Rectangular Tray 1700 × 900mm - Square Waste Rectangular Tray 1700 × 900mm - Square Waste Rectangular Tray 1800 x 800mm - Square Waste Rectangular Tray 1800 x 800mm - Square Waste Rectangular Tray 1800 x 800mm - Square Waste Rectangular Tray 1800 x 900mm - Square Waste Rectangular Tray 1800 x 900mm - Square Waste Rectangular Tray 1800 x 900mm - Square Waste

SQUARE

PRODUCT DESCRIPTION

Square Tray 800mm - Square Waste Square Tray 900mm - Square Waste Square Tray 900mm - Square Waste Square Tray 900mm - Square Waste Square Tray 1000mm - Square Waste Square Tray 1000mm - Square Waste

White GEM15080RWS Graphite Black GEM15080RBS	
Graphite Black GEM 5080BBS	
Graphite black GEI 115000105	
Flint Grey GEM15080RGS	
White GEM15090RWS	
Graphite Black GEM15090RBS	
Flint Grey GEM15090RGS	
White GEM16080RWS	
Graphite Black GEM16080RBS	
Flint Grey GEM16080RGS	
Onyx Black GEM16080ROS	
White GEM16090RWS	
Graphite Black GEM16090RBS	
Flint Grey GEM16090RGS	
Onyx Black GEM16090ROS	
White GEM17070RWS	
Graphite Black GEM17070RBS	
Flint Grey GEM17070RGS	
White GEM17080RWS	
Graphite Black GEM17080RBS	
Flint Grey GEM17080RGS	
Onyx Black GEM17080ROS	
White GEM17090RWS	
Graphite Black GEM17090RBS	
Flint Grey GEM17090RGS	
Onyx Black GEM17090ROS	
White GEM18080RWS	
Graphite Black GEM18080RBS	
Flint Grey GEM18080RGS	
White GEM18090RWS	
Graphite Black GEM18090RBS	
Flint Grey GEM18090RGS	

COLOUR	CODE
White	GEM80SWS
Graphite Black	GEM80SBS
Flint Grey	GEM80SGS
Onyx Black	GEM80SOS
White	GEM90SWS
Graphite Black	GEM90SBS
Flint Grey	GEM90SGS
Onyx Black	GEM90SOS
White	GEMI00SWS
Graphite Black	GEMI00SBS
Flint Grey	GEM100SGS

GEMSTONE SLATE TRAY RANGE - SQUARE WASTE HEIGHT - 25mm

Price includes 90mm McAlpine manufactured high flow waste



QUADRANT		BRUSHED
PRODUCT DESCRIPTION	COLOUR	CODE
Quadrant Tray 900mm - Square Waste	White	GEM90QWS
Quadrant Tray 900mm - Square Waste	Graphite Black	GEM90QBS
Quadrant Tray 900mm - Square Waste	Flint Grey	GEM90QGS
Quadrant Tray 900mm - Square Waste	Onyx Black	GEM90QOS
Quadrant Tray 1000mm - Square Waste	White	GEM100QWS
Quadrant Tray 1000mm - Square Waste	Graphite Black	GEMI00QBS
Quadrant Tray 1000mm - Square Waste	Flint Grey	GEM100QGS

OFFSET QUADRANT

0	ffse	t	Quad	łr	ant Tr	ay	1000	×	800)r

PRODUCT DESCRIPTION

Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	White	GEM10080QWSL
Offset Quadrant Tray 1000 × 800mm RIGHT HAND - Square Waste	White	GEM10080QWSR
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	Graphite Black	GEM10080QBSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	Graphite Black	GEM10080QBSR
Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	Flint Grey	GEM10080QGSL
Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	Flint Grey	GEM10080QGSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	White	GEM12080QWSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	White	GEM12080QWSR
Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	Graphite Black	GEM12080QBSL
Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	Graphite Black	GEM12080QBSR
Offset Quadrant Tray 1200 × 800mm LEFT HAND - Square Waste	Flint Grey	GEM12080QGSL
Offset Quadrant Tray 1200 × 800mm RIGHT HAND - Square Waste	Flint Grey	GEM12080QGSR
Offset Quadrant Tray 1200 × 800mm LEFT HAND - Square Waste	Onyx Black	GEM12080QOSL
Offset Quadrant Tray 1200 × 800mm RIGHT HAND - Square Waste	Onyx Black	GEM12080QOSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	White	GEM12090QWSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	White	GEM12090QWSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Graphite Black	GEM12090QBSL
Offset Quadrant Tray 1200 × 900mm RIGHT HAND - Square Waste	Graphite Black	GEM12090QBSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Flint Grey	GEM12090QGSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Flint Grey	GEM12090QGSR
Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	Onyx Black	GEM12090QOSL
Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	Onyx Black	GEM12090QOSR

COLOUR

CODE

COLOUR MATCHED METAL GRILLES - SQUARE

PRODUCT DESCRIPTION
Square Grille

GEMSTONE SLATE TRAY RANGE - LINEAR WASTE HEIGHT - 30mm

Price includes 90mm McAlpine manufactured high flow waste

PRODUCT DESCRIPTION

Rectangular Tray 1200 × 800mm - Linear Waste Rectangular Tray 1200 x 800mm - Linear Waste Rectangular Tray 1200 × 800mm - Linear Waste Rectangular Tray 1200 × 800mm - Linear Waste Rectangular Tray 1200 × 900mm - Linear Waste Rectangular Tray 1200 x 900mm - Linear Waste Rectangular Tray 1200 × 900mm - Linear Waste Rectangular Tray 1200 × 900mm - Linear Waste Rectangular Tray 1400 × 800mm - Linear Waste Rectangular Tray 1400 × 900mm - Linear Waste Rectangular Tray 1500 × 800mm - Linear Waste Rectangular Tray 1500 × 800mm - Linear Waste Rectangular Tray 1500 × 800mm - Linear Waste Rectangular Tray 1500 × 900mm - Linear Waste Rectangular Tray 1500 × 900mm - Linear Waste Rectangular Tray 1500 x 900mm - Linear Waste Rectangular Tray 1600 × 800mm - Linear Waste Rectangular Tray 1600 × 800mm - Linear Waste Rectangular Tray 1600 × 800mm - Linear Waste Rectangular Tray 1600 × 900mm - Linear Waste Rectangular Tray 1600 × 900mm - Linear Waste Rectangular Tray 1600 x 900mm - Linear Waste

COLOUR	CODE
Black	GEMGSB
Chrome	GEMGSC
Grey	GEMGSG
White	GEMGSW
Onyx Black	GEMGSOB



COLOUR	CODE
Onyx Black	GEM12080ROBL
White	GEM12080RWL
Graphite Black	GEM12080RBL
Flint Grey	GEM12080RGL
White	GEM12090RWL
Graphite Black	GEM12090RBL
Flint Grey	GEM12090RGL
Onyx Black	GEM12090ROBL
White	GEM14080RWL
Graphite Black	GEM14080RBL
Flint Grey	GEM14080RGL
Onyx Black	GEM14080ROBL
White	GEM14090RWL
Graphite Black	GEM14090RBL
Flint Grey	GEM14090RGL
Onyx Black	GEM14090ROBL
White	GEM15080RWL
Graphite Black	GEM15080RBL
Flint Grey	GEM15080RGL
White	GEM15090RWL
Graphite Black	GEM15090RBL
Flint Grey	GEM15090RGL
White	GEM16080RWL
Graphite Black	GEM16080RBL
Flint Grey	GEM16080RGL
White	GEM16090RWL
Graphite Black	GEM I 6090RBL
Flint Grey	GEM16090RGL

GEMSTONE SLATE TRAY RANGE - LINEAR WASTE HEIGHT - 30mm

Price includes 90mm McAlpine manufactured high flow waste

Rectangular Tray 1700 x 800mm - Linear Waste

Rectangular Tray 1700 x 800mm - Linear Waste

Rectangular Tray 1700 x 900mm - Linear Waste

Rectangular Tray 1700 × 900mm - Linear Waste

Rectangular Tray 1700 × 900mm - Linear Waste

Rectangular Tray 1700 × 900mm - Linear Waste



GEM17080RGL

GEM17080ROBL

GEM17090RWL

GEM17090RBL

GEM17090RGL

GEM17090ROBL

RECTANGLE - NOW INCLUDES STONE RESIN LINEA	AR GRILLE COVER	-
PRODUCT DESCRIPTION	COLOUR	CODE
Rectangular Tray 1700 x 700mm - Linear Waste	White	GEM17070RWL
Rectangular Tray 1700 x 700mm - Linear Waste	Graphite Black	GEM17070RBL
Rectangular Tray 1700 x 700mm - Linear Waste	Flint Grey	GEM17070RGL
Rectangular Tray 1700 x 700mm - Linear Waste	Onyx Black	GEM17070ROBL
Rectangular Tray 1700 x 800mm - Linear Waste	White	GEM17080RWL
Rectangular Tray 1700 × 800mm - Linear Waste	Graphite Black	GEM17080RBL

Flint Grey

Onyx Black

Graphite Black

Flint Grey

Onyx Black

White

PRODUCT DESCRIPTION	COLOUR	CODE
70mm Grille - Linear	Black	GEMG70LB
70mm Grille - Linear	Chrome	GEMG70LC
70mm Grille - Linear	Grey	GEMG70LG
70mm Grille - Linear	White	GEMG70LW
80mm Grille - Linear	Black	GEMG80LB
80mm Grille - Linear	Chrome	GEMG80LC
80mm Grille - Linear	Grey	GEMG80LG
80mm Grille - Linear	White	GEMG80LW
90mm Grille - Linear	Black	GEMG90LB
90mm Grille - Linear	Chrome	GEMG90LC
90mm Grille - Linear	Grey	GEMG90LG
90mm Grille - Linear	White	GEMG90LW







GEMSTONE INFORMATION

GUARANTEE

Your Gemstone tray must be inspected 100% before installation. Fitting of tray is acceptance of quality. Please read fitting instructions fully before installation.

Before tiling and placing the screen or any other fixed material on the shower tray, please make sure that the perimeters of your tray are 100% level in all directions.

The guarantee only covers the replacement or repair of the product and excludes any other compensation, assembly or travel costs.

Gemstone Trays are guaranteed for 2 years, in accordance with current European regulations.

The following are excluded from the guarantee:

- Damage caused by misuse
- Damage caused by the use of unsuitable cleaning materials (do not use products containing acids, alcohol, chlorine or solvents, do not spill drain cleaners onto the shower tray, do not use metallic or scouring pads)
- Damage caused by improper installation - Damage caused by the improper handling
- of the product

Our products must be installed by gualified personnel to be eligible for the product guarantee. An installation guide will be delivered with the tray for its proper placement.

Before installing the tray you should make sure that:

- The tray drains well and is 100% level
- It has no anomalies
- The tray has been stored in a horizontal position, on a flat surface, until installation

CLEANING

- Routine: rinse and leave to dry - Thorough: rub with a soft cloth with neutral liquid detergent; for limescale prevention use an anti-lime product

Please note, Gemstone Trays are manufactured from a natural stone resin composition. You must allow for a tray thickness tolerance of 2 - 3mm.

CHEMICAL TESTS

Chemical resistance tested in accordance with UNE-EN 12527 - No deterioration.

CHEMICAL TESTING COMPOSITION

Acetyl acid (10%), sodium hydroxide (10%), ethanol (70%), bleach, methylene blue (1%).

CLEANING SOLVENT (PRODUCT)	EXPOSURE TIME (DAYS)	RESULT OF VISUAL
Don Limpio Neutral PH	4	No Visible Effect
Perfumed Home Bleach	4	Slight Bleaching
Ace	4	Slight Bleaching
Perfumed Ammonia	4	No Visible Effect
Viakal	4	Slight Bleaching
Cillit Bang	4	No Visible Effect
KH-7 Anti-lime	4	No Visible Effect
White Wine Vinegar	4	No Visible Effect
Povidone Iodine	4	No Visible Effect
Hydrochloric Acid	4	No Visible Effect
Hydrogen Peroxide	4	No Visible Effect
Cleaning Solvent	4	No Visible Effect
Methylated Spirits	4	No Visible Effect
Acetone	4	No Visible Effect
Nail Polish Remover	4	No Visible Effect

PACKAGING AND STORAGE

The products are delivered packed in individual boxes with expanded polystyrene reinforcements, including the drainage grate. Gemstone trays must be stored in a horizontal position on a flat surface until installation. This prevents the tray from losing shape.

FAQ

Can it be cut? Yes, with a diamond cutting wheel.

Note - Maximum trim of 200mm on rectangular waste trays. Maximum trim of 100mm on linear waste trays, with the cut applied to opposite end to the linear drain.

Can it be repaired?


Although they are highly resistant to any impact, we have a repair kit available to the customer. Please contact us on 01279 443 644 to order your Gemstone Tray repair kit. Lead time applies.

How should the product be cleaned?

We recommend cleaning with water and neutral soap, applied with a sponge, never with scouring products or tools.

What material should I use to install the products?

Your Gemstone tray must be installed on a fully level glue-cement or mortar base. For sealing the product, it is recommended to use MS flexible polyurethane sealant and / or a neutral silicone.





MANUFACTURED TO BRITISH STANDARD BS6340/5

CAPPED SURFACE FINISH

EASY-TO-CLEAN AND MAINTAIN





SLIMLINE QUADRANT TRAY INCLUDING SHOWER WASTE



SLIMLINE SQUARE TRAY INCLUDING SHOWER WASTE



SLIMLINE OFFSET QUADRANT TRAY INCLUDING SHOWER WASTE (right hand illustrated)

SLIMLINE SHOWER TRAYS

	RECTANGLE	
	PRODUCT DESCRIPTION	CODE
	800 × 700mm	TSL8070R
	900 × 700mm	TSL9070R
	900 × 760mm	TSL9076R
	900 × 800mm	TSL9080R
	1000 × 700mm	TSL10070R
	1000 × 760mm	TSL10076R
	1000 × 800mm	TSL10080R
	1000 × 900mm	TSL10090R
	1100 × 700mm	TSLI I 070R
	1100 × 760mm	TSLI I 076R
	1100 × 800mm	TSLI I 080R
	1100 × 900mm	TSLI I 090R
	1200 × 700mm	TSLI2070R
	1200 × 760mm	TSLI2076R
	1200 × 800mm	TSLI2080R
	1200 × 900mm	TSLI2090R
	1300 × 800mm	TSLI 3080R
	1300 × 900mm	TSLI 3090R
	1400 × 700mm	TSL14070R
	1400 × 800mm	TSLI4080R
	1400 × 900mm	TSL14090R
	1500 × 700mm	TSLI5070R
	1500 x 760mm	TSLI5076R
	1500 × 800mm	TSLI5080R
	1500 × 900mm	TSLI5090R
Note.	1600 × 700mm	TSLI 6070R
There is a	1600 × 800mm	TSLI 6080R
tolerance of up to 10mm	1600 × 900mm	TSLI 6090R
in tray sizes above the	1700 × 700mm	TSL17070R
nominal	1700 × 750mm	TSL17075R
dimensions. This is to	1700 × 800mm	TSL17080R
allow for	1700 × 900mm	TSL17090R
potential shrinkage	1800 × 800mm	TSLI 8080R
during the manufacturing	1800 × 900mm	TSL18090R
process.	2000 × 900mm	TSL20090R

SQUARE

PRODUCT DESCRIPTION	CODE
700 × 700mm	TSL70S
760 x 760mm	TSL76S
800 × 800mm	TSL80S
900 × 900mm	TSL90S
1000 × 1000mm	TSLIOOS
1200 × 1200mm	TSLI20S

QUADRANT

PRODUCT DESCRIPTION	CODE
800 × 800mm	TSL80Q
900 × 900mm	TSL90Q
1000 × 1000mm	TSL100Q

OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
900 × 760mm - Left	TSL9076LOQ
900 × 760mm - Right	TSL9076ROQ
900 × 800mm - Left	TSL9080LOQ
900 × 800mm - Right	TSL9080ROQ
1000 × 800mm - Left	TSL10080LOQ
1000 × 800mm - Right	TSL10080ROQ
1000 × 900mm - Left	TSL10090LOQ
1000 × 900mm - Right	TSL10090ROQ
00 × 800mm - Left	TSLI 1080LOQ
1100 × 800mm - Right	TSLI I 080ROQ
1100 × 900mm - Left	TSLI 1090LOQ
1100 × 900mm - Right	TSLI I 090ROQ
1200 × 800mm - Left	TSL12080LOQ
1200 × 800mm - Right	TSL12080ROQ
1200 × 900mm - Left	TSL12090LOQ
1200 × 900mm - Right	TSL12090ROQ





OFFSET QUADRANT

OFFSET QUADRANT

ANTI-SLIP SHOWER TRAYS

HEIGHT 40mm (INCLUDES WASTE)

RECTANGLE

PRODUCT DESCRIPTION	CODE
1000 × 800mm	ASTSL10080R
1000 × 900mm	ASTSL10090R
1100 × 800mm	ASTSL11080R
1100 × 900mm	ASTSL11090R
I 200 × 700mm	ASTSL12070R
I 200 × 760mm	ASTSL12076R
I 200 × 800mm	ASTSL12080R
I 200 × 900mm	ASTSL12090R
1400 × 700mm	ASTSL14070R
1400 × 800mm	ASTSL14080R
1400 × 900mm	ASTSL14090R
1500 × 700mm	ASTSL15070R
1500 × 800mm	ASTSL15080R
1500 × 900mm	ASTSL15090R
l 600 × 700mm	ASTSL16070R
l 600 × 800mm	ASTSL16080R
l 600 × 900mm	ASTSL16090R
I 700 × 700mm	ASTSL17070R
1700 × 800mm	ASTSL17080R
1700 × 900mm	ASTSL17090R

Note - There is a tolerance of up to 10mm in tray sizes above the nominal dimensions. This is to allow for potential shrinkage during the manufacturing process.

SQUARE

PRODUCT DESCRIPTION	CODE
800mm	ASTSL80S
900mm	ASTSL90S
1000mm	ASTSLI00S

QUADRANT

PRODUCT DESCRIPTION	CODE
800mm	ASTSL80Q
900mm	ASTSL90Q
1000mm	ASTSL100Q



OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left Hand	ASTSL10080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 × 800mm - Right Hand	ASTSL10080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left Hand	ASTSL10090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right Hand	ASTSL10090ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left Hand	ASTSL12080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right Hand	ASTSL12080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Left Hand	ASTSL12090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 × 900mm - Right Hand	ASTSL12090ROQ

ANTI-SLIP SLIMLINE - TRAYS WITH CORNER WASTE

1000 x 1000mm - Square Tray - Inc. Corner Waste CASTSL 1009	-
1000 x 800mmm - RectangleTray - Inc.CornerWaste CASTSL1008	80F
1200 × 800mm - RectangleTray - Inc.CornerWaste CASTSL1208	80F

-)LOQ
- OROQ
-)LOQ
- OROQ
-)LOQ
- ROQ
- OLOQ

DQ)0Q 080R 2080R 2090R

ULTRA SLIM 25MM SHOWER TRAYS

HEIGHT 25mm (INCLUDING WASTE & WHITE GRILLE)

RECTANGLE

PRODUCT DESCRIPTION	CODE
1000 × 800mm - Inc. Waste & White Grille	USL10080R
1000 × 900mm - Inc. Waste & White Grille	USL10090R
1200 × 800mm - Inc. Waste & White Grille	USLI 2080R
1200 × 900mm - Inc. Waste & White Grille	USLI 2090R
1400 × 800mm - Inc. Waste & White Grille	USL14080R
1400 × 900mm - Inc. Waste & White Grille	USL14090R
1500 × 800mm - Inc. Waste & White Grille	USLI 5080R
1500 × 900mm - Inc. Waste & White Grille	USLI 5090R
1600 × 800mm - Inc. Waste & White Grille	USLI 6080R
1600 × 900mm - Inc. Waste & White Grille	USLI 6090R
1700 × 800mm - Inc. Waste & White Grille	USL17080R
1700 × 900mm - Inc. Waste & White Grille	USL17090R
1800 × 800mm - Inc. Waste & White Grille	USLI 8080R
1800 × 900mm - Inc. Waste & White Grille	USLI 8090R

SQUARE

PRODUCT DESCRIPTION	CODE
800 × 800mm - Inc. Waste & White Grille	USL80S
900 × 900mm - Inc. Waste & White Grille	USL90S

QUADRANT

PRODUCT DESCRIPTION	CODE
800 × 800mm - Inc. Waste & White Grille	USL80Q
900 × 900mm - Inc. Waste & White Grille	USL90Q

OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
1000 × 800mm Left Hand - Inc. Waste & White Grille	USL10080LOQ
1000 × 800mm Right Hand - Inc. Waste & White Grille	USL10080ROQ
1200 × 800mm Left Hand - Inc.Waste & White Grille	USL12080LOQ
1200 \times 800mm Right Hand - Inc. Waste & White Grille	USL12080ROQ
1200 × 900mm Left Hand - Inc. Waste & White Grille	USL12090LOQ
1200 × 900mm Right Hand - Inc. Waste & White Grille	USL12090ROQ

ANTI-SLIP ULTRA SLIM **25MM SHOWER TRAYS**

HEIGHT 25mm (INCLUDING WASTE & WHITE GRILLE)

RECTANGLE

1000 x 800mm - Inc. Waste & White Grille AUSLIC 1200 x 800mm - Inc. Waste & White Grille AUSLIC 1200 x 900mm - Inc. Waste & White Grille AUSLIC 1400 x 800mm - Inc. Waste & White Grille AUSLIC 1400 x 900mm - Inc. Waste & White Grille AUSLIC 1400 x 900mm - Inc. Waste & White Grille AUSLIC 1500 x 800mm - Inc. Waste & White Grille AUSLIC 1600 x 800mm - Inc. Waste & White Grille AUSLIC 1600 x 900mm - Inc. Waste & White Grille AUSLIC 1700 x 800mm - Inc. Waste & White Grille AUSLIC 1700 x 900mm - Inc. Waste & White Grille AUSLIC	PRODUCT DESCRIPTION	CODE
1200 × 900mm - Inc.Waste & White Grille AUSL12 1400 × 800mm - Inc.Waste & White Grille AUSL14 1400 × 900mm - Inc.Waste & White Grille AUSL14 1500 × 800mm - Inc.Waste & White Grille AUSL14 1600 × 800mm - Inc.Waste & White Grille AUSL15 1600 × 800mm - Inc.Waste & White Grille AUSL16 1600 × 900mm - Inc.Waste & White Grille AUSL16 1600 × 800mm - Inc.Waste & White Grille AUSL16 1700 × 800mm - Inc.Waste & White Grille AUSL16	1000 × 800mm - Inc. Waste & White Grille	AUSLIC
1400 × 800mm - Inc. Waste & White Grille AUSL14 1400 × 900mm - Inc. Waste & White Grille AUSL14 1500 × 800mm - Inc. Waste & White Grille AUSL15 1600 × 800mm - Inc. Waste & White Grille AUSL16 1600 × 900mm - Inc. Waste & White Grille AUSL16 1600 × 900mm - Inc. Waste & White Grille AUSL16 1700 × 800mm - Inc. Waste & White Grille AUSL16	1200 × 800mm - Inc.Waste & White Grille	AUSL12
1400 × 900mm - Inc. Waste & White Grille AUSL14 1500 × 800mm - Inc. Waste & White Grille AUSL15 1600 × 800mm - Inc. Waste & White Grille AUSL16 1600 × 900mm - Inc. Waste & White Grille AUSL16 1600 × 800mm - Inc. Waste & White Grille AUSL16 1700 × 800mm - Inc. Waste & White Grille AUSL17	1200 × 900mm - Inc.Waste & White Grille	AUSL12
I 500 × 800mm - Inc. Waste & White Grille AUSLIE I 600 × 800mm - Inc. Waste & White Grille AUSLIE I 600 × 900mm - Inc. Waste & White Grille AUSLIE I 700 × 800mm - Inc. Waste & White Grille AUSLIE	1400 × 800mm - Inc.Waste & White Grille	AUSL14
1600 x 800mm - Inc. Waste & White Grille AUSL16 1600 x 900mm - Inc. Waste & White Grille AUSL16 1700 x 800mm - Inc. Waste & White Grille AUSL17	1400 × 900mm - Inc.Waste & White Grille	AUSL14
1600 x 900mm - Inc. Waste & White Grille AUSL16 1700 x 800mm - Inc. Waste & White Grille AUSL17	1500 × 800mm - Inc.Waste & White Grille	AUSLIS
1700 x 800mm - Inc. Waste & White Grille AUSL17	1600 x 800mm - Inc.Waste & White Grille	AUSLI
	1600 × 900mm - Inc.Waste & White Grille	AUSLIE
1700 x 900mm - Inc. Waste & White Grille AUSL17	1700 × 800mm - Inc.Waste & White Grille	AUSL17
	1700 × 900mm - Inc.Waste & White Grille	AUSL17

SQUARE

PRODUCT DESCRIPTION	CODE
900 × 900mm - Inc. Waste & White Grille	AUSL9



ULTRA SLIM RECTANGLE TRAY INCLUDING WASTE AND WHITE GRILLE









- 10080R
- 12080R
- 12090R 14080R
- 14090R
- 15080R
- 16080R
- 16090R
- 17080R
- 17090R
- _90S



ULTRA SLIM SQUARE TRAY INCLUDING WASTE AND WHITE GRILLE



ULTRA SLIM OFFSET QUADRANT TRAY (RIGHT HAND) INCLUDING WASTE AND WHITE GRILLE


SHOWER ACCESSORIES

	())))))	$()() \vdash$	RVKKIFK	$\Sigma = \Lambda I$
PROSEAL		$\langle OOI \rangle$		

PRODUCT DESCRIPTION	CODE
ProSeal 2 metre Roll	PROS2.0M
ProSeal 2.5 metre Roll	PROS2.5M
ProSeal 3 metre Roll	PROS3.0M
ProSeal 3.5 metre Roll	PROS3.5M
ProSeal 4 metre Roll	PROS4.0M
ProSeal 10 metre Roll	PROSI0.0M
ProSeal 20 metre Roll	PROS20.0M

Flexible up-stand seal installed onto shower trays, baths and





risk of water leakage.

SHOWER WASTE

PRODUCT DESCRIPTION	CODE
TSL 90mm High Flow Waste - Chrome	TSLWASTE

MCALPINE WASTES

PRODUCT DESCRIPTION	CODE
McAlpine 90mm Shower Waste Matte Black Plastic Dome	ST90MB10-70
McAlpine 90mm Shower Waste White Plastic Dome	ST90WH10-70



M^cAlpine 90mm Shower Waste Matte Black Plastic Dome


FLAIR EASY PLUMB KIT

Flair slimline easy plumb shower kits have adjustable legs to comply with building regulations to assist in installation and for maintenance of waste outlets if required after building settlement. The Flair slimline easy plumb kit provides this access without compromising on style in the bathroom.


An easy plumb tray can be made by using any of the Flair slimline trays and a kit. This will increase the height of the tray by 95mm.

Accessories are not to scale - for visual representation only.

	PRODUCT DESCRIPTION	WEIGHT	CODE
	Easy Plumb Riser Kit for all Square Trays & Rectangle (Suitable for maximum tray size of 1200mm)	Trays 2kg	WD3
	Easy Plumb Riser Kit for all Quadrant Trays (Suitable for maximum tray size of 1200 × 900mm)	3kg	WD4
	Easy Plumb Kit for all Square & Rectangle Trays (Up to 2000mm in size)	2kg	WD5



CREATE YOUR SPACE



Scale 5mm = 100mm 25mm × 25mm Grid = 500mm × 500mm 175mm × 200mm Whole Grid = 3500mm × 4000mm

QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair Shower doors and wetrooms are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150.

Flair products are performance tested to EN I 4428. Shower doors and rotating wetroom panels have been subject to lifetime shower door cycle testing consisting of 20,000 functional cycles.

Flair Shower doors and rotating wetroom panels have also been tested for their durability, stability, and water retention properties to ensure that they meet the highest possible industry standards. Water is maintained where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions. Please note -Due to the weight of certain products, they may require a two man lift.

Images shown in this catalogue are for illustrative purposes only. All descriptions contained in this catalogue are for the purpose of explaining each product more clearly and do not form part of any contract with the company.

Guarantee

ORO & ETO Shower Doors are covered by a lifetime guarantee against manufacturer defect. A lifetime guarantee constitutes a term of 20 years. AYO Wetrooms and Bathscreens are covered by are covered by a 20 year guarantee against manufacturer defect. Shower Trays are subject to manufacturer guarantee. All guarantees are valid on on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. This guarantee is for domestic use only. *Note: Non glass and detachable parts such as seals and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase. Glass shattering is not subject to Lifetime guarantee.

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every Flair product.

Aftersales & Spare Parts Service

Flair Showers are 100% committed to customer service excellence. For ultimate peace of mind, a comprehensive range of spare parts is available for all Flair product ranges. If you would like to talk to an aftercare specialist about your Flair product, please contact us on (Ireland & Northern Ireland) +353 42 966 8000 or (UK) 0800 1800 8050.

Return Policy

Flair will not accept return of any product that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice price will be charged.

Cleaning Guidelines

- Glass: Use a soft cloth and warm soapy water, rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water, rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with warm soapy water.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit / dirt which may have collected over time.

Installation

Full installation instructions are provided with each product to ensure correct installation. All Shower doors and wetroom panels are are adjustable between the dimensions stated. All dimensions are approximate.

Shower Tray Installation


All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive Please note: Silicone sealants, foams, mastics,installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

Conditions of Sale


Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



















BEHIND THE SCENES





BROWSE OUR WATERFALL LOOKBOOK





WATERFALL





flair

Flair Showers

Ireland / Northern Ireland +353 42 966 8000

England / Scotland / Wales 0800 180 8050

sales@flairshowers.com



FLAIRSHOWERS.COM

💿 in D