

01

## CARA LAMINATED GLASS SHOWER DOORS

The Cara shower door range is not just inclusively designed, it also offers the greatest standards of safety in the bathroom sector today.

Laminated glass technology is applied to each door style in the range. This means that in the unlikely event of a breakage, the glass will remain integral due to the polyvinyl butyral (PVB) interlayer.

### CARA SHOWER DOORS

Corner Pivot Doors

Corner Bi-Fold Doors

Bi-Fold Doors


Split Pivot Doors

Saloon Doors

Side Panel Options



### LAMINATED GLASS CONSTRUCTION WITH PVB INTERLAYER



8mm  
LAMINATED GLASS

1950mm  
FULL HEIGHT

975mm  
HALF HEIGHT

CLEAR VUE  
PROTECTIVE GLASS COATING

MAGNETIC CLOSURE

SUITABLE FOR SHOWER TRAY OR WETROOM FLOOR INSTALLATION

REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION

RISING BUTT HINGE MECHANISM


SPARE PARTS AVAILABLE

10 YEAR GUARANTEE

failsafe TECHNOLOGY  
SECURE GLASS SYSTEM

**MOSAIC TILE FLOOR SIZE WARNING** - Please take extra care to check adjustment sizes required for mosaic wetroom floor applications. Please contact your Flair Sales Representative for advice on mosaic floor application.

# CARA



# CARA

## CORNER PIVOT DOORS

### CORNER PIVOT DOOR - FULL HEIGHT

PRODUCT DESCRIPTION	MIN	ADJUSTMENT SIZE MAX	SIZE ACCESS	WEIGHT	CODE
Full Height - Corner Pivot Door 800mm - Tray Application	765mm	790mm	815mm	68kg	CACPD80SLC
Full Height - Corner Pivot Door 900mm - Tray Application	865mm	890mm	955mm	76kg	CACPD90SLC
Full Height - Corner Pivot Door 1000mm - Tray Application	965mm	990mm	1095mm	84kg	CACPD100SLC
Full Height - Corner Pivot Door 900mm - Mosaic Tile Application*	900mm	925mm	1005mm	80kg	CACPD90MSLC
Full Height - Corner Pivot Door 1000mm - Mosaic Tile Application*	1000mm	1025mm	1105mm	88kg	CACPD100MSLC


### CORNER PIVOT DOOR - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	WEIGHT	CODE
Half Height - Corner Pivot Door 800mm - Tray Application	765mm	790mm	815mm	33kg	CAHCPD80SLC
Half Height - Corner Pivot Door 900mm - Tray Application	865mm	890mm	955mm	36kg	CAHCPD90SLC
Half Height - Corner Pivot Door 1000mm - Tray Application	965mm	990mm	1095mm	39kg	CAHCPD100SLC
Half Height - Corner Pivot Door 900mm - Mosaic Tile Application*	900mm	925mm	1005mm	38kg	CAHCPD90MSLC
Half Height - Corner Pivot Door 1000mm - Mosaic Tile Application*	1000mm	1025mm	1105mm	41kg	CAHCPD100MSLC

\*Available July 2018




FULL HEIGHT  
CORNER PIVOT DOOR



8mm  
LAMINATED  
GLASS




1950mm  
FULL HEIGHT




975mm  
HALF HEIGHT




INWARD AND  
OUTWARD  
OPENING




MAGNETIC  
CLOSURE




REVERSIBLE FOR  
LEFT OR RIGHT  
HANDED  
INSTALLATION




CLEAR  
VUE  
PROTECTIVE  
GLASS COATING



CHROME PLATED  
DOOR HANDLES



RIISING BUTT  
HINGE  
MECHANISM



10 YEAR  
GUARANTEE

**MOSAIC TILE FLOOR SIZE WARNING**  
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



# CARA

## CORNER BI-FOLD DOORS

### CORNER BI-FOLD DOOR - FULL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Corner Bi-fold Door 900mm - Tray Application	865mm	890mm	955mm	72kg	CACBF90SLC
Full Height - Corner Bi-fold Door 1000mm - Tray Application	965mm	990mm	1095mm	86kg	CACBF100SLC
Full Height - Corner Bi-fold Door 900mm - Mosaic Tile Application*	900mm	925mm	1005mm	81kg	CACBF90MSLC
Full Height - Corner Bi-fold Door 1000mm - Mosaic Tile Application*	1000mm	1025mm	1105mm	89kg	CACBF100MSLC


### CORNER BI-FOLD DOOR - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Corner Bi-fold Door 900mm - Tray Application	865mm	890mm	955mm	37kg	CAHCBF90SLC
Half Height - Corner Bi-fold Door 1000mm - Tray Application	965mm	990mm	1095mm	45kg	CAHCBF100SLC
Half Height - Corner Bi-fold Door 900mm - Mosaic Tile Application*	900mm	925mm	1005mm	43kg	CAHCBF90MSLC
Half Height - Corner Bi-fold Door 1000mm - Mosaic Tile Application*	1000mm	1025mm	1105mm	47kg	CAHCBF100MSLC


\*Available July 2018




HALF HEIGHT  
CORNER BI-FOLD DOOR




8mm  
LAMINATED  
GLASS




1950mm  
FULL HEIGHT




975mm  
HALF HEIGHT




CLEAR  
VUE  
PROTECTIVE  
GLASS COATING




CHROME PLATED  
DOOR HANDLES




OUTWARD  
OPENING ONLY




MAGNETIC  
CLOSURE



REVERSIBLE FOR  
LEFT OR RIGHT  
HANDED  
INSTALLATION




RISEING BUTT  
HINGE  
MECHANISM



10 YEAR  
GUARANTEE

**MOSAIC TILE FLOOR SIZE WARNING**  
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



# CARA

## BI-FOLD DOORS

### BI-FOLD DOOR - FULL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Bi-Fold Door 900mm	850mm	900mm	714mm	38kg	CABF90SLC


### BI-FOLD DOOR - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Bi-Fold Door 900mm	850mm	900mm	714mm	20kg	CAHBF90SLC


Suitable for installation with a laminated glass side panel - See page 16.




HALF HEIGHT  
BI-FOLD DOOR




8mm  
LAMINATED GLASS




1950mm  
FULL HEIGHT




975mm  
HALF HEIGHT




CLEAR VUE  
PROTECTIVE GLASS COATING




CHROME PLATED  
DOOR HANDLES




OUTWARD  
OPENING ONLY




MAGNETIC  
CLOSURE



REVERSIBLE FOR  
LEFT OR RIGHT  
HANDED  
INSTALLATION



ISING BUTT  
HINGE  
MECHANISM



10 YEAR  
GUARANTEE

**MOSAIC TILE FLOOR SIZE WARNING**  
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.





# CARA

## SPLIT PIVOT DOORS

### SPLIT PIVOT DOOR - FULL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Pivot Door 900mm	850mm	900mm	714mm	20kg	CASPD90SLC

### PIVOT DOOR - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Pivot Door 900mm	850mm	900mm	714mm	39kg	CAHSPD90LSC

Suitable for installation with a laminated glass side panel - See page 16.





8mm  
LAMINATED GLASS



1950mm  
FULL HEIGHT



975mm  
HALF HEIGHT



CLEAR VUE  
PROTECTIVE GLASS COATING



OUTWARD  
OPENING ONLY



MAGNETIC  
CLOSURE



RISING BUTT  
HINGE  
MECHANISM



REVERSIBLE FOR  
LEFT OR RIGHT  
HANDED  
INSTALLATION



CHROME PLATED  
DOOR HANDLES



10 YEAR  
GUARANTEE

**MOSAIC TILE FLOOR SIZE WARNING**  
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



# CARA

## SALOON DOORS

### SALOON DOORS - FULL HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Full Height - Saloon Door 900mm	850mm	900mm	685mm	37kg	CASD90SLC


### SALOON DOORS - HALF HEIGHT

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	WEIGHT	CODE
	MIN	MAX			
Half Height - Saloon Door 900mm	850mm	900mm	685mm	20kg	CAHSD90SLC


Suitable for installation with a laminated glass side panel - See page 16.




FULL HEIGHT  
SALOON DOOR  
SHOWN WITH  
SIDE PANEL




975mm  
HALF HEIGHT




1950mm  
FULL HEIGHT




8  
LAMINATED  
GLASS




CLEAR  
VUE  
PROTECTIVE  
GLASS COATING




CHROME PLATED  
DOOR HANDLES




INWARD AND  
OUTWARD  
OPENING




MAGNETIC  
CLOSURE



REVERSIBLE FOR  
LEFT OR RIGHT  
HANDED  
INSTALLATION



RISEING BUTT  
HINGE  
MECHANISM



10 YEAR  
GUARANTEE

**MOSAIC TILE FLOOR SIZE WARNING**  
Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



CARA FULL HEIGHT SALOON DOOR  
WITH FULL HEIGHT SIDE PANEL

# CARA

## LAMINATED GLASS SIDE PANEL

### FULL HEIGHT - SIDE PANELS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Full Height - Side Panel 700mm	665mm	690mm	CASP70SLC
Full Height - Side Panel 800mm	765mm	790mm	CASP80SLC
Full Height - Side Panel 900mm	865mm	890mm	CASP90SLC
Full Height - Side Panel 1000mm	965mm	990mm	CASP100SLC
Full Height - Side Panel 1200mm	1165mm	1190mm	CASP120SLC

### HALF HEIGHT - SIDE PANELS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Half Height - Side Panel 700mm	665mm	690mm	CAHSP70SLC
Half Height - Side Panel 800mm	765mm	790mm	CAHSP80SLC
Half Height - Side Panel 900mm	865mm	890mm	CAHSP90SLC
Half Height - Side Panel 1000mm	965mm	990mm	CAHSP100SLC
Half Height - Side Panel 1200mm	1165mm	1190mm	CAHSP120SLC

1950mm  
HEIGHT

975mm  
HALF HEIGHT

8mm  
LAMINATED  
GLASS

CLEAR  
VUE  
PROTECTIVE  
GLASS COATING

ANGLED  
STABILISING BAR  
INCLUDED

STRAIGHT  
STABILISING BAR  
AVAILABLE  
ON REQUEST

REVERSIBLE FOR  
LEFT OR RIGHT  
HANDED  
INSTALLATION

10 YEAR  
GUARANTEE

NB. Please take extra care to check adjustment sizes required for mosaic wetroom floor applications.



CARA HALF HEIGHT SALOON DOOR  
WITH HALF HEIGHT SIDE PANEL