
CREATING
PERFECT
HARMONY

ETTO

flair



CREATING
PERFECT
HARMONY

THE ETO[®] COLLECTION

At Flair we understand that our customers have an ever demanding daily routine. Be it first thing in the morning or as you finish the day, a shower has the power to lift your spirits, calm the mind and invigorate.

Designed to fit perfectly into your bathroom routine, the robust design of the ETO collection is coupled with clever functional innovations that will ensure long lasting high performance. The uniquely crafted handle is beautifully precise and features a cleverly integrated towel hook. Smooth sleek handle curvature creates a truly ergonomic and tactile experience for the user. The minimalist profiles and countersunk interior hinges complement the ETO handle design, creating an elegantly contemporary aesthetic.

The stylish yet functional simplicity throughout the ETO range embodies **Design with Purpose**, a concept which lies at the heart of the ETO collection.

As you explore the ETO catalogue, we hope you are captivated by every detail.



VISIONARY
INNOVATIONS

MAGNETIC INFOLD
LINKAGE SYSTEM



UNIQUELY CRAFTED
ETO HANDLE
WITH INTEGRATED
ROBE HOOK

SOFTLY CURVED
ETO HINGE DESIGN






COUNTER SUNK
INTERIOR HINGES



ULTRA SLIM PROFILE
AND COVER CAP DESIGN

FUNCTIONAL DETAILS

 <p>2000mm HEIGHT</p>	<p>2 METRES HIGH</p>	 <p>ULTRA CLEAR SEALS</p>	<p>VISUALLY ATTRACTIVE ULTRA CLEAR DOOR SEALS</p>
 <p>TOUGHENED SAFETY GLASS</p>	<p>8mm TOUGHENED SAFETY GLASS THICKNESS, CERTIFIED TO EN12150</p>	 <p>SEAMLESS INTERIOR COVER STRIPS</p>	<p>SEAMLESS INTERIOR COVER STRIPS CONCEAL ALL FIXATION POINTS INTERNALLY</p>
 <p>PROFILE ADJUSTMENT</p>	<p>20mm ADJUSTMENT ON EACH WALL PROFILE</p>	 <p>ULTRA SLIM COVER CAPS</p>	<p>ULTRA SLIM COVER CAP DESIGN FOR A SLEEK AND MODERN DOOR AESTHETIC</p>
 <p>CRAFTED HANDLE DESIGN</p>	<p>PRECISELY CRAFTED SOLID CHROME PLATED ETO HANDLES THAT FEATURE AN INTEGRATED ROBE HOOK DESIGN</p>	 <p>PRESS FIT SEAL DESIGN</p>	<p>INNOVATIVE PRESS FIT SEAL DESIGN FOR EASE OF INSTALLATION</p>
 <p>CLEARVUE GLASS COATING</p>	<p>CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE</p>	 <p>PRE-ASSEMBLED PROFILE FRAME</p>	<p>PRE ASSEMBLED DOOR FRAME ON INFOLD & HINGE DOOR - FOR EASE OF INSTALLATION</p>
 <p>MAGNETIC CUSHION CLOSE DOOR SYSTEM</p>	<p>A MAGNETIZED PISTON DOOR CLOSE MECHANISM GIVES ETO SLIDING DOORS A CONTROLLED AND GENTLE CLOSE ACTION</p>	 <p>SUITABLE FOR SIDE PANEL INSTALLATION</p>	<p>SUITABLE FOR INSTALLATION WITH SIDE PANELS</p>
 <p>COUNTERSUNK INTERIOR HINGES</p>	<p>COUNTERSUNK INTERIOR HINGES ON ALL HINGE DOORS WITH A FLUSH TO GLASS FINISH FOR EASE OF CLEANING</p>	 <p>SHOWER TRAY OR WETROOM APPLICATION</p>	<p>SUITABLE FOR INSTALLATION ON SHOWER TRAY OR WETROOM FLOOR</p>
 <p>QUICK RELEASE DOUBLE WHEEL ROLLERS</p>	<p>SUPERIOR DOUBLE WHEEL ROLLERS WITH A STAINLESS STEEL WHEEL BEARING AND WHEEL BRACKET COMPOSITION - QUICK RELEASE DESIGN</p>	 <p>REVERSIBLE</p>	<p>ALL ETO DOOR STYLES ARE FULLY REVERSIBLE FOR LEFT OR RIGHT HAND INSTALLATION</p>



DESIGN WITH PURPOSE





MAGNETIC INFOLD LINKAGE SYSTEM
The ETO Infold door features a pioneering magnetic linkage system which ensures the smoothest of motion as the door functions. The solid metal linkage arm is bonded directly to the glass and provides for an ultra minimalist infold door aesthetic. This innovative design removes the need for magnetic seals, giving a beautifully seamless glass edge on the door.

MAGNETIC CUSHION CLOSE DOOR SYSTEM
A concealed piston door close system gives ETO sliding doors a controlled and gentle close action. Double rollers with stainless steel ball bearings and a stainless steel wheel bracket design deliver an effortless sliding experience as the door glides along the magnetised rail.



PATENT PENDING CLICK FIT ASSEMBLY SYSTEM
With our installers in mind, Flair have designed ETO with a patent pending "Click Fit" Assembly System. This revolutionary assembly mechanism is screw free and ensures each door can be installed easily and securely. The tapered dovetail joint locks securely into position, giving a seamless connection between the vertical and horizontal profiles. This pioneering installation system ensures maximum structural integrity within every door and makes ETO the shower door of choice for the busiest of bathrooms.
(European Application No 19170695.1)



IDEA
CONCEPT
PROTOTYPE
ETO



ETO INFOLD DOOR
WITH SIDE PANEL

THE ETO[®] COLLECTION

INFOLD
DOOR

14

HINGE
DOOR

16

HINGE &
INLINE DOOR

18

SLIDER
DOOR

20

ONE DOOR
SLIDING
QUADRANT

22

ONE DOOR
OFFSET SLIDING
QUADRANT

24

TWO DOOR
SLIDING
QUADRANT

26

TWO DOOR
OFFSET SLIDING
QUADRANT

28

CORNER
ENTRY DOOR

30

QUALITY
GUARANTEED

34

INFOLD DOOR

The ETO Infold is the perfect blend of elegance with practical functionality.

This outward opening door protrudes minimally into the bathroom, saving on space. The unique Infold door design also affords generous access to the shower.

The ETO Infold features a pioneering magnetic linkage system which gives the door a perfectly smooth gliding action. This innovative design removes the need for magnetic seals on the glass, giving a beautifully seamless glass edge to the door.

As is standard across the ETO range, the Infold door is constructed from 8mm toughened safety glass with ClearVue hydrophobic coating. All interior fixings are fully concealed, making this shower enclosure as delightful internally as externally.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ETO Infold Door 700mm	650mm	690mm	496mm	ETOIF70SC
ETO Infold Door 760mm	710mm	750mm	556mm	ETOIF76SC
ETO Infold Door 800mm	750mm	790mm	596mm	ETOIF80SC
ETO Infold Door 900mm	850mm	890mm	696mm	ETOIF90SC
ETO Infold Door 1000mm	950mm	990mm	796mm	ETOIF100SC


SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
ETO Side Panel 700mm	660mm	680mm	ETOSP70SC
ETO Side Panel 760mm	720mm	740mm	ETOSP76SC
ETO Side Panel 800mm	760mm	780mm	ETOSP80SC
ETO Side Panel 900mm	860mm	880mm	ETOSP90SC
ETO Side Panel 1000mm	960mm	980mm	ETOSPI00SC
ETO Side Panel 1200mm	1160mm	1180mm	ETOSPI20SC


NOTE – An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS


PRODUCT DESCRIPTION	CODE
ETO Compensating Bar 10mm (included with side panel)	ETOCB10SC
ETO Compensating Bar 25mm	ETOCB25SC




2000mm
HEIGHT



8
TOUGHENED
SAFETY
GLASS




20
PROFILE
ADJUSTMENT



11
CRAFTED
HANDLE DESIGN



CLEARVUE
GLASS COATING




ULTRA CLEAR
SEALS



PRESS FIT
SEAL DESIGN




ULTRA SLIM
CHROME PLATED
COVER CAPS




SEAMLESS
INTERIOR
COVER STRIPS



SHOWER TRAY
OR WETROOM
APPLICATION




REVERSIBLE



PRE-ASSEMBLED
PROFILE FRAME

INFOLD - DOOR OPEN
POSITION MEASUREMENTS



INTERIOR
MEASUREMENTS

EXTERIOR
MEASUREMENTS

INFOLD DOOR SIZE	INTERIOR MEASUREMENT	EXTERIOR MEASUREMENT
700mm	250mm	292mm
760mm	250mm	352mm
800mm	250mm	392mm
900mm	357mm	386mm
1000mm	357mm	486mm



INFOLD DOOR
ALCOVE INSTALLATION

INFOLD DOOR WITH SIDE PANEL
(FULLY OPEN DOOR POSITION)

HINGE DOOR

The stylish yet functional simplicity of the ETO Hinge door make it the ideal choice for today's contemporary bathroom.

This 2 metre high door is supported by two precisely curved hinges that boast a flush to glass interior finish which allow for ease of cleaning. 8mm toughened safety glass is coated with ClearVue hydrophobic coating to resist the build up of unwanted grime and limescale.

The ETO Hinge door can be fitted independently in an alcove setting or with a dedicated ETO side panel of choice.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ETO Hinge Door 800mm	750mm	790mm	646mm	ETOHD80SC
ETO Hinge Door 900mm	850mm	890mm	746mm	ETOHD90SC
ETO Hinge Door 1000mm	950mm	990mm	846mm	ETOHD100SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
ETO Side Panel 700mm	660mm	680mm	ETOSP70SC
ETO Side Panel 760mm	720mm	740mm	ETOSP76SC
ETO Side Panel 800mm	760mm	780mm	ETOSP80SC
ETO Side Panel 900mm	860mm	880mm	ETOSP90SC
ETO Side Panel 1000mm	960mm	980mm	ETOSP100SC
ETO Side Panel 1200mm	1160mm	1180mm	ETOSP120SC

NOTE – An ETO Hinge Door installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE
ETO Compensating Bar 10mm (included with side panel)	ETOCB10SC
ETO Compensating Bar 25mm	ETOCB25SC



2000mm
HEIGHT



8mm
TOUGHENED
SAFETY
GLASS



20mm
PROFILE
ADJUSTMENT



CRAFTED
HANDLE DESIGN



CLEARVUE
GLASS COATING



ULTRA CLEAR
SEALS



PRESS FIT
SEAL DESIGN



ULTRA SLIM
CHROME PLATED
COVER CAPS



SEAMLESS
INTERIOR
COVER STRIPS



SHOWER TRAY
OR WETROOM
APPLICATION



REVERSIBLE



COUNTERSUNK
INTERIOR
HINGES



PRE-ASSEMBLED
PROFILE FRAME





HINGE & INLINE DOOR
ALCOVE INSTALLATION

SOFTLY CURVED
ETO HINGE
DESIGN WITH
COUNTERSUNK
INTERIOR FINISH



HINGE & INLINE DOOR
WITH SIDE PANEL



HINGE & INLINE DOOR

The impressive ETO Hinge and Inline door is the perfect option for those larger luxurious bathroom spaces.

The flawless semi framed profiles give this door a robust feel, whilst the crafted ETO handle provides optimal functionality with its integrated towel hook design.

Designed with purpose, the softly curved hinges are countersunk into the glass and their flush interior finish allows for ease of cleaning. As is standard across the ETO range, this door comes with ClearVue glass coating which repels grime and limescale build up.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ETO Hinge & Inline Door 1100mm	1050mm	1090mm	725mm	ETOHD110SC
ETO Hinge & Inline Door 1200mm	1150mm	1190mm	725mm	ETOHD120SC
ETO Hinge & Inline Door 1400mm	1350mm	1390mm	725mm	ETOHD140SC

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
ETO Side Panel 700mm	660mm	680mm	ETOSP70SC
ETO Side Panel 760mm	720mm	740mm	ETOSP76SC
ETO Side Panel 800mm	760mm	780mm	ETOSP80SC
ETO Side Panel 900mm	860mm	880mm	ETOSP90SC
ETO Side Panel 1000mm	960mm	980mm	ETOSPI00SC
ETO Side Panel 1200mm	1160mm	1180mm	ETOSPI20SC



ELEGANTLY
CRAFTED
ETO HANDLE
DESIGN

NOTE – An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE
ETO Compensating Bar 10mm (included with side panel)	ETOCB10SC
ETO Compensating Bar 25mm	ETOCB25SC



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

COUNTERSUNK
INTERIOR
HINGES

SLIDER DOOR

With minimalist profiles surrounding 8mm toughened safety glass, the ETO Slider is designed with long lasting durability in mind.

The sliding door glass is guided by stainless steel wheel brackets which provide an effortlessly smooth experience. The magnetic cushion close mechanism ensures a controlled and gentle action as the door opens and closes.

The curvature of the crafted ETO handle feels beautifully precise in hand, whilst also doubling up on functionality with its integrated towel hook design.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ETO Sliding Door 1100mm	1050mm	1090mm	420mm	ETOSA110SC
ETO Sliding Door 1200mm	1150mm	1190mm	470mm	ETOSA120SC
ETO Sliding Door 1400mm	1350mm	1390mm	570mm	ETOSA140SC
ETO Sliding Door 1500mm	1450mm	1490mm	570mm	ETOSA150SC
ETO Sliding Door 1600mm	1550mm	1590mm	570mm	ETOSA160SC



MAGNETIC CUSHION CLOSE DOOR SYSTEM

SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
ETO Side Panel 700mm	660mm	680mm	ETOSP70SC
ETO Side Panel 760mm	720mm	740mm	ETOSP76SC
ETO Side Panel 800mm	760mm	780mm	ETOSP80SC
ETO Side Panel 900mm	860mm	880mm	ETOSP90SC
ETO Side Panel 1000mm	960mm	980mm	ETOSP100SC
ETO Side Panel 1200mm	1160mm	1180mm	ETOSP120SC



STAINLESS STEEL DOUBLE ROLLERS - QUICK RELEASE DESIGN

NOTE – An ETO Slider installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE
ETO Compensating Bar 10mm (included with side panel)	ETOCB10SC
ETO Compensating Bar 25mm	ETOCB25SC



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM



SLIDER DOOR
ALCOVE INSTALLATION

SLIDER DOOR
WITH SIDE PANEL



ONE DOOR SLIDING QUADRANT

With precisely curved detailing, the ETO One Door Sliding Quadrant oozes charm and sophistication. It's compact design make it the ideal choice where space is limited.

A concealed magnetic cushion close system within the door ensures a controlled and gentle close action as the door glides along the bottom rail. The double wheel rollers have a stainless steel composition for longevity and their quick release design allows for ease of cleaning.

ClearVue hydrophobic coating on the 8mm glass resists the build up of grime and limescale on the glass surface.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ETO One Door Quadrant 900mm	870mm	890mm	484mm	ETOOCQ90SC
ETO One Door Quadrant 1000mm	970mm	990mm	484mm	ETOOCQ100SC



MAGNETIC CUSHION CLOSE DOOR MECHANISM



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE





2000mm
HEIGHT



8mm
TOUGHENED
SAFETY
GLASS



20mm
PROFILE
ADJUSTMENT



11
CRAFTED
HANDLE DESIGN



CLEARVUE
GLASS COATING



ULTRA CLEAR
SEALS



PRESS FIT
SEAL DESIGN



ULTRA SLIM
CHROME PLATED
COVER CAPS



SEAMLESS
INTERIOR
COVER STRIPS



SHOWER TRAY
OR WETROOM
APPLICATION



REVERSIBLE



MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

ONE DOOR OFFSET SLIDING QUADRANT

The ETO One Door Offset Sliding Quadrant is perfectly shaped to make the most out of a corner bathroom space.

Ideal for larger bathrooms, the innovative magnetic cushion close feature ensures a smooth rolling door action on this offset quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.

ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface.


The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE
ETO One Door Offset Quadrant 1000 x 800mm - Long Side Opening	770 - 970mm	790 - 990mm	440mm	ETOOCQ100X80SCL
ETO One Door Offset Quadrant 1200 x 800mm - Long Side Opening	770 - 1170mm	790 - 1190mm	440mm	ETOOCQ120X80SCL
ETO One Door Offset Quadrant 1200 x 900mm - Long Side Opening	870 - 1170mm	890 - 1190mm	484mm	ETOOCQ120X90SCL



QUICK RELEASE ROLLER DESIGN



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM





TWO DOOR SLIDING QUADRANT

Perfect for the every day, the gently curved detailing of this stylish Two Door Sliding Quadrant exudes contemporary elegance.

The magnetic cushion close door system brings both sliding doors to a controlled and gentle stop. The 8mm curved glass features ClearVue glass coating which repels against grime and limescale.

Superior quality double wheel rollers have a quick release design and are supported by stainless steel components, promising functional longevity in the busy bathroom environment.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ETO Two Door Quadrant 900mm	870mm	890mm	528mm	ETOCQ90SC



SUPERIOR DOUBLE WHEEL ROLLER SYSTEM



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE





2000mm
HEIGHT



8mm
TOUGHENED
SAFETY
GLASS



20mm
PROFILE
ADJUSTMENT



11
CRAFTED
HANDLE DESIGN



CLEARVUE
GLASS COATING



ULTRA CLEAR
SEALS



PRESS FIT
SEAL DESIGN



ULTRA SLIM
CHROME PLATED
COVER CAPS



SEAMLESS
INTERIOR
COVER STRIPS



SHOWER TRAY
OR WETROOM
APPLICATION



REVERSIBLE



MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

TWO DOOR OFFSET SLIDING QUADRANT

With generous proportions, the ETO Two Door Offset Sliding Quadrant is a much favoured corner shower door choice for many discerning homeowners.

The magnetic cushion close door system brings this door to a controlled and gentle stop. The impressive 8mm curved glass features ClearVue hydrophobic coating which repels against grime and limescale.

The sleek yet sturdy metal profiles give this door a robust feel while its gently curved detailing captures the essence of contemporary elegance.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE
ETO Two Door Offset Quadrant 1100 x 800mm	770 - 1070mm	790 - 1090mm	458mm	ETOCQ80XI10SC
ETO Two Door Offset Quadrant 1100 x 900mm	870 - 1070mm	890 - 1090mm	528mm	ETOCQ90XI10SC
ETO Two Door Offset Quadrant 1200 x 800mm	770 - 1170mm	790 - 1190mm	458mm	ETOCQ80XI20SC
ETO Two Door Offset Quadrant 1200 x 900mm	870 - 1170mm	890 - 1190mm	528mm	ETOCQ90XI20SC



QUICK RELEASE
BOTTOM ROLLERS



MAGNETIC CUSHION
CLOSE DOOR SYSTEM

NOTE – Dedicated 1100 x 800mm and 1100 x 900mm offset quadrant slimline shower trays now available.



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM





CORNER ENTRY

The ETO Corner Entry boasts contemporary clean lines and a sturdy semi frameless design. The two door corner sliding configuration make the corner entry an ideal choice for the bathroom where space is limited.

The flush finish on the corner brackets provides for a truly seamless door aesthetic. Quick release double rollers ensure ease of cleaning while the magnetic cushion close system brings this door to a controlled and gentle stop.

Superior magnetic seals ensure watertightness and give a positive close action when both doors are drawn together.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ETO Corner Entry 800mm	770mm	790mm	392mm	ETOCE80SC
ETO Corner Entry 900mm	870mm	890mm	462mm	ETOCE90SC



ETO CORNER ENTRY
HANDLE DESIGN



SLEEK FLUSH CORNER
BRACKET DESIGN



2000mm
HEIGHT

8mm
TOUGHENED
SAFETY
GLASS

20mm
PROFILE
ADJUSTMENT

11
CRAFTED
HANDLE DESIGN

CLEARVUE
GLASS COATING

ULTRA CLEAR
SEALS

PRESS FIT
SEAL DESIGN

ULTRA SLIM
CHROME PLATED
COVER CAPS

SEAMLESS
INTERIOR
COVER STRIPS

SHOWER TRAY
OR WETROOM
APPLICATION

REVERSIBLE

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

DESIGNED FOR LIFE



SINCE
1952

flair
—

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer award winning designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



**AWARD WINNING
PRODUCT DESIGN**

QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All ETO Shower Doors are CE approved and quality tested to I.S. EN 14428-2015 Shower Enclosures - Functional Requirements and Test Methods. This includes all normative reference standards including I.S. EN 12150-1-2015 for toughened safety glass.

ETO Shower Enclosures have been subject to lifetime shower door cycle testing consisting of 40,000 functional cycles, water tests, impact tests and corrosion tests for all components.

ETO Doors are rigorously tested to ensure that they meet the highest possible industry standards. Transportation testing is also conducted so that the ETO product arrives to our customer in the best possible condition.

INSTALLATION

Full installation instructions are provided with each ETO product to ensure correct installation. ETO Shower Doors and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.

ETO Lifetime Guarantee.

ETO Shower Doors are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. ***Note: Non glass and detachable parts such as rollers, seals, door dampeners and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every ETO door.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

Aftersales & Spare Parts service



Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.

1/CT/ETOU/P



UP 2019

DESIGNED FOR LIFE

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

T +353 42 966 8000
E sales@flairshowers.com

Connect with us



FLAIRSHOWERS.COM