


flair

PVC Panelling & Klicker Floor

September 2022



Flair PVC panels are easy to install, easy to maintain, 100% waterproof, have a class 1 fire rating and are mould resistant and hygienic.

They excel in wet environments.



Panelling Made Easy

- Class 1 fire rated
- Lightweight & easy to fit
- Hygienic non porous surface that is easy to clean
- 100% waterproof PVC Core
- Suitable for wet and dry internal areas such as bathrooms and utility rooms
- Cost effective alternative to tiling
- Tongue and groove panelling for a seamless finish
- Suitable for installation on tiles



Four PVC Size Options

1 10mm Widepanel

1 Metre Wide
2.4 Metre Height

2 Super 7mm PVC Panelling

250mm Wide
2.7 Metre Height
(Pack of 4)

3 6mm Ceiling Panel

200mm Wide Panels
2.7 Metre Height
(Pack of 5)

4 5mm Wall Panel

250mm Wide Panels
2.7 Metre Height
(Pack of 4)



10mm WidePanel PVC Panelling

Height: 2400mm – Width: 1000mm
Depth:10mm



Astra
Stone Matt

Code FW10ASM



Capri
Light Grey Matt

Code FW10CLG



Lindos
Light Grey Matt

Code FW10LLG



White
Gloss

Code FW10WG



White
Marble

Code FW10WM



Light Grey
Marble

Code FW10LGM



Grey
Marble

Code FW10GM



Arctic
Sparkle

Code FW10AS



Contrete
Beige

Code FW10CB



Concrete
Dark Grey

Code FW10CDG



Metallic
Antique Grey

Code FW10MA



Naples
Matt

Code FW10NM



Rome
Matt

Code FW10RM



Turin
Matt

Code FW10TM




Tuscany
Grey Marble

Code FW10TGM



Milan
Carrara Matt

Code FW10MCM



Storm
Grey

Code FWSG



10mm PVC Trim Options & Extras

DESCRIPTION	SILVER	WHITE	BLACK
Flair PVC WidePanel 10mm Internal Corner (2.4m length)	FW100ICS	FW100ICW	FW100ICB
Flair PVC WidePanel 10mm External Corner (2.4m length)	FW100ECS	FW100ECW	FW100ECB
Flair PVC WidePanel 10mm End U Trim (2.4m length)	FW100EUTS	FW100EUTW	FW100EUTB
Flair PVC WidePanel 10mm H Joiner (2.4m length)	FW100HJS	FW100HJW	–
Flair PVC WidePanel 10mm PVC Base Seal (2.4m length)	FW100BSS	FW100BSW	–
Flair PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW	–
PVC WidePanel 10mm Corner Installation Kit Consists of: 2 x End U Trims, 1 x Internal Corner, 1 x Adhesive, 1 x Silicone (<i>Base seal not included</i>)	FWCIKS	FWCIKW	–
PVC WidePanel10mm Alcove Installation Kit Consists of: 2 x End U Trims, 2 x Internal Corners, 2 x Adhesive, 2 x Silicone (<i>Base seal not included</i>)	FWAIKS	FWAIKW	–
Flair PVC Panel Adhesive		FCWA	–
Flair PVC Panel Silicone Sealant White		FCWSS	–
Flair PVC Panel Surface Cleaner		FCWSC	–

Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur.
To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

PLEASE NOTE: Installation kit does not include base seal.

NEW

Super 7mm WidePanel PVC Panelling


Height: 2700mm – Width: 250mm – Depth: 7mm
(4 Panels Per Pack – 2.7m²)

- Suitable for both wet and dry areas
- Non-porous, hygienic and mould free
- Virtually maintenance free with wipe clean surface




Arctic Sparkle

Code FW7ASG



Capri Grey

Code FW7CGM



Capri Light Grey Matt

Code FW7CLGM




Concrete Dark Grey

Code FW7CDGM



Light Grey Marble

Code FW7LGMG




Metallic Silver

Code FW7MSM



Silver Linear

Code FW7SLM



Storm Grey

Code FW7SGG



White Gloss

Code FW7WG



White Linear

Code FW7WLM

7mm PVC Trim Options & Extras


DESCRIPTION	SILVER	WHITE
Flair PVC Ceiling & Wall Panel Internal Corner (2.7m length)	FW7ICS	FW7ICW
Flair PVC Ceiling & Wall Panel External Corner (2.7m length)	FW7ECS	FW7ECW
Flair PVC Ceiling & Wall Panel End U Trim (2.7m length)	FW7EUTS	FW7EUTW
Flair PVC WidePanel 7mm PVC Base Seal (2.7m length)	FW7BSS	FW7BSW
Flair PVC Ceiling & Wall Panel H Joiner Silver (2.7m length)		FW7HJW
Flair PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW
Flair PVC Panel Adhesive		FCWA
Flair PVC Panel Silicone Sealant White		FCWSS
Flair PVC Panel Surface Cleaner		FCWSC



Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

6mm Two Strip PVC Ceiling Panelling

Height: 2700mm – Width: 200mm – Depth: 6mm
(5 panels per pack - 2.7m²)



White White 2 Strip

Code FCW6WW



White Silver 2 Strip

Code FCW6WS



6mm PVC Trim Options & Extras

DESCRIPTION	SILVER	WHITE
Flair PVC Ceiling & Wall Panel Internal Corner (2.7m length)	FCWICS	FCWICW
Flair PVC Ceiling & Wall Panel External Corner (2.7m length)	FCWECS	FCWECW
Flair PVC Ceiling & Wall Panel End U Trim (2.7m length)	FCWEUTS	FCWEUTW
Flair PVC Ceiling & Wall Panel H Joiner (2.7m length)	FCWHJS	FCWHJW
Flair PVC Ceiling & Wall Panel Scotia Trim (2.7m length)	FCWSTS	FCWSTW
Flair PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW
Flair PVC Panel Adhesive		FCWA
Flair PVC Panel Silicone Sealant White		FCWSS
Flair PVC Panel Surface Cleaner		FCWSC



Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

5mm PVC Wall Panelling

Height: 2700mm – Width: 250mm
Depth: 5mm (4 Panels Per Pack – 2.7m²)



White Gloss

Code FCW5WG



Light Grey Marble

Code FCW5LGM




5mm PVC Trim Options & Extras

DESCRIPTION	SILVER	WHITE
Flair PVC Ceiling & Wall Panel Internal Corner (2.7m length)	FCWICS	FCWICW
Flair PVC Ceiling & Wall Panel External Corner (2.7m length)	FCWECS	FCWECW
Flair PVC Ceiling & Wall Panel End U Trim (2.7m length)	FCWEUTS	FCWEUTW
Flair PVC Ceiling & Wall Panel H Joiner (2.7m length)	FCWHJS	FCWHJW
Flair PVC Ceiling & Wall Panel Scotia Trim (2.7m length)	FCWSTS	FCWSTW
Flair PVC Universal L Shaped Trim (2.7m length)	FWULSTS	FWULSTW
Flair PVC Panel Adhesive		FCWA
Flair PVC Panel Silicone Sealant White		FCWSS
Flair PVC Panel Surface Cleaner		FCWSC




Due to constrictions in the colour printing production, when products are produced at different times slight variations in colours may occur. To maintain consistency in panels of the same colour, it is advised to order a sufficient quantity with your initial order.

Installation Options




CORNER INSTALLATION



LARGE CORNER INSTALLATION (TONGUE & GROOVE)



RECESS INSTALLATION



LARGE RECESS INSTALLATION



BASE SEAL

Base seal used to fix PVC panel to shower tray, bath, floor, tiles etc.



INTERNAL CORNER

Used on internal 90° corners with sealant.



EXTERNAL CORNER

Used on external 90° corners with sealant.




END U TRIM

Finishing end cap for square cut edge panel, sealing with sealant.



H JOINER PROFILE

Used to mount panels side by side, or above each other.



SCOTIA TRIM

Used along the top of PVC panels to give a “cornice effect” between panel and the ceiling.



L SHAPED TRIM

Used as an external profile. This is an easy to use profile, that can be fitted after the installation of our shower panels.

Fitting, Cleaning & Maintenance

Abrasive cleaners and bleaches must NOT be used on PVC panels.

When fitting lighting to a ceiling panel consult the lighting manufacturer.


DO NOT EXPOSE TO DIRECT SUNLIGHT, OR TEMPERATURES IN EXCESS OF 60°C.

The hard-wearing surface of the panelling can be hygienically cleaned with anti-bacterial hard surface cleaner which is a mild NON-ABRASIVE cleaner, or domestic NO ABRASIVE WASHING UP LIQUIDS.



Klicker Floor Vinyl Flooring

Woodplank Range - 181mm x 1220mm (10 Panels per pack 2.2m²)




Black Oak Woodplank

Code KWBO



White Oak Woodplank

Code KWWO



Grey Oak Woodplank


Code KWGO



Medium Oak Woodplank


Code KWMO

Tiles Range - 305mm x 610mm (10 Tiles per pack, 1.86m²)



Cararra White Marble Tile

Code KTCW




Grey Marble Tile

Code KTGM



Sandstone Tile

Code KTSS



Oiled Slate Tile

Code KTOS

**Klicker Floor
Quick & Easy
Click-fit
System**

The easiest floor you
will ever install - **No glue required!**

Klicker Floor Features

- 100% Virgin vinyl
- 20 Years domestic guarantee
- 10 Years light commercial guarantee
- Very stable -
- High temperature resistant
- 100% Waterproof
- Micro-bevelled edges
- Resistant to UV light
- PU Protected
- Suitable for walls

Klicker Floor Benefits

- 4 Way click system
- Up to 300sqm can be fitted without transition joins
- No acclimatisation required
- >R10 Slip resistance
- Pre-applied IXPE high density underlay

Flair Klicker Floor vinyl floor tiles recreate the subtle textures of natural wood and stone, bringing a warmth and quality to any room in your home



Distributed by:

flair

Flair Showers Ltd.
Rocks Road
Kingscourt
Co Cavan
Ireland

E sales@flairshowers.com
T +353 42 966 8000

FLAIRSHOWERS.COM