


DECLARATION OF PERFORMANCE

No. FFPD-001

1. Unique identification code of product-type:
FFPD
2. Type, batch or serial number or any other element allowing identification of the construction product as required under article 11(4):
Shower enclosure
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:
Personal hygiene (PH)
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):
Flair Showers Ltd., Rocks Road, Kingscourt, Co. Cavan, Ireland
T 00353 42 966 8000
F 00353 42 969 3672
E sales@flairshowers.com
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):
No authorised representative
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:
System 4
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard.
Determination of the product type and factory production control by the manufacturer
8. Declared performance

Essential Characteristics ^a	Performance	Harmonized technical specification
Cleanability	Pass	EN 14428:2015+A1:2018
Impact resistance/shatter properties	Pass	
Durability	Pass	
^a Specific performance of essential requirements are given by the designation code as cited in the attachment.		
9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Sign for and on behalf of the manufacturer by:



Ronán O'Grady, Product Designer Conex Works, Santry Avenue, Santry, Dublin 9, Ireland 10.03.2017

Attachment to Declaration of Performance


No. FFPD-001

Product code no.	Description	CE Marking
FFPD30SC	Flair Frameless Pivot Door 300mm (Silver, Clear)	CA-IR-DA
FFPD45SC	Flair Frameless Pivot Door 450mm (Silver, Clear)	CA-IR-DA
FFPD60SC	Flair Frameless Pivot Door 600mm (Silver, Clear)	CA-IR-DA
FFPD70SC	Flair Frameless Pivot Door 700mm (Silver, Clear)	CA-IR-DA
FFPD80SC	Flair Frameless Pivot Door 800mm (Silver, Clear)	CA-IR-DA
FFPD90SC	Flair Frameless Pivot Door 900mm (Silver, Clear)	CA-IR-DA
FFPD100SC	Flair Frameless Pivot Door 1000mm (Silver, Clear)	CA-IR-DA
FFPD70LMP	Flair Frameless Pivot Door 700mm (Matte, Privacy)	CA-IR-DA
FFPD70RMP	Flair Frameless Pivot Door 700mm (Matte, Privacy)	CA-IR-DA
FFPD80LMP	Flair Frameless Pivot Door 800mm (Matte, Privacy)	CA-IR-DA
FFPD80RMP	Flair Frameless Pivot Door 800mm (Matte, Privacy)	CA-IR-DA
FFPD90LMP	Flair Frameless Pivot Door 900mm (Matte, Privacy)	CA-IR-DA
FFPD90RMP	Flair Frameless Pivot Door 900mm (Matte, Privacy)	CA-IR-DA
FFPD100LMP	Flair Frameless Pivot Door 1000mm (Matte, Privacy)	CA-IR-DA
FFPD100RMP	Flair Frameless Pivot Door 1000mm (Matte, Privacy)	CA-IR-DA
FFPD70BC	Flair Frameless Pivot Door 700mm (Black, Clear)	CA-IR-DA
FFPD70BG	Flair Frameless Pivot Door 700mm (Black, Grey)	CA-IR-DA
FFPD80BC	Flair Frameless Pivot Door 800mm (Black, Clear)	CA-IR-DA
FFPD80BG	Flair Frameless Pivot Door 800mm (Black, Grey)	CA-IR-DA
FFPD90BC	Flair Frameless Pivot Door 900mm (Black, Clear)	CA-IR-DA
FFPD90BG	Flair Frameless Pivot Door 900mm (Black, Grey)	CA-IR-DA
FFPD100BC	Flair Frameless Pivot Door 1000mm (Black, Clear)	CA-IR-DA
FFPD100BG	Flair Frameless Pivot Door 1000mm (Black, Grey)	CA-IR-DA

Sign for and on behalf of the manufacturer by:




Ronán O' Grady, Product Designer Conex Works, Santry Avenue, Santry, Dublin 9, Ireland 10.03.2017



Characteristic to be tested	Assessment method according to clauses of document I.S. EN 14428:2015+A1:2018	Number of samples	Compliance criteria
Cleanability	4.2	1	4.2
Impact resistance/shatter properties	5.1, 5.2	1	4.3
Corrosion resistance	4.4.2	1	4.4.2
Resistance to chemicals and stains	5.3	1	4.4.3
Resistance to wet and dry cycling	5.4	1	4.4.4
Endurance	5.5	1	4.4.5
Stability	5.6	1	4.4.6
Water retention	5.7	1	4.4.7

This is to certify that the following product has achieved a pass under each and all of the EN requirements for shower enclosures, as covered by the scope of EN 14428:2015+A1:2018.

FFPD – Flair Frameless Pivot Door – Certificate Number FFPD-001



Ronán O'Grady, Product Designer Conex Works, Santry Avenue, Santry, Dublin 9, Ireland 10.03.2017